

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	Lenovo S20-30				
Model number *	80GW; 20421				
Issue date *	2015-01-13				
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	80GW; 20421	80GW; 20421		
Issue date *	2015-01-13		Logo	lenovo.

Product	uct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbon tetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	Ш
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes	П	
1 1.10	http://www.lenovo.com/social_responsibility/us/en/materials.html			ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*				
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80GW; 20421	80GW; 20421		
Issue date *	2015-01-13		Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Picasamble resulting			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	<u> </u>		-
P7.3*				-
	Plastic parts >100g consist of one material or of easily separable materials.		<u> </u>	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Н	<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u>Н</u>	<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш	
D7 7*	Product lifetime	<u> </u>		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ.	Щ.
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7 10	Material type: PC+ABS Material type: Material type: Floatrian patho insulation materials of power solling are DVC free.	$\overline{}$		
P7.12	Electrical cable insulation materials of power cables are PVC free.	 		<u> </u>
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		Щ	Щ.
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			Ш
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 5.2%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: 0 and max. mercury content per lamp: 0 mg	\boxtimes	Ш	
P8	Batteries			
P8.1*	Battery chemical composition: <i>Lithium ion</i>			
P8 2	Batteries meet the requirements of the following voluntary program/s: NA			\dashv

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80GW; 20421	80GW; 20421		
Issue date *	2015-01-13		Logo	lenovo.

Product environmental attributes - Market requirements (continued) Requirement met						
ltem Yes No n. P9 Energy consumption						n.a.
9.1 For the product the follo	wing power levels or	energy consumpt	ions are reporte	ed: S	See P14	
Energy mode *	Power level at	Power level at	Power level at	Re	ference / Standard for energy modes and test	
Peak (On-max)	100 V AC	115 V AC	230 V AC		ethod * Full load	
· · · · ·	45 00	45 VV	43 VV		-uii ioau	
Category 11/2/3 Short Idle State - WOL Enabled	7.70 \\\	0.00 \\	0.40.10/	111-	to for ENERGY STAR VC registration (D.)	
	7.76 W	8.00 W	8.10 W		re for ENERGY STAR V6 registration (P _{idle})	Ш
Long Idle State - WOL Enabled	4.21 W	4.50 W	4.70 W		re for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled	N/A W	N/A W	N/A W		e for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	0.67 W	0.70 W	0.60 W		e for ENERGY STAR V6 registration(P _{sleep})	
Off (S5) - WOL Enabled	N/A W	N/A W	N/A W	Us	e for ENERGY STAR V6 registration(P _{off})	\boxtimes
Off (S5) - WOL Disabled	0.14 W	0.10 W	0.20 W	Us	e for ENERGY STAR V6 registration(P _{off})	
Category D 1/2						
Short Idle State - WOL Enabled	N/A W	N/A W	N/A W	Us	se for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	N/A W	N/A W	N/A W	Us	e for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled	N/A W	N/A W	N/A W	Us	e for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	N/A W	N/A W	N/A W	Re	ference	
Off (S5) - WOL Enabled	N/A W	N/A W	N/A W	Us	e for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	N/A W	N/A W	N/A W	Us	e for EuP	\vdash
EPS No-load	0.08 W	0.08 W	0.10 W			$\overline{\Box}$
(External power supply / charger						
plugged in the wall outlet but						
disconnected from the product.)						
PTEC *	W	W	W			
Typical Energy Consumption						
TEC *						
Typical Energy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption	26.44 kWh/year	27.6 kWh/year	27.5 kWh/year		$E_{C} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$ $P_{short idle} \times 0.3 + P_{long idle} \times 0.1)$	Ш
7 mildi Energy Consumption			KVVIII y Cai	'	snort late X 0.0 - 1 long late X 0.17	
		WOL Enabled; P _{slee}	p: Sleep Mode(S3)) - W (OL Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution* : 1366*768 Meg	gapixels					
Print Speed * : Imag	es per minute					
Default time to enter energy save m	ode: 25 minutes					
P9.2* Information about the e	nergy save function is	s provided with the	e product.			
P9.3* The product meets the				/s:		
ENERGY STAR® versi Others specify: NA	on: Version 6.0 Tie	er: Produ	ıct category: 13			
P10 Emissions						
Noise emission – Dec		O 9296		1		
P10.1 Mode Mode	description		Declared A-weighted		Declared A-weighted	
			sound power		sound pressure level $L_{p{\sf Am}}$ (dB)]
			level $L_{W\!Ad}$	(B)	Operator position Bystander positions	
					Desktop (only if product is not	
					operator attended)	
	DD:Idle		* 3.2		22.8	↓ □
Operation * HI Other mode	DD: Operating		* 3.6		28.0	┧╚
Measured according to:	XISO7770	MA-74				1
ivicasured according to.			d by ECMA-74 w	ith L	- _{pAm} measurement distance m)	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:						

Model number *	Lenovo S20-30	80GW; 20421		
Issue date *	2015-01-13		Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	equire	ment	met		
Item		Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: GREENGUARD GOLD	\boxtimes				
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes		
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes		
	Dust Ozone Styrene Benzene TVOC	_				
	Electromagnetic emissions					
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packaging and documentation					
P13.1*						
	Product packaging material type(s): PE weight (kg): 0.22					
P13.2*	Product packaging material type(s): PP weight (kg): 0.00206					
_	Product plastic packaging is free from PVC.					
P13.3*	Specify media for user and product documentation (tick box):					
D40.4*	Electronic , Paper , Other .					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%					
P14	Additional information (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied,					
	information contained in this document. All information provided by supplier in this document is provided based					
	knowledge available at the time of completion, and supplier shall have no obligation to update such information			on		
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:					
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo S20-30	Logo
Model Number	80GW; 20421	_
Issue Date	2015-01-13	lenovo.
Additional information		

P7.1.1 I	Product environmental attributes					
(d)	year of manufacture: 2014					
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:					
	Category (according to ErP Lot 3): A Etec: 12.54					
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:					
	Category (according to ErP Lot 3): NA Etec: NA					
(g)	idle state power demand (Watts);	4.23				
(h)	sleep mode power demand (Watts);	0.66				
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);					
(j)	off mode power demand (Watts);	0.16				
(k)	off mode with WOL enabled power demand (Watts) (where enabled);					
(1)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average					
(m)	external power supply efficiency (if applicable): Average*: 45W:87.58%,87.60%,88.32%; *internal note: show values for all available external power supplies					
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300cycles				
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:					
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:					
	Energy-star requirement					

(p-3) the measu batteries:								
		IEC	61960 measurement methodology					
	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	Energy-star requirement							
(q) sequence	sequence of steps for achieving a stable condition with respect to power demand::							
	Based on user manual							
(r) description	description of how sleep and/or off mode was selected or programmed:							
			Based on user manual					
(s) sequence off mode:								
			Based on user manual					
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25							
(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA								
(v) the length	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10							
(w) information on the energy-saving potential of power management functionality:								
Based on user manual								
(x) user inform	nation on how to ena	ble the p	power management functionality:					
			Based on user manual					
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used								
for electric	al testing:							
		230V/5	0Hz, Total Harmonic Distortion <2 %					
Addition Notebook B	1							
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	sed and replaced				
(Battery not user replaceable)	(Battery user replaceable)		The battery[ies] in this product cannot be easily repla themselves	ced by users				
Additional information								
Additional information								