

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkPad Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560	lenovo.			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_	notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Tablet				
Commercial name *	ThinkPad 8				
Model number *	M/T: 20BN/20BQ				
Issue date *	2014-01-28				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	ThinkPad 8 M/T: 20BN/20BQ		
Issue date *	2014-01-28	Logo	lenovo.

Product	luct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).			
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	l 🛛		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	l 🔯		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkPad 8 M/T: 20BN/20BQ		
Issue date *	2014-01-28	Logo	lenovo.

**mandatory to fill in. Additional information regarding each item may be found under P14.	Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	ment	met			
Post Design Des								
P7.1º Parts that have to be treated separately are easily separable P7.1º Parts that have to be treated separately are easily separable P7.2º Plastic materials in covers/housing have no surface coating. P7.3º Plastic parts >100g consist of one material or of easily separable materials. P7.3º Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5º Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.6º Labies are easily separable. (This requirement does not apply to safety/regulatory labels). P7.6º Labies are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7º Upgrading can be done e.g. with processor, memory, cards or drives P7.7º Upgrading can be done using commonly available tools P7.9º Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11º P7.12º Electrical cable insulation materials of power cables are PVC free. Material type: PC. P7.14 All cover/housing materials of signal cables are PVC free P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 Note B2 P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: P7.17 All. 1 Chemical specifications of flame retardants in printed circuit boards (without components): P7.17 All. 1 Chemical specifications of flame retardants in printed circuit boards (without components): P7.18 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Chemical name:	P6	Treatment information						
Disassembly, recycling P7.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts >250 alone material or of easily separable materials. P7.4* Plastic parts >250 alone material or of easily separable materials. P7.5* Plastic parts >250 alone material or of easily separable materials. P7.5* Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.6* Upgrading can be done e.g. with processor, memory, cards or drives P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.9* Spare parts are available after end of production for. 5 years P7.10* Service is available after end of production for. 5 years Material and substance requirements P7.11* Product cover/housing material type: PC Material type: PC+ABS Material type: PC Material type: PC+ABS Material type: PC Material type: PC+ABS Material type: PC Material type: Aluminium P7.12* Electrical cable insulation materials of signal cables are PVC free. P7.14* All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15* All printed circuit boards (without components) >25g are halogen free: as defined in IEC61249-2-21. (See Note B2) P7.16* Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17* Alt 1 Chemical specifications of flame retardants in printed circuit boards (without components): TBBPA (additive)	P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes					
P7.1º Parts that have to be treated separately are easily separable P7.2º Plastic materials in covers/housing have no surface coatling. P7.3º Plastic materials in covers/housing have no surface coatling. P7.4º Plastic parts >25g have material cordes according to ISO 11469 referring ISO 1043. P7.6º Labels are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6º Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7º Upgrading can be done e.g. with processor, memory, cards or drives P7.7º Upgrading can be done e.g. with processor, memory, cards or drives P7.8º Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance regulrements P7.11 Product cover/housing material type: Material type: PC+ABS Material type: PC+ABS Material type: PC+ABS Material type: PC+BBS Material type: PC+BBS Material type: PC+ABS Note Experiment type: PC+ABS Note Experiment type: PC+ABS Material type: PC+ABS Note Experiment type: PC+ABS	P7							
P7.3° Plastic materials in covers/housing have no surface coating. P7.3° Plastic parts >100g consist of one material or of easily separable materials. P7.4° Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5° Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6° Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.6° Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.8° Upgrading can be done e.g. with processor, memory, cards or drives P7.9° Upgrading can be done e.g. with processor, memory, cards or drives P7.9° Spare parts are available after end of production for: 5 years Material and substance requirements P7.111 Product cover/housing material type: Material and substance requirements P7.112 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of power cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are hadgen free. as defined in IEC61249-2-21. (See Note 82) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) TBBPA (reactive) Other: chemical name: DOPO(9, 10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide), CAS #: 35948-25-5 Alt. 2 Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical specifications of flame retardants in printed circuit boards (without components) > 25g according ISO 1043-4: F7.40) P7.19 Plastic parts >25g are free from flame retardants in plastic parts >25g according ISO 1043-4: F7.40 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified	P7.1*		\boxtimes					
P7.3* Plastic parts >100g consist of one material or of easily separable materials. P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5* Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9* Spare parts are available after end of production for: 5 years P7.10* Service is available after end of production for: 5 years P7.11* Material and substance requirements P7.11* Material and substance requirements P7.12* Electrical cable insulation materials of signal cables are PVC free. P7.13* Electrical cable insulation materials of signal cables are PVC free P7.14* All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15* All printed circuit boards (without components) >25g are halogen free, as defined in IEC61249-2-21. (See □ □ Note B2) P7.16* Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: □ □ Matrials. P7.17* Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): □ □ TBBPA (reactive) □ □ Other; chemical name: DOPO(9,10-dihydro-9-oxa-10-phosphaphonanthrene-10-oxide), CAS #: 35948-25-5 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: □ □ TBBPA (reactive) □ TBBPA (reactive) □ □ TBBPA (reactive) □ TBBPA (re	P7.2*							
P7.4 Plastic parts 25g have material codes according to ISO 11469 referring ISO 1043. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6 Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7 Upgrading can be done e.g. with processor, memory, cards or drives P7.8 Upgrading can be done e.g. with processor, memory, cards or drives P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11 Product cover/housing material type: PC	P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes	\Box	Ħ			
P7.6 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6 Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.6 Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7 Upgrading can be done e.g. with processor, memory, cards or drives P7.8 Upgrading can be done e.g. with processor, memory, cards or drives P7.9 Upgrading can be done using commonly available tools P7.10 Upgrading can be done using commonly available tools P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11 Product cover/housing materials 1 ype: PC Material type: PC+ABS Material type: PC-ABS Material type: PC-ABS Material type: PC Material type: PC-ABS Material type: PC P7.12 Electrical cable insulation materials of power cables are PVC free P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Darking: P7.16 Note B2) P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) TBBPA (reactive) Other: chemical name: DOPO(9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide), CAS #: 35948-25-5 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: COmment: No legal limits exist, this is a market requirement. 1. Chemical name: 2. Chemical name: 2. Chemical name: 3. Chemical specifications of flame retardant substances/ preparations above 0.1% classified as R45, R40 P7.20 Of total plastic parts >	P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\overline{\Box}$				
Product cover/housing material type: PC Material type: Aluminium Material type: PC+ABS Material and substance requirements Material type: PC Material type: Aluminium Pr.14 All printed circuit boards (without components) Pr.15 All printed circuit specifications of flame retardants in printed circuit boards (without components) Pr.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards (without components) Pr.17 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) Pr.17 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) Pr.17 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) Pr.18 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) Pr.18 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) Pr.18 Alt. 3 Chemical specifications of flame retardants in printed circuit boards (without components) Pr.18 Alt. 4 Pr.18 Alt. 5 Chemical specifications of flame retardants in printed circuit boards (without components) Pr.18 Alt. 1 Chemical specifications of flame retardants in printed circuit boards (without components) Pr.18 Alt. 1 Pr.18 Alt. 2 Pr.18 Alt. 3 Pr.18 Alt. 4 Pr.18 Alt. 4 Pr.18 Alt. 5 Pr.28 Alt. 6 Alt. 6	P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\sqcap}$	T			
Product lifetime Pr.7* Upgrading can be done e.g. with processor, memory, cards or drives Pr.8* Upgrading can be done using commonly available tools Pr.9. Spare parts are available after end of production for: 5 years Pr.10 Service is available after end of production for: 5 years Material and substance requirements Pr.11* Product cover/housing material type: Material type: PC+ABS Material type: PC+ABS Material type: PC Material type: PC Material type: PC+ABS Pr.12 Electrical cable insulation materials of power cables are PVC free. Pr.13 Electrical cable insulation materials of signal cables are PVC free. Pr.14 All cover/housing plastic parts >25g are free from chlorine and bromine. Pr.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See □ □ Note B2) Pr.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: [□ □ Note B2] Pr.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): □ □ Note B2 □ □ □ Note B2 □ □ Note B2 □ Note B2 □ □ □ □ Note B2 □ □ □ Note B2 □ □ □ Note B2 □ Note B2 □ □ □ Note B2 □ Note B2 □ □ □ Note B2 □ □ □ Note B2 □	P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\overline{\Box}$	Ħ			
P7.8 Upgrading can be done using commonly available tools		Product lifetime						
P7.9. Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years	P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X					
P7.10 Service is available after end of production for: 5 years Material and substance requirements	P7.8*	Upgrading can be done using commonly available tools						
P7.10 Service is available after end of production for: 5 years Material and substance requirements	P7.9.	Spare parts are available after end of production for: 5 years			T			
Material and substance requirements	P7.10							
Material type: PC+ABS Material type: PC Material type: Aluminium P7.12 Electrical cable insulation materials of power cables are PVC free		·						
P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	P7.11*	Product cover/housing material type:						
P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive)		Material type: PC+ABS Material type: PC Material type: Aluminium						
P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) TBBPA (reactive) When the phosphaphenanthrene-10-oxide), CAS #: 35948-25-5 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, biobased material content is 0 %. P7.21 Of total plastic parts' weight >25g, biobased material content is 0 %. P7.22 Light sources are free from mercury		·		\boxtimes				
P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note BZ) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes				
P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive)	P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			\boxtimes			
P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: DOPO(9, 10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide), CAS #: 35948-25-5 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 4lt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0 %. P7.21 Light sources are free from mercury	P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	X					
Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other, chemical name: DOPO(9, 10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide), CAS #: 35948-25-5 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 4. CAS #: 3. Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, biobased material content is 0%. P7.21 Light sources are free from mercury		1						
Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: DOPO(9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide), CAS #: 35948-25-5 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0%. P7.21 Light sources are free from mercury		Marking:						
TBBPA (additive), TBBPA (reactive), Other; chemical name: DOPO(9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide), CAS #: 35948-25-5 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 4lt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0 %. P7.21 Light sources are free from mercury	P7.17							
Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0%. P7.21 Of total plastic parts' weight >25g, recycled material content is 0%.								
Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0%. P7.21 Of total plastic parts' weight >25g, biobased material content is 0%.		phosphaphenanthrene-10-oxide), CAS #: 35948-25-5						
Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0%. P7.21 Of total plastic parts' weight >25g, biobased material content is 0%.		Alt 2						
P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0 %. P7.21 Of total plastic parts' weight >25g, biobased material content is 0 %. P7.22 Light sources are free from mercury				Ш	Ш			
Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0 %. P7.21 Of total plastic parts' weight >25g, biobased material content is 0 %.								
concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0 %. P7.21 Of total plastic parts' weight >25g, biobased material content is 0 %.	P7.18							
1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0 %. P7.21 Of total plastic parts' weight >25g, biobased material content is 0 %. P7.22 Light sources are free from mercury			Ш	Ш	Ш			
1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0 %. P7.21 Of total plastic parts' weight >25g, biobased material content is 0 %. P7.22 Light sources are free from mercury		Comment: No legal limits exist, this is a market requirement.						
3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0 %. P7.21 Of total plastic parts' weight >25g, biobased material content is 0 %. P7.22 Light sources are free from mercury								
Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0 %. P7.21 Of total plastic parts' weight >25g, biobased material content is 0 %. P7.22 Light sources are free from mercury								
Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0%. P7.21 Of total plastic parts' weight >25g, biobased material content is 0%. P7.22 Light sources are free from mercury		,						
P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0%. P7.21 Of total plastic parts' weight >25g, biobased material content is 0%. P7.22 Light sources are free from mercury								
P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 0%. P7.21 Of total plastic parts' weight >25g, biobased material content is 0%. P7.22 Light sources are free from mercury		· · · · · · · · · · · · · · · · · · ·	\boxtimes					
P7.21 Of total plastic parts' weight >25g, biobased material content is 0%. P7.22 Light sources are free from mercury	P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,						
P7.22 Light sources are free from mercury	P7.20	1 1 0 0, 7						
it metchty is rised specify. Nilmbet of lambs. — and may metchty content per lamb. — ma	P7.22							
	Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8 Batteries P8.1* Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide								
P8.2 Batteries meet the requirements of the following voluntary program/s: <i>US Call2Recycle, EPBA, JBRC</i>								

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkPad 8 M/T: 20BN/20BQ		
Issue date *	2014-01-28	Logo	lenovo.
Product environr	mental attributes - Market requirements (continued)		Requirement met

Product	uct environmental attributes - Market requirements (continued) Requirement me					met
Item	Yes No					n.a.
P9	6 , 1					
9.1 For the product the following power levels or energy consumptions are reported: See P14						
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	max)	10 W	10 W	10 W	Full load	
		I			l	
Idle State		W	W	W		
Sleep		W	W	W		
Off (S5) -	WOL Disabled	W	W	0.126 W		
EPS No-lo	ad	W	W	0.083 W		П
charger plu	power supply / ugged in the wall disconnected from t.)					
PTEC *		W	W	W		
Typical En	ergy Consumption					
TEC *						
. — -	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC *						
Annual En	ergy Consumption	kWh/year	kWh/year	kWh/year		
Display res	solution* : 1920x120	00 Megapixels				
Print Spee		ages per minute				
	ie to enter energy sa		nutes			
P9.2*		he energy save fund		th the product.		片
P9.3*		the energy requiren	<u> </u>	<u> </u>		
1 3.3		version: Not applica		Product category		
	Others specify:			0 /		П
P10	Emissions					
D10.1		Declared according	to ISO 9296	Doglared	Doclared A weighted	<u> </u>
P10.1	P10.1 Mode Mode description Declared A-weighted sound power					
				level L_{WAd} (- Dustandan nasitiana	
				WAU	Desktop X	
					or Desk side (only if product is not operator attended)	
	Idle *	Idle		* 2.6	15	
	Operation * Operating		* 2.6	15		
	Other mode			1		
	Measured accordin	- =	ECMA-74			
D40.0		Other			with L _{pAm} measurement distance m)	Ц_
P10.2	10.2 The product meets the acoustic noise requirements of the following voluntary program/s:					

Model nun	mber *	ThinkPad 8 M/T: 20BN/20BQ						
Issue date	*	2014-01-28	Lo	go	leno	VO.		
Product 6	environr	mental attributes - Market requirements (continued)			Require	men	t me	et
Item					Yes	No	n.	a.
	Chemic	al emissions from printing products						
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard , other spe	ecify:				\triangleright	₫
P10.4	Typical e	emission rate (print phase) is (mg/h):	·					ā
		Dust Ozone Styrene Benzene TVOC					_	
P10.5	Chemica		met for :				\triangleright	₫
		Dust Ozone Styrene Benzene	TV	oc 🗌				
		magnetic emissions						
P10.6		er display meets the requirement for low frequency electromagnetic fields	s of the followi	ng voluntary				
D44	program							_
P11.1*		nable materials for printing products	a a ally ra a vira	d (coo D4 2)		_		7
		Data Sheet (SDS) is available for the ink/toner preparation, even if not lead to the control of				<u> </u>		_
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it 1.	t meets the r	equirements	of	Ш		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.						◁
P12		mics for computing products						
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual displa	y technologie:	S.	\boxtimes			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-41	0.		\boxtimes			Ī
P13	Packagi	ing and documentation						Ī
P13.1*	Product Product Retail Product Product Product Product Product Product	d Packaging: packaging material type(s): Corrugated Cardboard packaging material type(s): 100% Recycled Molded Pulp packaging material type(s): Others (Plastic bag) ackaging: packaging material type(s): Corrugated Cardboard packaging material type(s): 100% Recycled Polyethylene (RLDPE) packaging material type(s): Polystyrene packaging material type(s): Others (Non-woven bag)	weight (kg):	0.110 0.004 0.689 0.026 0.086	K-7			_
P13.2*		plastic packaging is free from PVC.					L	<u>_</u>
P13.3*		media for user and product documentation (tick box): ic ⊠, Paper ☑, Other □]
P13 4*		er user and product documentation, please specify contained percentage	of nost-consi	ımar racyclad	1			┱

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

See Energy Star Qualified Notebooks & Tablet Computers for the latest information:
http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

fiber: 0%

Additional information (See Note B4)

P14

P9

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19