

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	otebook PC				
Commercial name *	ThinkPad S1 Yoga				
Model number *	M/T: 20CD/20C0				
Issue date *	2014, June 13				
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\square$	

wodern	umber *	ThinkPad S	1 Yoga	M/T: 20CD/20	000			
Issue da	te *	2014, June 13			Logo	lend	DVO.	
Product	t environ	mental attributes - Legal re	equirements			Require	ment	tmet
Item						Yes	No	n.a.
P1	Hazardo	ous substances and preparatio	ons					
P1.1*	chromiu	s do not contain more than; 0.1% m, 0.1% polybrominated bipheny erence and Note B1)						
P1.2*	Products	s do not contain Asbestos (see le nt: Legal reference has no maxin		value.		$\boxtimes$		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting omofluorocarbons (HBFC), hydro ethane, methyl bromide (see lega ration values.	g Substances: Chlo ochlorofluorcarbons	orofluorocarbons (CFC), s (HCFC), Halons, carbontetra				
P1.4*		s do not contain more than; 0.009 yl (PCT) in preparations (see lega		d biphenyl (PCB), 0.005% poly	chlorinated	$\boxtimes$		
P1.5*		s do not contain more than 0.1% n containing at least 48% per ma				$\boxtimes$		
P1.6*	Tris-(azi	and leather parts with direct skin ( iridinyl)-phosphineoxide (TEPA), nt: Legal reference has no maxin	polybrominated bi	phenyl (PBB) (see legal refere				
P1.7*	Textile a	and leather parts with direct skin of camines. (See legal reference ar	contact do not con		olorants that split			$\boxtimes$
P1.8*	Wooder pentach	n parts do not contain arsenic and lorophenol and derivatives (see l nt: Legal reference has no maxin	id chromium as a w legal reference).		s well as			$\square$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5							
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):							
P2	Batterie	es						
P2.1*	more tha marked	oduct contains a battery or an ac an 0.0005% of mercury (for butto with the chemical symbol for the d in user manual. (See legal refer	on cells only) by we e metal concerned,	eight, or more than 0.004% of	lead, it shall be			
P2.2*		ells used in the product do not co lators do not contain more than 0				$\square$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)							
P3		EMC connection to the telepho						
P3.1*	The proc	duct complies with legally require	ed safety standards	s as specified (see legal refere	ence).	$\boxtimes$		
P3.2*	The proo	duct complies with legally require e).	ed standards for el	ectromagnetic compatibility (s	ee legal	$\square$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				$\boxtimes$			
P3.4*	· · ·	duct is labeled to show conforma	ance with applicable	e legal requirements (see lega	al reference).	$\boxtimes$		
<b>P4</b> P4.1*	Consumable materials   If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see <td< td=""><td></td></td<>							
P4.2*	legal reference and Note B1).							
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).							
P5		t packaging						
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and X hexavalent chromium by weight of these together.							
	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).							
P5.2* P5.3*			cording to ISO 114	69 referring ISO 1043 (see leg	jai leieleille).			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	<b>ThinkPad S1 Yoga</b> м/т: 20СD/20С0			
lssue da	ate *	2014, June 13 Logo	lene	DVO.	
Produc	t enviror	mental attributes - Market requirements - Environmental conscious design	Require	ement	met
ltem		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6		ent information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	$\square$		
P7	Design				
P7.1*		mbly, recycling			_
		at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			
P7.3*		parts >100g consist of one material or of easily separable materials.			
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic p	parts are free from metal inlays or have inlays that can be removed with commonly available tools	s. 🔀		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
		lifetime			
P7.7*	Upgradi	ng can be done e.g. with processor, memory, cards or drives	$\square$		
P7.8*	Upgradi	ng can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare pa	arts are available after end of production for: 5 years			
P7.10		is available after end of production for: 5 years			
		and substance requirements			
P7.11*	Product	cover/housing material type:			
	Material	type: PC+ABS-FR(40) Material type: Material type:			
P7.12		al cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrica	al cable insulation materials of signal cables are PVC free		$\boxtimes$	
P7.14	All cove	/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$		
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. ( )	See 🔀		
P7.16		etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR (40)			
P7.17	TBBPA	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other ; chemical name: <i>DOPO(9,10-dihydro-9-oxa-10- aphenanthrene-10-oxide)</i> , CAS #: <i>35948-25-5</i>			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g accordin 3-4: <b>FR (40)</b>	g		
P7.18	concent	retarded plastic parts >25g contain the following flame retardant substances/preparations rations above 0.1%:	in 🗌		
	1. Cherr 2. Cherr	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:			
	FR (40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:			_ <u>_</u>
P7.19	R40, R4	parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is 0%.			
P7.21 P7.22	Light so	plastic parts' weight >25g, biobased material content is 0%. urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batterie				
P8.1*		chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2		s meet the requirements of the following voluntary program/s: US Call2Recycle, EPBA, JBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nur	<sup>nber *</sup> Th	inkPad S	S1 Yoga	а м/т:	20CD/20C0		
Issue date		June 13			Logo	lenovo	
Product e	environmental	attributes - Market	requirements (	continued)		Requirement	met
Item						Yes No	n.a
P9	Energy consum						
9.1	For the product t	the following power leve	els or energy cons	umptions are re	ported: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy method *	y modes and test	
Peak (On-	max)	<b>45</b> W	<b>45</b> W	<b>45</b> W	Full load		
Categor	v  1	<b>I</b>	1				1
	- WOL Enabled	5.64696 W	6.91416 W	5.88612 W	Use for Energy Star V6 regis	tration(P <sub>SHORT_IDLE</sub> )	
Lona Idle	- WOL Enabled	3.14436 W	2.83788 W	3.35244 W	Use for Energy Star V6 regis		
	- WOL Enabled	0.470568 W	0.477828 W	0.555612 W	Use for Energy Star V6 regis		
	- WOL Disabled		W	W	Reference		H
						tration/D	븝
	WOL Enabled	0.345972 W	0.35706 W	0.43098 W	Use for Energy Star V6 regis	ualion(P <sub>OFF</sub> )	닏
	WOL Disabled	W	W	W	Use for ErP		
charger plu	ower supply / ugged in the wall disconnected from	W	0.144 W	0.192 W			
PTEC * Typical Energy Consumption		N N	W	W			
TEC * Typical Energy Consumption		kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption		<b>19.80</b> kWh/year	<b>22.90</b> kWh/year	<b>21.05</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>OFF</sub> × 1 T <sub>SLEEP</sub> + P <sub>LONG_IDLE</sub> × T <sub>LONG_IDL</sub> T <sub>SHORT_IDLE</sub> )		
Display res	solution* : <b>1366 x</b>	x <b>768, 1920 x 1080</b> Pixe	ls				
Print Speed	d* :	Images per minute					$\square$
Default tim	e to enter energy	save mode: 20 minutes	6				
P9.2*		ut the energy save funct		th the product.			⊢⊢
P9.3*	The product mee	ets the energy requirem ® version: <i>Version 6.0</i>	ents of the followi	ng voluntary pro	gram/s: Product category: <mark>/1</mark>		
P10	Emissions						
		- Declared according	to ISO 9296				
P10.1	Mode	Mode description		Declared A-weighted sound powe		0	
				level $L_{WAd}$	(B) Operator position ⊠ By Desktop ⊠ or Desk side (on	ystander positions	
	Idle	* Idle mode		* 2.7 * 2.7 / 3.2	17		
	Operation	* Operating mode (	Operating mode (HDD / CPU)		17/25		
	Other mode		7				-
		ding to: 🔀 ISO7779 🗌 Other	(only if not cove		with L <sub>pAm</sub> measurement distance	ce m)	
P10.2	The product mee	ets the acoustic noise re	equirements of the	e following volun	tary program/s:		$\square$

Model number *		ThinkPad S1 Yoga м/т.	: 20CD/	/20C0			
Issue date *		2014, June 13 Logo			lenovo		
Product	environn	ental attributes - Market requirements (continued)			Require		met
Item					Yes	No	n.a.
	Chemica	I emissions from printing products					
P10.3*			other specify	:			$\square$
P10.4	Typical e	mission rate (print phase) is (mg/h):					$\boxtimes$
		Oust Ozone Styrene Benzene	TVOC				
P10.5	Chemica	emission requirements of the following voluntary program/s	are me	· · ·			$\boxtimes$
		ust Ozone Styrene Benze	ene 🔄	TVOC			
		agnetic emissions					
P10.6		r display meets the requirement for low frequency electromagn s: <i>MPR-II(3 pin AC adapter only)</i>	etic fields of	the following voluntary			
P11		able materials for printing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, eve	en if not lega	lly required (see P4.3).			$\boxtimes$
P11.2*	Paper c EN1228	ntaining post-consumer recycled fibers can be used, provide.	ed that it me	eets the requirements	of		$\boxtimes$
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.					$\boxtimes$
P12	Ergonor	nics for computing products					
P12.1*	The disp	ay meets the ergonomic requirements of ISO 9241-307 for visu	ual display te	chnologies.	$\boxtimes$		
P12.2*	The phys	ical input device meets the requirements of ISO 9995 and ISO	9241-410.		$\times$		
P13	Packagi	ng and documentation					
P13.1*	Product	ackaging material type(s): 80% Recycled Corrugated Cardbo packaging material type(s): 100% Recycled Bamboo Fiber CL packaging material type(s): Others (plastic bags)	<b>ushion</b> wei	ght (kg): <b>0.394</b> ght (kg): <b>0.195</b> ght (kg): <b>0.017</b>			
P13.2*	Product	lastic packaging is free from PVC.			$\boxtimes$		
P13.3*		nedia for user and product documentation (tick box):			1		
		c 🔀, Paper 🔀, Other 🗌					
P13.4*	For pape	r user and product documentation, please specify contained pe	ercentage of	post-consumer recycled	ł		
	fiber: 0						
P14		al information (See Note B4)					
	informati knowled	upplier makes no representations, guarantees, assurances or von contained in this document. All information provided by supple available at the time of completion, and supplier shall have no here is approximate and provided for informational purposes of concern.	olier in this do	ocument is provided bas to update such informat	sed on sup tion. The in	plier's format	
P9		rgy Star Qualified Notebooks & Tablet Computers for the la rw.energystar.gov/index.cfm?fuseaction=find_a_product.s			0		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19