

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkStation	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmer	nt.html
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_	_notebooks.html

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Workstation			
Commercial name *	ThinkStation C30			
Model number *	1136			
Issue date *	2014-06-02			
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information	ENERGY STAR® 6.0 Qualified (select models); EPEAT GOLD Rating; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control				
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model nu	umber *	ThinkStation C30 MTs: 1136				
Issue da	te *	2014-06-02 Log	0	leno	vo.	
Product	t environ	mental attributes - Legal requirements	B	equire	mont	mot
Item		mentar attributes - Legar requirements		Yes	No	n.a.
P1	Hazard	ous substances and preparations				·····a
P1.1*	Product	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavaler				
	legal ref	Im, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBD erence and Note B1)	E). (See			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\boxtimes$		
	hydrobro trichloro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlorid ethane, methyl bromide (see legal reference). Comment: Legal reference has no maxin ration values.				
P1.4*	Product	s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorin yl (PCT) in preparations (see legal reference).	ated	$\square$		
P1.5*	Product	s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon a n containing at least 48% per mass of chlorine in the SCCP (see legal reference).	atoms in	$\square$		
P1.6*		and leather parts with direct skin contact do not contain Tri-(2.3dibromopropyl)-phospha	ate (TRIS).			$\square$
	Tris-(azi	ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). nt: Legal reference has no maximum concentration values.				
P1.7*		and leather parts with direct skin contact do not contain more than 0.003% Azo colorants c amines. (See legal reference and Note B1)	that split			$\boxtimes$
P1.8*	Wooder pentach	n parts do not contain arsenic and chromium as a wood preservation treatment as well a lorophenol and derivatives (see legal reference).	S			$\square$
P1.9*		nt: Legal reference has no maximum concentration values. th direct and prolonged skin contact do not release nickel in concentrations above 0.5				
F1.9	microgra	am/cm <sup>2</sup> /week (see legal reference).				L
P1.10*	BEACH	nt: Max limit in legal reference when tested according to EN1811:1998. Article 33 information about substances in articles is available at (add URL or mail cont	act).			_
1 1.10		ww.lenovo.com/social_responsibility/us/en/materials.html	2017.	$\bowtie$		
P2	Batterie	us and the second se				
P2.1*	more the marked	oduct contains a battery or an accumulator, it is labeled with the disposal symbol and if i an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disp d in user manual. (See legal reference)	shall be			
P2.2*	Button c	sells used in the product do not contain more than 2% by weight of mercury. Other batter lators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal				
P2.3*	Batterie design d	s and accumulators are easily removable by either users or service providers (as depend of the product). Exception: Batteries that are permanently installed for safety, performan integrity reasons do not have to be "easily removable". (See legal reference)	dent on the			
P3		EMC connection to the telephone network and labeling				
P3.1*	The pro	duct complies with legally required safety standards as specified (see legal reference).		$\boxtimes$		
P3.2*	The pro	duct complies with legally required standards for electromagnetic compatibility (see lega	1	$\boxtimes$		
P3.3*		ct is intended for connection to a public telecom network or contains a radio transmitter, ally required standards for radio and telecommunication devices (see legal reference).	it complies	$\square$		
P3.4*	The pro	duct is labeled to show conformance with applicable legal requirements (see legal refere	nce).	$\boxtimes$		
P4	Consur	nable materials				
P4.1*		to conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0. ference and Note B1).	01% (see			$\times$
P4.2*	If ink/tor	ner is used in the product, it does not contain cadmium max 0.1% by weight (see legal re	eference).			$\times$
P4.3*	product/	(packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with the nents is available (see legal reference).				
P5	Produc	t packaging				
P5.1*		ing and packaging components do not contain more than 0.01% lead, mercury, ca ent chromium by weight of these together.	dmium and	$\bowtie$		
P5.2*		packaging material is marked according to ISO 11469 referring ISO 1043 (see legal refe	rence).	$\boxtimes$		
P5.3*	Protoco	duct packaging material is free from ozone depleting substances as specified in th I (see legal reference). nt: Legal reference has no maximum concentration values.	ne Montreal			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n		ThinkStation C30 MTs: 1136				
lssue da	ite *	2014-06-02	ogo	leno	<b>vo</b> .	
Droduc	tonviron	montal attributos Markat requirementa. Environmental conscious de	oian E	Poquiro	mont	mo
Item		mental attributes - Market requirements - Environmental conscious de atory to fill in. Additional information regarding each item may be found under P14.	esign r	Require Yes	No	n.a
P6		nt information		100	110	11.0
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).				
P7	Design					
		mbly, recycling				
P7.1*		at have to be treated separately are easily separable		$\square$		
P7.2*	Plastic n	naterials in covers/housing have no surface coating.			$\boxtimes$	
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		$\boxtimes$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools.	$\square$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradir	ng can be done using commonly available tools		$\square$		
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years		_		
		and substance requirements				
P7.11*		cover/housing material type:				
		type: Steel Material type: ABS, PC/ABS Material	type:			
P7.12		I cable insulation materials of power cables are PVC free.			$\square$	
P7.13		I cable insulation materials of signal cables are PVC free			$\square$	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.		$\square$		
P7.15	Note B2		249-2-21. (See			
P7.16		etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: ISO FR(nn):		$\square$		
P7.17	Alt. 1 Chemica	al specifications of flame retardants in printed circuit boards >25g (without componen	ts):			Г
	TBBPA	(additive) 🔲, TBBPA (reactive) 🔀, Other; chemical name: , CAS #:			_	
	Alt. 2 Chemics	al specifications of flame retardants in printed circuit boards (without components) >2	5a according			_
	ISO 104	3-4: Brominated Epoxy Resin See P14	og according			
P7.18	Alt. 1 Flame r	etarded plastic parts >25g contain the following flame retardant substances/p	preparations in			Г
		ations above 0.1%:				
		ent: No legal limits exist, this is a market requirement.				
		ical name: , CAS #: ical name: , CAS #:				
		ical name: , CAS #: ical name: , CAS #:				
	Alt. 2					
	Chemica	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				_
	Diactic		ind on D45	<u> </u>	<u> </u>	_ <b>_</b> _
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% classil 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ied as R45,			L
P7.20		plastic parts' weight >25g, recycled material content is <b>10%</b> .				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22		urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp:	mg			L
P8	Batterie					
P8.1*	,	chemical composition: Lithium Manganese Dioxide				
P8.2	Batteries	meet the requirements of the following voluntary program/s:				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model n	umber *	Tł	ninkStatio	on C30 M	rs: 1136			
Issue da	te *	2014-06-02				Logo	lenovo	
Product	t environn	nental attri	butes - Marke	t requirements (	continued)		Requirement	me
ltem							Yes No	n.a
P9		consumption						
9.1				vels or energy cons	•			
Energy m			Power level a 100 V AC	t Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for ener method *	gy modes and test	
Peak (Or	n-max)		355.03 W	355.23 W	<b>349.30</b> W	Full load		
Catego	ory 0							
Short Idl	le State - W	OL Enabled	<b>70.14</b> W	69.44 W	<b>70.14</b> W	Use for ENERGY STAR V6 r	egistration (P <sub>idle</sub> )	
Long Idl	e State - W	OL Enabled	<b>70.45</b> W	68.56 W	69.15 W	Use for ENERGY STAR V6 r	egistration (P <sub>idle</sub> )	
Sleep (S	3) - WOL E	nabled	5.49 W	5.44 W	5.50 W	Use for ENERGY STAR V6 r	egistration(P <sub>sleep</sub> )	
Sleep (S	3) - WOL D	isabled	4.19 W	4.19 W	4.17 W	Reference		
Off (S5)	- WOL Ena	bled	1.45 W	1.46 W	1.54 W	Use for ENERGY STAR V6 r	egistration(Poff)	
Off (S5)	- WOL Disa	abled	0.18 W	0.15 W	0.18 W	Use for EuP		
Catego	orv l1							-
		OL Enabled	W	W	W	Use for ENERGY STAR V6 r	egistration(Pidle)	
Lona Idl	e State - W	OL Enabled	w	W	W	Use for ENERGY STAR V6 r	edistration(Pidle)	
	3) - WOL E		W	W	W	Use for ENERGY STAR V6 r		
	3) - WOL D		W	W	W	Reference	-g(· sieep/	
	- WOL Ena		W	w	W	Use for ENERGY STAR V6 r	edistration/P)	
	- WOL Disa		W	w	W	Use for EuP		
EPS No-I		abled	W	W	W	Use for Eup		
plugged i	l power supp in the wall o cted from th							
PTEC * Typical E	Energy Cons	sumption	<i>39.68</i> W	39.12 W	39.52 W	P <sub>TEC</sub> = 0.35*P <sub>off</sub> + 0.10 *P <sub>slee</sub> + 0.40* P <sub>short_idle</sub>	p + 0.15* P <sub>long_</sub> idle	
TEC * Typical E	Energy Cons	sumption	kWh/week	kWh/week	kWh/week			
Etec * Annual E	nergy Cons	sumption	kWh/year	kWh/year	kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0 + P <sub>long_Idle</sub> x 0.15+ P <sub>short_Idle</sub> x		
			Poff: Off Mode(	S5) - WOL Enabled;	P <sub>sleep</sub> : Sleep Mode(	(S3) - WOL Enabled; P <sub>idle</sub> : Idle Sta	te - WOL Enabled	
	esolution*	: Mega	apixels					$\boxtimes$
Print Spe	ed *	: Imag	es per minute					$\boxtimes$
Default ti	me to enter	energy save	mode: 25 minut	es				
P9.2*	Informati	ion about the	energy save fur	ction is provided w	ith the product.	·		
P9.3*		Y STAR® ve		ments of the follow .0 dated June 2, 2		gram/s: Product category:		
P10	Emissio							
	Noise er	mission – De	eclared according			-		
P10.1	Mode	Mode d	escription		lared sound power	Declared A-we	•	
				-	L <sub>WAd</sub> (B)	sound pressure level	1	4
					mau v /		Bystander positions	
							nly if product is not operator attended)	
	Idle	condit	ates idle ion (system is ed on, but no		A (1x CPU) 3.7 A (1x CPU) – 3.7 A (2x CPU) – 3.7	2.5" SSD SATA (1x C 7.2K RPM SATA (1x C	PU) 25 PU) – 26	
		disk ad		7.2K RPM SAT 15K RPM SAS		7.2K HPM SATA (2X C 15K RPM SAS (2X CPU		

	Operation	* Indicates operating condition (hard disk drive is randomly seeking, all other subsystems idle)	*2.5" SSD SATA (1x CPU) 3.7 7.2K RPM SATA (1x CPU) – 3.7 7.2K RPM SATA (2x CPU) – 3.7 15K RPM SAS (2x CPU) - 4.9	2.5" SSD SATA (1x CPU) 25 7.2K RPM SATA (1x CPU) – 7.2K RPM SATA (2x CPU) – 15K RPM SAS (2x CPU) - 36	26 26	[	
	Other mode						
	Measured ac	cording to: 🔀 ISO7779	ECMA-74				
		Other	(only if not covered by ECMA-74 wi	th L <sub>pAm</sub> measurement distance	m)		
P10.2	The product	meets the acoustic noise	requirements of the following voluntary	/ program/s:			$\boxtimes$

Model nui	mber *	ThinkStation C30 MTs: 1136				
Issue date	*	2014-06-02 Logo		eno	10.	
Product	onvironn	nental attributes - Market requirements (continued)	P	equire	mont	mot
Item		nental attributes - Market requirements (continued)		Yes	No	n.a.
item	Chomic	al emissions from printing products		103	110	n.a.
P10.3*						$\square$
P10.4		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify: emission rate (print phase) is (mg/h):				
F 10.4		Dust Ozone Styrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for :				$\square$
		Dust 🗌 Ozone 🗌 Styrene 🗌 Benzene 🗌 TVOC 🗌				
	Electron	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following volu	intary	$\boxtimes$		
P11	program					
P11.1*		nable materials for printing products Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see I	24.2)			
P11.2*	-	ontaining post-consumer recycled fibers can be used, provided that it meets the requirer	,		<u> </u>	
	EN1228	1.	nents of			
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.				$\boxtimes$
P12	<u> </u>	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$		
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated cardboard weight (kg): 1.4				
		packaging material type(s): EPS/EPE weight (kg): 0.3				
<b>-</b>		packaging material type(s): weight (kg):				
P13.2*		plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		nedia for user and product documentation (tick box):				
<b>-</b>		ic 🔀, Paper 🔀, Other 🗌				
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage of post-consumer re %	cycled			
P14		nal information (See Note B4)				
		Supplier makes no representations, guarantees, assurances or warranties whether express or				
		on contained in this document. All information provided by supplier in this document is provided				
		ge available at the time of completion, and supplier shall have no obligation to update such in				tion
	informati	here is approximate and provided for informational purposes only. See a Lenovo Account Re	presenta		nore	
<b>P</b> 9		ergy Star Qualified Notebooks & Tablet Computers for the latest information:				
		ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_cc	de=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation C30	Logo
Model Number	1136,1137	
Issue Date		lenovo.
Additional information		

ə) ;)	internal/external power supply efficiency: <i>FSP: FSP800</i> 20% 88.56% 50% 90.85% 100% 88.77% Average 89.39% Other ; or level: Gold	
	or level: Gold	
	-	
	test parameters for measurements:	
	<ul> <li>test voltage in V and frequency in Hz,</li> </ul>	
	<ul> <li>(115Vac/60Hz)</li> <li>— total harmonic distortion of the electricity supply system,</li> </ul>	
	<ul> <li>information and documentation on the instrumentation, set-up and circuits used for electrical testing.</li> </ul>	
	Instrumentation for PSU unit test:	
	DC load: PRODIGIT 3301A	
	AC power source: Chroma 61604	
	<ul> <li>AC power meter: Chroma 66202</li> <li>Instrumentation for system:</li> </ul>	
	<ul> <li>AC power source: Chroma 61504</li> </ul>	
	<ul> <li>AC power meter: Yokogawa WT210</li> </ul>	
	Setup & Circuits used for electrical testing:	
	♦ PSU:	
	AC power source AC power meter PSU unit System:	DC load
	AC power source meter System sample	
g)	maximum power (Watts)	355.23
ר)	idle state power (Watts)	69.44
)	sleep mode power (Watts)	
,		5.44
)	off mode power (Watts)	0.18

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

	80 PLUS test method
(I-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:
	ENERGY STAR® Program Requirements Product Specification for Computers Ver 6.0

Additional information