

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkStation	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_	notebooks.html

	pased on product specification or test results based obtained from sample testing), that the product its given in this declaration.
Type of product *	Workstation
Commercial name *	ThinkStation D30
Model number *	4353
Issue date *	2014-06-02
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	ENERGY STAR® 6.0 Qualified (select models); EPEAT GOLD Rating; GREENGUARD Certified

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	equireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkStation D30 MTs: 4353		
Issue date *	2014-06-02	Logo	lenovo.

Product	Require	men	t met	
Item	y 1	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
D. 10*	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html		Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	X		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkStation D30 MTs: 4353		
Issue date *	2014-06-02	Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design Re	quire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated congretely are easily congreble.		_	
P7.1	Parts that have to be treated separately are easily separable			井
	Plastic materials in covers/housing have no surface coating.			井
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Щ	_ <u>_</u> _
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		_Ц	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: Steel Material type: ABS, PC/ABS Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: ISO FR(nn):			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	Ш		Ш
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	Ш		
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\square		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	+	╬	井
1 7.13	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	Ш		Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 14%.			
P7.21	Of total plastic parts' weight >25g, hebycled material content is 0%.			
P7.22	Light sources are free from mercury			
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	<u></u>		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkStation D30 MTs: 4353		
Issue date *	2014-06-02	Logo	lenovo.

Product 6	environment	tal attril	butes - Market	requirements (continued)	Requirement	met
Item				-		Yes No	n.a.
P9	Energy cons	•					
9.1	For the produ	uct the fo	llowing power leve	els or energy cons	umptions are re	ported: See P14	
Energy mo	de *	F	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	max)	3	335.23 W	339.17 W	328.67 W	Full load	
Categor	v 0	1		<u> </u>	I.	L	
	State - WOL I	Enabled	131.79 W	124.36 W	129.73 W	Use for ENERGY STAR V6 registration (Pidle)	
Long Idle	State - WOL E	Enabled	135.46 W	149.40 W	141.96 W	Use for ENERGY STAR V6 registration (P _{idle})	듐
	- WOL Enabl		6.42 W	6.37 W	6.49 W	Use for ENERGY STAR V6 registration(P _{sleep})	卄
	- WOL Disab		3.84 W	3.84 W	3.9 W	Reference	Ħ
	WOL Enabled		1.75 W	1.78 W	1.86 W	Use for ENERGY STAR V6 registration(Poff)	卄
	WOL Disabled		0.22 W	0.22 W	0.23 W	Use for EuP	H
Categor		_					
	<u>y 11</u> State - WOL I	Enabled	l w	l w	l w	Use for ENERGY STAR V6 registration(Pidle)	
	State - WOL E		W	W	W	Use for ENERGY STAR V6 registration(P _{idle})	
	- WOL Enabl		W	W	W	Use for ENERGY STAR V6 registration (Psileep)	
	- WOL Ellabi - WOL Disab		W	W	W	Reference	
	WOL Enabled		W	W	W	Use for ENERGY STAR V6 registration(P _{off})	
			W		W	• • • • • • • • • • • • • • • • • • • •	
	WOL Disabled	1		W		Use for EuP	
EPS No-load (External power supply / charger		W	W	W		\boxtimes	
	the wall outlet						
disconnect	ed from the pr	oduct.)					
PTEC *			74.29 W	73.41 W	74.49 W	$P_{TEC} = 0.35^* P_{off} + 0.10^* P_{sleep} + 0.15^* P_{long_idle}$	
-	ergy Consump	tion	74.23 **	73.47 **	74.45 **	+ 0.40* P _{short_idle}	ш
TEC *	ergy Consump	ntion	kWh/week	kWh/week	kWh/week		
i ypioai Liii	orgy concump	7.1.011	KWIII WCCK	KVVII/WCCK	KWIII WEEK		
ETEC *						$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05)$	
Annual En	ergy Consump	otion	kWh/year	kWh/year	kWh/year	+ Plong_Idle X 0.15+ Pshort_Idle X 0.35)	
			Poff: Off Mode(S	 5) - WOL Enabled;	P _{sleen} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	+
Display res	solution* :	Mega	apixels		occp , ,		
Print Speed	d * :	Imag	es per minute				
Default tim	e to enter ener	rav save	mode: 25 minutes				H
P9.2*		0,	energy save func		th the product.		냼
P9.3*			e energy requirem				
	ENERGY ST	AR® ver	sion: Version 6.0			Product category:	
D.10	Others specif	fy:					
P10	Emissions Noise emiss	ion – De	eclared according	to ISO 9296			
P10.1	Mode		escription		lared	Declared A-weighted	
				-	sound power	sound pressure level $L_{p{\sf Am}}$ (dB)	
				level L	WAd (B)	Operator position Bystander positions	1
						Desktop X	
						or Desk side (only if product is not operator attended)	
	Idle		ates idle	*2.5" SSD SATA		2.5" SSD SATA (1x CPU) 22	
			ion (system is ed on, but no	7.2K RPM SATA	4 (1x CPU) - 3.5 4 (2x CPU) - 3.5	• • •	
		disk ac		15K RPM SAS		15K RPM SATA (2X CPU) - 26 15K RPM SAS (2X CPU) - 29	

	Operation	* Indicates operating condition (hard disk drive is randomly seeking, all other subsystems idle)	*2.5" SSD SATA (1x CPU) 3.5 7.2K RPM SATA (1x CPU) - 3.6 7.2K RPM SATA (2x CPU) - 3.6 15K RPM SAS (2x CPU) - 4.0	2.5" SSD SATA (1x CPU) 22 7.2K RPM SATA (1x CPU) - 2 7.2K RPM SATA (2x CPU) - 2 15K RPM SAS (2x CPU) - 31	23		
	Other mode						
	Measured ac	Measured according to: ☐ ISO7779 ☐ ECMA-74					
	Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)						
P10.2	The product	The product meets the acoustic noise requirements of the following voluntary program/s:					

Model number *	ThinkStation D30 MTs: 4353		
Issue date *	2014-06-02	Logo	lenovo.

Product	Product environmental attributes - Market requirements (continued)				
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes	
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes	
	Dust Ozone Styrene Benzene TVOC				
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes	
	Dust Ozone Styrene Benzene TVOC				
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			Ш	
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes	
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated cardboard weight (kg): 1.4				
	Product packaging material type(s): <i>EPS/EPE</i> weight (kg): <i>0.3</i>				
	Product packaging material type(s): weight (kg):			_	
P13.2*	Product plastic packaging is free from PVC.	\boxtimes			
P13.3*	Specify media for user and product documentation (tick box):				
	Electronic , Paper , Other				
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%				
P14	Additional information (See Note B4)				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implier information contained in this document. All information provided by supplier in this document is provided bas knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Represer information.	ed on sup ion. The in	olier's format	ion	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CC)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation D30	Logo
Model Number	4353,4354	
Issue Date		lenovo.
Additional information		

d)	year of manufacture:	See Product System la
e)	internal/external power supply efficiency: Delta DPS-1120	
	20% 87.49% 50% 90.20% 100% 88.26% Average 88.51% Other ; or level: Gold	
f)	test parameters for measurements: — test voltage in V and frequency in Hz, [115Vac/60Hz] — total harmonic distortion of the electricity supply system,	
	 information and documentation on the instrumentation, set-up and circuits used for electrical testing. Instrumentation for PSU unit test: DC load: PRODIGIT 3301A AC power source: Chroma 61604 AC power meter: Chroma 66202 	
	■ Instrumentation for system:	
	AC power source AC power meter PSU unit	DC load
	♦ System:	
	AC power source AC power meter System sample	
g)	maximum power (Watts)	339.17
ר)	idle state power (Watts)	124.36
)	sleep mode power (Watts)	6.37
)	off mode power (Watts)	0.23

	80 PLUS test method
(I-2)	the measurement methodology used to determine information mentioned in maximum, idle, slee

the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:

ENERGY STAR® Program Requirements Product Specification for Computers Ver 6.0

Additional information		