

#### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkStation	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Workstation
Commercial name *	ThinkStation P500
Model number *	30A6000xxx
Issue date *	2014-09-15
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	ENERGY STAR® 6.0 Qualified (select models); EPEAT GOLD Rating; GREENGUARD Certified

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkStation P500	MTs: 30A6000xxx		
Issue date *	2014-09-15		Logo	lenovo.

Product	Product environmental attributes - Legal requirements			
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		П	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	; <u></u>		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
1	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkStation P500	MTs: 30A6000xxx		
Issue date *	2014-09-15		Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design			
D7.4*	Disassembly, recycling		_	
P7.1*	Parts that have to be treated separately are easily separable		Щ	
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years	-		Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: <b>Steel</b> Material type: <b>ABS</b> , <b>PC</b> , <b>ABS</b> , <b>PC</b> , <b>PP</b> Material type: <b>Steel</b>			
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			П
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	$\boxtimes$		
D7.47	Marking: ISO FR(nn):			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:		Ш	Ш
	(Control of the control of the contr			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	$\square$		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		∺	$\dashv$
1 7.10	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		ш	Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 38.2%.	$\square$		
P7.21	Of total plastic parts' weight >25g, biobased material content is <b>0%</b> .	X	Ħ	
P7.22	Light sources are free from mercury	X	Ħ	H
<b>_</b>	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		ш	
P8	Batteries			
P8.1*	Battery chemical composition:			$\boxtimes$
P8.2	Batteries meet the requirements of the following voluntary program/s:			X

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nur	mber * 7	hinkS	tation P	500 MTs	: 30A6000	XXX				
Issue date		14-09-15					Logo	lenov	<b>O</b> ,	
Product	environmer	ntal attrib	utes - Market	requirements	(continued)			Requirem	nent i	met
Item		itai attiib	atoo markot	- roquironionio	(continuou)			Yes		n.a.
P9	Energy con	sumption								
9.1	For the proc	duct the foll	owing power lev	els or energy cor	nsumptions are re	ported: See P14				
Energy mo	ode *		ower level at <b>100</b> V AC	Power level a	Power level at 230 V AC	Reference / Star method *	ndard for	energy modes and	test	
Short Idle	State - WOL	Enabled	62.32 W	61.22 W	62.18 W	Use for ENERG	Y STAR	V6 registration (Pic	<sub>tlle</sub> )	
	State - WOL		61.17 W	60.06 W	61.23 W			V6 registration (Pid		H
_	) - WOL Enal		4.78 W	4.73 W	4.72 W			V6 registration(P <sub>sle</sub>		+
	) - WOL Disa		W	W W	W	Reference	TOTALL	VO Tegistration (Fsie	eep/	븜
	WOL Enable		2.44 W	1.94 W	1.97 W		Y STAR	V6 registration(Poff	f)	
Off (S5) -	WOL Disable	ed	W	W	W	Use for EuP				〒
Max Powe	er - WOL Ena	bled	182.32 W	178.34 W	174.16 W	Use for ENERG	Y STAR	V6 registration		
EPS No-lo	ad bower supply	/ charger	W	W	W					
TEC *										$\boxtimes$
	ergy Consum	ption	kWh/week 35.44W	kWh/week 34.65W	kWh/week		0.05 . D	w 0.40 × D		$\overline{}$
Ртес *			35.44W	34.63W	35.22W	$0.40 + P_{Longidie}$		leep X 0.10 + P <sub>Shortle</sub>	dle X	
			P <sub>off</sub> : Off Mode(S	5) - WOL Enabled;	P <sub>sleep</sub> : Sleep Mode(	S3) - WOL Enabled;	P <sub>idle</sub> : Idle	State - WOL Enabled	d	
Display res	solution* :	Megap	oixels							$\boxtimes$
Print Spee	d * :	Image	s per minute							$\boxtimes$
Default tim	e to enter en	ergy save r	node: 30 minute	es						Ħ
P9.2*				ction is provided v	with the product.			$\boxtimes$	П	Ħ
P9.3*		TAR® vers			wing voluntary prog 2014 Product cat		ion		 	<u>=</u> 믐
P10	Emissions									
D.10.1			clared according							
P10.1	Mode	Mode de	escription	A-weighted	clared d sound power			A-weighted level $L_{pAm}$ (dB)		
				level	$L_{WAd}$ (B)	Operator pos	ition 🔀	Bystander positi	ions	
							ktop 🔀	(only if product is		
	Idle	* Indicat	too idlo	2.5" SSD SATA	1/1×CDII), 4.0	2.5" SSD SA		operator attend	ded)	
	lale	conditio	on (system is d on, but no	3.5" 7.2KRPM S	SATA(1xCPU): 4.0 SAS(1xCPU): 4.0 SAS(1xCPU): 4.3		I ŜATA(1	1xCPU): 31		Ш
	Operation	condition drive is seeking	tes operating on (hard disk randomly , all other rems idle)		((1xCPU): 4.0 SATA(1xCPU): 4.0 SAS(1xCPU): 4.6	2.5" SSD SA 3.5" 7.2KRPM 2.5" 15KRPM	I ŜATA(1	1xCPU): 31		
	Other mode									

Other (only if not covered by ECMA-74 with L<sub>pAm</sub> measurement distance. The product meets the acoustic noise requirements of the following voluntary program/s:

P10.2

Measured according to: ISO7779 ECMA-74

Model number *	ThinkStation P500	MTs: 30A6000xxx		
Issue date *	2014-09-15		Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			$\boxtimes$
P10.4	Typical emission rate (print phase) is (mg/h):			$\boxtimes$
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			$\boxtimes$
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of		$\boxtimes$
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\boxtimes$
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): <i>Paper</i> weight (kg): 1.325Kg			
	Product packaging material type(s): Fabricated PE weight (kg): 0.45Kg			
P13.2*	Product packaging material type(s): weight (kg):  Product plastic packaging is free from PVC.			$\overline{}$
P13.3*	Specify media for user and product documentation (tick box):		Щ	屵
F13.3	Electronic , Paper , Other			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			$\overline{}$
1 13.4	fiber: 0%			Ш
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie			
	information contained in this document. All information provided by supplier in this document is provided bas knowledge available at the time of completion, and supplier shall have no obligation to update such informati			ion
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Represer			1011
	information.			
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=C0	)		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## **Lenovo ErP Lot3 Information Sheet**

### - Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### **Products scope of this sheet:**

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation P500	Logo			
Model Number	30A6000xxx				
Issue Date	2014-09-15	lenovo.			
Additional information	ENERGY STAR® 6.0 Qualified (select models); EPEAT GOLD Rating; GREENGUARD Certified				

P7.3.1	Product environmental attributes	
(d)	year of manufacture:	See name plate of product
(e)	internal/external power supply efficiency: LiteOn LPS-3651-1L 20% 91.24% 50% 92.13% 100% 89.67% Average 91.02% Other ;	,
	or level: 80 PLUS COMPLIANT	
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distors supply system, — information and documentation on the instrumentation, set-up and circuits used for a Voltage: 230V, Frequency: 50Hz  -Total harmonic distortion: <2% - Information and documentation on the instrumentation: Please refer to additional information,	
	- Set-up and circuits used for electrical testing: Please refer to additional information	
(g)	maximum power (Watts)	602.2W
(h)	idle state power (Watts)	205.3W
(i)	sleep mode power (Watts)	9.198W
(j)	off mode power (Watts)	1.622W
(l-1)	the measurement methodology used to determine information mentioned in points (e):  80 PLUS test method	
(I-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, of defined in Point P9.1 in the Product IT Eco Declaration:	f mode power as
	ENERGY STAR® Program Requirements Product Specification for Computers Final Test Me	thod Rev. Sep-2013

Additional information				
-Information and documentati	on on the instrumentation			
Instrument Type	Make and Model			
AC POWER SOURCE	Chroma 6530 & Chroma 61504			
Electronic Load	Chroma 6314			
Oscilloscope	Tektronix TDS5034			

