

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkStation	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Workstation			
Commercial name *	ThinkStation P900			
Model number *	30A4000xxx, 30A5000xxx			
Issue date *	2014-09-15			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information	ENERGY STAR® 6.0 Qualified (select models); EPEAT GOLD Rating; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkStation P900 MTs: 30A4000xxx, 30A5	000xxx	
Issue date *	2014-09-15	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	men	t met
Item	v 1	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	X		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkStation P900 MTs: 30A4000xxx, 30A5	000xx	(X
Issue date *	2014-09-15	Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design Re	quire	men	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\stackrel{\square}{\vdash}$		╫
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		${H}$	╫
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		+	-
P7.5			<u> </u>	- -
	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		 	井
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Щ	
D7 7*	Product lifetime		_	_
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u> </u>	_ <u></u>
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		Щ.
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7.40	Material type: Steel Material type: ABS, PC, PP Material type: Steel	_		
P7.12	Electrical cable insulation materials of power cables are PVC free.	 		<u> </u>
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\underline{\boxtimes}$	Щ.
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: ISO FR(nn):			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14	ш	ш	ш
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
		<u> </u>	<u>Ц</u>	Щ.
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	Ш	Ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 39.1%.	X		
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	X	Ħ	$\overline{\Box}$
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			\square

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkStation P900 MTs: 30A4000xxx, 30A5	000xx	XX
Issue date *	2014-09-15	Logo	lenovo.

Product environmental at	uct environmental attributes - Market requirements (continued) Requirement me					
Item	Yes No					
P9 Energy consumption						
9.1 For the product the	9.1 For the product the following power levels or energy consumptions are reported: See P14					
Energy mode *	Energy mode * Power level at 100 V AC Power level at 115 V AC Power level at 230 V AC Reference / Standard for energy modes and test method *					
			•			
Short Idle State - WOL Enabled 122.38 W		121.35 W	119.46 W	Use for ENERGY STAR V6 registration (P _{idle})		
Long Idle State - WOL Enable		119.65 W	117.82 W	Use for ENERGY STAR V6 registration (P _{idle})		
Sleep (S3) - WOL Enabled	<i>5.75</i> W	5.71 W	5.8 W	Use for ENERGY STAR V6 registration(P _{sleep})	Ц	
Sleep (S3) - WOL Disabled	W	W	W	Reference	H	
Off (S5) - WOL Enabled	2.43 W	2.44 W	2.5 W	Use for ENERGY STAR V6 registration(Poff)	Щ	
Off (S5) - WOL Disabled	W	W	W	Use for EUP	Щ	
Max Power - WOL Enabled	442.89 W	434.83 W	422.86 W	Use for ENERGY STAR V6 registration	Ш	
EPS No-load	W	W	W			
(External power supply / charg	er					
Typical Energy Consumption	kWh/week 68.739W	kWh/week 67.9125W	kWh/week 66.912W	D (D × 0.25 · D × 0.10 · D ×		
PTEC *	66.739W	67.9125W	00.912W	$P_{TEC} = (P_{off} \times 0.35 + P_{sleep} \times 0.10 + P_{shortidle} \times 0.40 + P_{Longidle} \times 0.15)$	Ш	
	D . 0# Mada(0	(5) WOL Frablada	D Clean Made/	S3) - WOL Enabled; P _{idie} : Idle State - WOL Enabled		
	P _{off} : Oπ Mode(S	5) - WOL Enabled;	: P _{sleep} : Sleep Wode(S	53) - WOL Enabled; P _{idle} : Idle State - WOL Enabled		
Display resolution* : Me	egapixels					
Print Speed * : Im	ages per minute					
Default time to enter energy sa	ve mode: 30 minute	es				
P9.2* Information about	he energy save fund	ction is provided	with the product.			
	the energy requirer					
ENERGY STAR® Others specify:	version: Version 6.0	0 dated June 2,	2014 Product cate	egory: Workstation	H	
P10 Emissions						
	Declared according					
P10.1 Mode Mod	e description		eclared d sound power	Declared A-weighted sound pressure level $L_{p{\sf Am}}$ (dB)		
		-	L_{WAd} (B)			
				Operator position Bystander positions		
				Desktop (only if product is not)		
Idle * Inc	licates idle	2.5" SSD SATA	A(1xCPU): 4.3	operator attended) 2.5" SSD SATA(1xCPU): 32		
	dition (system is	3.5" 7.2KRPM	SATA(1xCPU): 4.3			
	ered on, but no activity).		SATA(2xCPU): 4.4 SAS(2xCPU): 4.7	3.5" 7.2KRPM SATA(2xCPU): 32 2.5" 15KRPM SAS(2xCPU): 37.6		
Operation * Inc	licates operating	g 2.5" SSD SATA(1xCPU): 4.3 2.5" SSD SATA(1xCPU): 32				
condition (hard disk			SATA(1xCPU): 4.3	. ,		
drive is randomly seeking, all other			SATA(2xCPU): 4.4 SAS(2xCPU): 4.9	1 3.5" 7.2KRPM SATA(2xCPU): 32 2.5" 15KRPM SAS(2xCPU): 40		
	systems idle)			. ,		
Other mode						
Measured according	ŭ <u> </u>	ECMA-74	world by FOMA 74	with I money coment distance and		
P10.2 The product meets	Other the acoustic noise			with L _{pAm} measurement distance m) tary program/s:		

Model number *	ThinkStation P900 MTs: 30A4000xxx, 30A5	000xx	X
Issue date *	2014-09-15	Logo	lenovo.

Product 6	environmental attributes - Market requirements (continued)	equire	ment	met		
Item	• • • • • • • • • • • • • • • • • • • •	Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes		
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes		
	Dust Ozone Styrene Benzene TVOC					
	Electromagnetic emissions					
P10.6	6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes				
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): <i>Paper</i> Product packaging material type(s): <i>Fabricated PE</i> Product packaging material type(s): weight (kg): 1.338Kg weight (kg): 0.46Kg weight (kg):					
P13.2*	Product plastic packaging is free from PVC.	\boxtimes				
P13.3*	Specify media for user and product documentation (tick box):					
	Electronic , Paper , Other					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%					
P14	Additional information (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, information contained in this document. All information provided by supplier in this document is provided based knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representation.	d on sup n. The ir	plier's iforma			
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation P900	Logo
Model Number	30A4000xxx, 30A5000xxx	
Issue Date	2014-09-15	lenovo.
Additional information	ENERGY STAR® 6.0 Qualified (select models); EPEAT GOLD Rating; GREENGUARD Certified	

/ I\		
d)	year of manufacture:	See name plate of product
(e)	internal/external power supply efficiency:	
	20% 91.1 % 50% 92.34 % 100% 89.38 % Average 90.94 % Other ;	
	or level: 80 PLUS COMPLIANT	
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: -Test Voltage: 230V, Frequency: 50Hz -Total harmonic distortion: <2% - Information and documentation on the instrumentation: Please refer to additional information, - Set-up and circuits used for electrical testing: Please refer to additional information	
g)	maximum power (Watts)	760.6W
h)	idle state power (Watts)	282.7W
i)	sleep mode power (Watts)	21.99W
j)	off mode power (Watts)	2.125W
l-1)	the measurement methodology used to determine information mentioned in points (e): 80 PLUS test method	
l-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	

Additional information -Information and documentation on the instrumentation						
Instrument Type	Make and Model					
AC POWER SOURCE	Chroma 6530 & Chroma 61504					
Electronic Load	Chroma 6314					
Oscilloscope	Tektronix TDS5034					
Power Analysis	Yokogawa WT210					

