

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo			
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	Lenovo Y50-70				
Model number *	20378; 80EJ				
Issue date *	2015-01-13				
Intended market *	☑ Global   Europe   Asia, Pacific & Japan   Americas   Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	20378; 80EJ	20378; 80EJ		
Issue date *	2015-01-13		Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			$\square$
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference).			
D4 0*	Comment: Legal reference has no maximum concentration values.		_	_
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference).		Ш	Ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)		Ш	Ш
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than $0.01\%$ lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	20378; 80EJ <b>Lenovo Y50-70</b>	20378; 80EJ	
Issue date *	2015-01-13	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	nent	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$	Ш	Ш		
P7	Design					
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable					
				井		
P7.2*	Plastic materials in covers/housing have no surface coating.			뷰		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		<u>Н</u>	井		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		<u>Ц</u>	Щ.		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш			
D7 7*	Product lifetime		_			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u> </u>	井		
P7.8*	Upgrading can be done using commonly available tools			Щ.		
P7.9.	Spare parts are available after end of production for: 5 years			Ц_		
P7.10	Service is available after end of production for: 5 years					
D7 44*	Material and substance requirements					
P7.11*	Product cover/housing material type:  Meterial type: Meterial type: Meterial type: Meterial type:					
P7.12	Material type: PC+ABS-FR(40) Material type: Material type:  Electrical cable insulation materials of power cables are PVC free.			$\overline{}$		
P7.13	Electrical cable insulation materials of power cables are PVC free	+		₩		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		-	╬		
				井		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:					
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #: Alt. 2					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.94%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is <b>0</b> %.					
P7.22	Light sources are free from mercury  If mercury is used specify: Number of lamps:  and max. mercury content per lamp:  mg	$\boxtimes$				
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg  Batteries mg					
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide					
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			$\dashv$		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20378; 80EJ <b>Lenovo Y50-70</b>	20378; 80EJ	
Issue date *	2015-01-13	Logo	lenovo.

	Product environmental attributes - Market requirements (continued)  Requirement met						
Item P9	Energy consumption					Yes No	n.a.
9.1	For the product the foll	owing power levels or	energy consumpt	tions are reporte	d: <b>See P14</b>		
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy momentum *	odes and test	
Peak (On-	max)	135 W	135 W	135 W	Full load		
Categor	y 13	•	I	l			
Short Idle	State - WOL Enabled	17.82 W	16.57 W	16.98 W	Use for ENERGY STAR V6 registr	ration (P <sub>idle</sub> )	
Long Idle	State - WOL Enabled	10.57 W	9.78 W	10.73 W	Use for ENERGY STAR V6 registr	ration (P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	0.90 W	0.90 W	0.97 W	Use for ENERGY STAR V6 registr	ration(P <sub>sleep</sub> )	
Sleep (S3)	- WOL Disabled	1.15 W	1.15 W	1.20 W	Reference		
Off (S5) - I	WOL Enabled	0.35 W	0.35 W	0.42 W	Use for ENERGY STAR V6 registr	ration(P <sub>off</sub> )	
Off (S5) - I	WOL Disabled	<b>0.26</b> W	<b>0.26</b> W	0.32 W	Use for EuP		
Categor	y D 1/2		•				
Short Idle	hort Idle State - WOL Enabled NA W NA W Use for ENERGY STAR V6 registration (P <sub>idle</sub>		ration (P <sub>idle</sub> )				
Long Idle	State - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registr	ration (P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registr	ration (P <sub>sleep</sub> )	
Sleep (S3)	- WOL Disabled	NA W	NA W	NA W	Reference		
Off (S5) - I	WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registr	ration(P <sub>off</sub> )	
Off (S5) - I	WOL Disabled	NA W	NA W	NA W	Use for EuP		
EPS No-loa		0.14 W	0.15 W	0.175 W			
plugged in	oower supply / charger the wall outlet but ted from the product.)						
PTEC * Typical Energy Consumption		W	W	W			
TEC * Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Ene	ergy Consumption	60.20 kWh/year	<b>56.23</b> kWh/year	<b>58.41</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{short idle} \times 0.3 + P_{long idle} \times 0.1)$	P <sub>sleep</sub> x 0.35	
5			WOL Enabled; Pslee	: Sleep Mode(S3)	- WOL Enabled; P <sub>idle</sub> : Idle State - WOL	Enabled	
	solution* : <b>1280*800</b> Me	gapixels					Ш
Print Speed		ges per minute					
	e to enter energy save r						
P9.2*	Information about the						Ш
P9.3*	The product meets the ENERGY STAR® vers Others specify: <i>Energy</i>	ion: Version 6.0 Tie	er: Produ	uct category: 13		A	Н
P10	P10 Emissions  Noise emission – Declared according to ISO 9296						
P10.1		e description	U 9296	Declared	Declared A-weighted	d	
		·		A-weighted	sound pressure level L		
				sound power level $L_{W\!Ad}$	Dueton	nder positions	
				iovo: L <sub>W</sub> Ad	Desktop (only if p	product is not attended)	
	Idle * H	DD:Idle		* 2.9	21.3	nor anomiceu)	
	•	DD: Operating		* 2.9	23.1		
	Other mode				Energy Star for External Pow	er Supplies	
	Measured according to		CMA-74 (only if not covered	d by ECMA 74 ···	ith I . measurement distance	m)	
	Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)						

P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:	

Model nui	mber *	20378; 80EJ	20378; 80E.	J				
Issue date	*	2015-01-13	·		Logo	leno	VO.	
Product	environn	nental attributes - Ma	rket requirements (c	ontinued)		Require	ment	met
Item				•		Yes	No	n.a.
	Chemica	al emissions from printi	ng products					
P10.3*	Test per	formed according to ECM	IA-328 (ISO/IEC 28360)	standard, other spec	ify:			$\boxtimes$
P10.4		emission rate (print phase			•			$\overline{X}$
	, , , <sub> </sub>	Dust Ozone	Styrene	Benzene	TVOC			
P10.5		al emission requirements			met for :			X
		Oust Ozone	Styrene	Benzene	TVOC	_		
	Electron	magnetic emissions	· ·					
P10.6		er display meets the requi	rement for low frequency	electromagnetic fields	of the following volunta	ry 🔀		
P11		nable materials for printi	ing products					
P11.1*	A Safety	Data Sheet (SDS) is ava	ilable for the ink/toner pr	eparation, even if not leg	ally required (see P4.3	3).		
P11.2*	Paper co	ontaining post-consumer 1.	recycled fibers can be	used, provided that it	meets the requirement	nts of		
P11.3*	2-sided (	(duplex) printing/copying i	s an integrated product f	unction.				$\boxtimes$
P12	Ergonomics for computing products							
P12.1*	The disp	lay meets the ergonomic	requirements of ISO 924	1-307 for visual display	technologies.	$\boxtimes$		$\Box$
P12.2*	The phys	sical input device meets th	he requirements of ISO 9	9995 and ISO 9241-410.		X		币
P13	Packagi	ng and documentation						
P13.1*	Product Product Product	packaging material type(s packaging material type(s packaging material type(s	s): Polyethylene Cushic s): Others weight	weight (kg): <b>0.526</b> ons weight (kg) (kg): <b>0.368</b>	: 0.092			
P13.2*	Product	plastic packaging is free f	from PVC.			$\boxtimes$		
P13.3*		media for user and produc	ct documentation (tick bo	x):				
	Electron	ic 🔀, Paper 🔀, Other 🏻						
P13.4*	For pape fiber: 0	er user and product docun %	nentation, please specify	contained percentage of	f post-consumer recyc	eled		
P14		nal information (See Not						
D0	informati knowled provided informati		ment. All information pro f completion, and supplie provided for information	vided by supplier in this er shall have no obligatio al purposes only. See a	document is provided n to update such inforr Lenovo Account Repre	based on sup nation. The in	plier's format	ion
P9	See Ene http://w	ergy Star Qualified Notel ww.energystar.gov/inde	oooks & Tablet Compu x.cfm?fuseaction=find	ters for the latest infor _a_product.showProdu	maนon: ictGroup&pgw_code	=CO		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

### **Lenovo ErP Lot3 Information Sheet**

#### - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Y50-70	Logo
Model Number	80EJ; 20378	_
Issue Date	2015-01-13	lenovo.
Additional information		

<i>F 1</i> . I . I	Product environmental attributes				
(d)	year of manufacture: 2014				
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:				
	Category (according to ErP Lot 3): NA Etec: NA				
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics carenabled:	ds (dGfx) are			
	Category (according to ErP Lot 3): C Etec: 22.13				
(g)	idle state power demand (Watts);	7.45			
h)	sleep mode power demand (Watts);	0.81			
i)	sleep mode with WOL enabled power demand (Watts) (where enabled);				
(j)	off mode power demand (Watts);	0.35			
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA			
(l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):				
	10% 20% 50% 100% Average				
(m)	external power supply efficiency (if applicable):				
	Average*: 135W: 91,29%,89,88%				
(0)	*internal note: show values for all available external power supplies				
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300cycles			
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:				
	NA NA				
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:				
	Energy-star requirement				

(p-3) the measu batteries:	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:							
	IEC 61960 measurement methodology							
	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	Energy-star requirement							
(q) sequence	of steps for achieving	g a stabl	e condition with respect to power demand::					
	Based on user manual							
(r) description	description of how sleep and/or off mode was selected or programmed:							
			Based on user manual					
(s) sequence of mode:	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
			Based on user manual					
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  25							
(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  NA								
(v) the length	the <b>length of time before the display sleep mode is set to activate</b> after user inactivity (in minutes):							
(w) information	on the energy-savir	ng poten	tial of power management functionality:					
Based on user manual								
(x) user inform	nation on how to ena	ble the p	power management functionality:					
			Based on user manual					
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used								
for electrication	al testing:							
		230V/5	0Hz, Total Harmonic Distortion <2 %					
Addition Notebook B	attery Information:							
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	ed and replaced				
(Battery <b>not</b> user replaceable)	(Battery user replaceable)		The battery[ies] in this product cannot be easily replace	ed by users				
			themselves					
Additional informatio	n							