



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	https://www.lenovo.com/us/en/about/sustainability		
Additional information	The latest version of this document can be found at:		
	https://www.lenovo.com/us/en/compliance/eco-declaration		

	based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	Lenovo Yoga C940-14/C940 BE-14						
Model number *	20RT, 81Q9						
Issue date *	2019/8/2						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	20RT, 81Q9	Logo	Long		
Issue dat	e *	2019/8/2		Lend)
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	∃ B1)			
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes		
D4.0*		nt: Legal reference has no maximum concentration value.			_	
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	alamida 111	\boxtimes		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ration values.	laximam			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
		(PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	bon atoms in the	e 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 µg/cm²/week			
		al reference).				
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):			
F 1.7		ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).	\boxtimes		Ш
P2	Batterie					
P2.1*		s educt contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal			
FZ.1		Information on proper disposal is provided in user manual. (See legal reference)	irie disposai	\boxtimes	Ш	Ш
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See legal			
	referenc	· ·			_	
P2.3*		and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg		\boxtimes		
D0.0*		laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar	ice/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes	Ш	
	` •	d information is; given in item P15 or added to this document,		\square		
	rtoquilot	available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5	Droduct	packaging	5CO-GECIAI ALION			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium an	d 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material(s	s) 🔀		
P5.3*		e legal releience). luct packaging material is free from ozone depleting substances as specified in the N	Montreal Protoco	ol 🔀	$\overline{}$	
1. 0.0		al reference).		" <u>\</u>	Ш	Ш
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20RT, 81Q9	Logo	Lanava
Issue date *	2019/8/2		Lei IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		<u>Ц</u>	Щ.
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Щ	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ	Щ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Щ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш	
D7 74	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u>Ц</u>	Щ.
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			_ <u></u>
P7.10	Service is available after end of production for: 5 years			
D7 44*	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Metarial type: Material type:			
P7.12	Material type: AL6063 Material type: Material type: Insulation materials of external electrical cables are PVC free.		\square	
P7.13	Insulation materials of internal electrical cables are PVC free.	\dashv	\overline{X}	\overline{H}
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		$\overline{\Box}$	+
F7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			Ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	Ш		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	∺	\dashv	
1 7.10	assigned the following Risk phrases; and Hazard statements:	ш		
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
				ш
	If YES; at least one of the two alternatives below shall be answered;			
1	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 19.69%. 			
	or			
	b) The weight of recycled material is 14.4 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20RT, 81Q9	Logo	Lanava
Issue date *	2019/8/2		Lei IOVO"

Product environmental attributes - Market requirements (continued)	Requirem		nent met	
Item	Yes	No	n.a.	

	Material and subs	stance requirements	(continued)			
P7.21*			in the product (See N	OTE B7):		Г
	If YES; at least on	e of the two alternative	es below shall be answ	ered;		
			the biobased plastic m	aterial content (calcula	ted as a percentage of	
	total plastic b	y weight) is %.				
	or b) The weight of	f the biobased plastic r	material is g			
P7.22*			less than 0,1 mg/lamp		МПП	Г
		specify: Number of lar		um mercury content pe	er lamp: mg	,
P8	Batteries					
P8.1*	•	composition: lithium-ic	on			
P9		tion (See NOTE B8)				
P9.1			s or energy consumption		Defense of Characterist for a construction	_
Energy mo	de "	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	65 W	65 W	65 W	Full load	_
· .					1 2 12.22	
Categor	<u>y</u>					
Short Idle	State - WOL	7.58 W	7.19 W	7.61 W	Use for ENERGY STAR V7.1	_
Enabled					registration (P _{idle})	
I ong Idlo	State - WOL	2.94 W	3.07 W	3.41 W	Use for ENERGY STAR V7.1	
Enabled	State - WOL	2.94 VV	3.07 VV	3.41 VV	registration (P_{idle})	
Znabioa					regionation (Filine)	
Sleep (S3)	- WOL Disabled	0.70 W	0.70 W	0.72 W	Reference	
Off (S5) - I	WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V7.1	
					registration (P _{off})	
Off (S5) - 1	WOL Disabled	0.42 W	0.42 W	0.44 W	Use for ErP	
EPS No-loa	ad	0.058 W	0.058 W	0.128 W		_
(External power s	supply / charger plugged in the connected from the product.)					
ETEC *	connected from the product.)	25.56 kWh/year	24.65 kWh/year	26.16 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual En	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+	
					P _{short_Idle} x 0.30)	
E to col D	O I . Eff. i		· · · · · · · · · · · · · · · · · · ·		ed; P _{idle} : Idle State - WOL Enabled	_
		• •	l Efficiency Marking Pro	otocol) * : VI		_
	solution * : 8.294 me					
	- 0,	ive mode: 30 minutes				
P9.2*	Information about	the energy save functi	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
540.4			ISO 9296 (See NOTE			
P10.1		Mode description			t A-weighted sound power level, L _{WA,c} (B)	
		System Idle		* 2.6		
	Operation *	CPU Operating		* 2.6		
	Other mode	Peclared A-weighted soun	d pressure level (dB) $L_{p m An}$	(operator pos	sition desktop – idle)	
	Other mode L	Declared A-weighted soun	d pressure level (dB) L_{pAn}	(operator pos	sition desktop – operating)	
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	20RT, 81Q9					Logo	Long	1/0	
Issue da	te *	2019/8/2						Leno	VO.	н
Produc	t environr	nental attribut	tes - Market requirer	ments (con	tinued)			Require	ment	met
Item								Yes	No	n.a.
	Electron	magnetic emiss	ions							
P10.4	program	ı(s):	the requirement for low	frequency ele	ectromagnetic field	ls of the fol	lowing voluntar	у		
P12		mics for compu								
P12.1*	The disp	lay meets the er	gonomic requirements of	of ISO 9241-3	307 for visual displa	ay technolo	gies.			\boxtimes
P12.2*	The phy	sical input device	e meets the requirement	ts of ISO 999	5 and ISO 9241-41	10.			\boxtimes	
P13	Packagi	ing and docume	entation							
P13.1*	Product Product Product	packaging mater packaging mater packaging mater		weight (kg) weight (kg) weight (kg) weight (kg)): 0.086): 0.044					
P13.2*	Product	plastic primary p	ackaging is free from P\	VC.				\boxtimes		
P13.3*	For proc	duct primary cor er recovered fibe	rugated fiberboard pacler content: 80 %	kaging, spec	ify the contained	percentage	of minimum p	ost-		
P13.4*		media for user a ronic, ⊠Paper,	nd product documentation Other	on (tick box):						
P13.5	Ùser and		nis item if paper documer entation on paper media							
	•	chlorine-free cal chlorine-free								
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	duct meets the re	equirements of the follow	ving voluntary	program(s):					
	Eco-labe	el:	Criteria version: 7. Criteria version: Criteria version:	1	Date: 2018/7/11 Date: Date:	Product	category: <i>I1</i> category: category:			
P15			(See NOTE B10)							
P9			f specific configuration							
	informat knowled provided informat	ion contained in ge available at th I here is approxir ion.	no representations, guara this document. All inform ne time of completion, ar mate and provided for in	mation provide nd supplier sh formational p	ed by supplier in th nall have no obliga urposes only. See	tion to upda a Lenovo /	nt is provided bate such inform	ased on supp ation. The inf	olier's formati	ion
P9			ed Notebooks & Tablet Cov/index.cfm?fuseaction=				_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Yoga C940-14/C940 BE-14	Logo	
Model Number	20RT, 81Q9		Lonovo
Issue Date	2019/8/2		Lenovo
Additional information			

d)	Year of manufacture:				
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
F)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when a	II discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16G			
ents	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	# <i>:</i> (Yes / No)	# <i>:</i> (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NO			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	-	-	-	2.94
1)	Sleep mode power demand (Watts);				0.70
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA
)	Off mode power demand (Watts);				0.42
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 S	% of rated output power	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 88.93%, 89.				
o)	*internal note: show values for all available external pr Minimum number of loading cycles that the	the batteries can withst	tand (applies only to n	otebook computers):	300
o-1)	Measurement methodology used to dete	ermine information men	ntioned in points (I) – ir	nternal PSU efficiency:	

(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)				
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623			
(q)	Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition*			
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Description of how sleep and/or off mode** **Begin menu -> Power -> Select sleep or off mode** **Description of how sleep and/or off mode** **Description of how sleep and/or off mode was selected or programmed:** **Description of how sleep and/or off mode was selected or programmed:** **Description of how sleep and/or off mode was selected or programmed:** **Description of how sleep and/or off mode was selected or programmed:** **Description of how sleep and/or off mode was selected or programmed:** **Description of how sleep and/or off mode was selected or programmed:** **Description of how sleep and/or off mode was selected or programmed:** **Description of how sleep and/or off mode was selected or programmed:** **Description of how sleep and/or off mode was selected or			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10min
(w)	Information on the energy-saving potential of power management functionality: *Refer to User Guide*			
(x)	User information on how to enable the power management functionality: *Refer to User Guide*			
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301				
Addition	nal Notebook Batter	y Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery		\boxtimes		
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
)				

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Sio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.