

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | | | |
|------------------------|---|--------|--|--|--|
| Company name * | Lenovo | | | | |
| Contact information * | Lenovo Global Environmental Affairs | Lenovo | | | |
| e-mail address | Alvin L Carter | | | | |
| | alcarter@lenovo.com | | | | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | .html | | | |
| Additional information | The latest version of this document can be found at: | | | | |
| | http://www.lenovo.com/ecodeclaration | | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | |
|--|--|--|--|--|--|
| Type of product * | Portable Computer Tablet | | | | |
| Commercial name * | Lenovo Yoga Smart Tab | | | | |
| Model number * | ZA3V, ZA53, ZA54 | | | | |
| Issue date * | 2019.7.22 | | | | |
| Intended market * | 🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model nu | umber * | ZA3V, ZA53, ZA54 | Logo | Lon | | | |
|--------------|---|--|----------------------------|-------------|--------|-------|--|
| Issue date * | | 2019.7.22 | | Leng | Lenovo | | |
| Product | t environ | mental attributes - Legal requirements | | Require | | t met | |
| Item | | | | Yes | No | n.a. | |
| P1 | | us substances and preparations | | | | | |
| P1.1* | Products | do comply with current European RoHS Directive. (See legal reference and NOTE | E B1) | \boxtimes | | | |
| P1.2* | | : do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | | \boxtimes | | | |
| P1.3* | hydrobro trichloroe | do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ation values. | lloride, 1,1,1- naximum | | | | |
| P1.4* | Products terpheny | | | | | | |
| P1.5* | Products chain co | he 🔀 | | | | | |
| P1.6* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. | | | | | | |
| P1.7* | REACH | Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | contact): | | | | |
| P2 | Batterie | S | | | | | |
| P2.1* | | duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference) | the disposal | \boxtimes | | | |
| P2.2* | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) | | | | | | |
| P2.3* | Batteries and accumulators are readily removable. (See legal reference) | | | | | | |
| P3 | Conform | nity verification & Eco design (ErP) | | | | | |
| P3.1* | The proc The Dec | luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/us/en/compliance/eu-doc | gal reference). | | | | |
| P3.2* | The proc | luct complies with the Eco design requirements for energy-related products, al reference). | | \boxtimes | | | |
| | | l information is; given in item P15 or added to this document, | | \boxtimes | | | |
| P5 | Droduct | available at (add URL): <i>lenovo.com/us/en/compliance/ed</i> | Jo-ueciaration | | | | |
| P5.1* | | packaging ng and packaging components do not contain more than 0,01% lead, mercur | v cadmium c | nd 🔽 | | | |
| | hexavale | ent chromium by weight of these together. | | | | | |
| P5.2* | used (se | kaging materials are marked with abbreviations and numbers indicating the nature e legal reference). | | | | | |
| P5.3* | (see lega | luct packaging material is free from ozone depleting substances as specified in the M al reference). nt: Legal reference has no maximum concentration values. | Montreal Proto | col 🔀 | | | |
| P6 | | nt information | | | | | |
| P6.1* | | on for recyclers/treatment facilities is available (see legal reference). | | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model n | umber * | ZA3V, ZA53, ZA54 | Len | | | | | |
|----------|---|--|-------------|-------------|-----------|--|--|--|
| Issue da | ite * | 2019.7.22 | | | | | | |
| Produc | t environ | mental attributes - Market requirements (See General NOTE GN below) | | | | | | |
| | | • | Require | ment | met | | | |
| Item | | tory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. | | | |
| P7 | | Disassembly, recycling | | | | | | |
| P7.1* | | t have to be treated separately are easily separable | | | | | | |
| P7.2* | | aterials in covers/housing have no surface coating. | | \boxtimes | | | | |
| P7.3* | • | arts > 100 g consist of one material or of easily separable materials. | | | \square | | | |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | | | | | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly available tools. | \boxtimes | | | | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | \boxtimes | | | | | |
| | Product | | | | | | | |
| P7.7* | Upgradir | g can be done e.g. with processor, memory, cards or drives | | \boxtimes | | | | |
| P7.8* | Upgradir | g can be done using commonly available tools | | \boxtimes | | | | |
| P7.9 | Spare pa | rts are available after end of production for: 2 years | | | | | | |
| P7.10 | Service i | s available after end of production for: 2 years | | | | | | |
| | Material | and substance requirements | | | | | | |
| P7.11* | Product | cover/housing material type (e.g. plastics, metal, aluminum): | | | | | | |
| | | type: PC Material type: PC+30%GF Material type: AZ91D | | | | | | |
| P7.12 | | n materials of external electrical cables are PVC free. | | | _∐_ | | | |
| P7.13 | | n materials of internal electrical cables are PVC free. | | \boxtimes | | | | |
| P7.14 | weight (' polyvinyl | plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing n 25% post-consumer recycled content. | | | | | | |
| P7.15 | | ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🔀 are low haloger ed in IEC 61249-2-21. (See 1NOTE B2) | | | | | | |
| P7.16 | Flame re Marking: | tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | \square | | | |
| P7.17 | | nemical specifications of flame retardants in printed circuit boards > 25 g (without components): A (additive), TBBPA (reactive) (See NOTE B3), Other: <i>DOPO</i> , CAS #: 35948-25-5 | \boxtimes | | | | | |
| | | nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: <i>FR(40.)</i> | \square | | | | | |
| P7.18 | concentr 1. Chem 2. Chem | ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations ir ations above 0,1%: ical name: PX-200 , CAS #: 139189-30-3 (See NOTE B4) ical name: Bisphenol A diphosphate , CAS #: 181028-79-5 " ical name: , CAS #: " | | | | | | |
| | Alt. 2: Ch | nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) | \square | | | | | |
| P7.19 | In plastic assigned | <pre>parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; R43 and Hazard statements: H317;H411 ce(s) for these classifications is/are found at (add URL(s)): http://www.molbase.com/en/precursor_139189-30-3-moldata-67767.html,</pre> | | | | | | |
| P7.20* | | ww.guidechem.com/msds/181028-79-5.html (See note B5) sumer recycled plastic material content is used in the product (See Note B6): | | \square | | | | |
| | a) Of t | t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is %. | | لاسع | | | | |
| | | weight of recycled material is g. | | | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model nur | nber * | ZA3V, Z | A53, ZA54 | | | Logo | Long | |
|---|--|---|---------------------------------------|---|-------------------------|--|--------------|-------------|
| Issue date | * | 2019.7.2 | 2 | | | | Lenc | |
| Product | environn | nental at | tributes - Market r | equirements (contir | nued) | | Require | ment met |
| Item | | | | | | | Yes | No n.a. |
| | | | | | | | | |
| | Material | and subs | stance requirements | (continued) | | | | |
| P7.21* | Biobased | l plastic m | aterial content is used | in the product (See NC | DTE B7): | | | |
| | a) Of t | otal plastic | | s below shall be answe the biobased plastic ma | | ed as a percentage | of | |
| | or b) The | woight of | the biobased plastic n | actorial in a | | | | |
| P7.22* | , | Ų | | less than 0,1 mg/lamp. | | | \square | |
| | | | specify: Number of lan | | im mercury content per | lamp: mg | | |
| P8 | Batteries | | | | | | | |
| P8.1* | , | Battery chemical composition: <i>Li-ion Polymer</i> | | | | | | |
| P9 | | | tion (See NOTE B8) | s or energy consumptio | no are reported. | | | |
| P9.1 Energy mo | | | Power level at | Power level at | Power level at | Reference/Standa | rd for ene | rav |
| Energy mo | 40 | | 100 V AC | 115 V AC | 230 V AC | modes and test m | | .99 |
| Peak (On-ı | nax) | | 10 W | 10 W | 10 W | Full load | | |
| Category | <u>/2</u> | | | | | | | |
| Short Idle State - WOL Enabled | | OL | 2.148 W | 2.076 W | 2.136 W | Use for ENERGY registration (P _{idle}) | | |
| Long Idle S Enabled | State - WO | DL | 0.180 W | 0.204 W | 0.212 W | Use for ENERGY registration (P _{idle}) | | |
| Sleep (S3) | - WOL Di | sabled | 0.180 W | 0.204 W | 0.212 W | Reference | | |
| Off (S5) - V | VOL Disa | bled | 0.228 W | 0.228 W | 0.252 W | Use for ErP | | |
| EPS No-loa | | | 0.026 W | 0.039 W | 0.051 W | | | |
| (External power s wall outlet but disc | upply / charger connected from 1 | blugged in the he product.) | | | | | | |
| ETEC * Annual Ene | ergy Consi | umption | 6.76 kWh/year | 6.85 kWh/year | 7 kWh/year | $E_{TEC} = (8760/1000)$ + $P_{sleep} \times 0.35$ + $P_{short_{ldle}} \times 0.30)$ | | |
| | | | | DL Enabled; P _{sleep} : Sleep | | d; P _{idle} : Idle State - W | OL Enabled | |
| | | - | · · · · · · · · · · · · · · · · · · · | Efficiency Marking Pro | tocol) * : VI | | | |
| Display res | olution * : | 1200*192 | 20 megapixels | | | | | |
| | e to enter | energy sa | ve mode: 1 minutes | | | | | |
| P9.2* | Informati | on about t | the energy save function | on is provided with the | product. | | \square | |
| P9.3 | Energy efficiency class (monitors only): | | | | | | | |
| P10 | Emissions | | | | | | | |
| D10.1 | | | | ISO 9296 (See NOTE | | A | | (D) |
| P10.1 | Mode Idle | * | lode description | | Statistical upper limit | A-weighted sound | power level, | |
| | Operatio | | | | * | | | \boxtimes |
| | Other mo | | | d pressure level (dB) $L_{p{\sf Am}}$ | | ition desktop – idle) | | |
| | Other mo | | | d pressure level (dB) L_{pAm} | | ition desktop – opera | ating) | |
| | Measure | d accordir | ~ = - | ECMA-74 | | | | |
| | | | Other | (only if not covered by | ECMA-74) | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model nu | mber * | ZA3V, ZA53, Z | 4 <i>54</i> | | Logo | | | |
|-----------|--|--|--|--|---|----------------------------------|-------------------|------|
| Issue dat |) * | 2019.7.22 | | | | Leno | VO, | н |
| Product | environ | mental attribut | es - Market requirements | (continued) | | Require | ment | met |
| Item | | | | | | Yes | No | n.a. |
| | | magnetic emissi | | | | | | |
| P10.4 | program | n(s): | the requirement for low frequer | ncy electromagnetic fields | s of the following voluntar | ry 🔀 | | |
| P12 | | mics for comput | | | | | | |
| P12.1* | - | | gonomic requirements of ISO 9 | | • • | | | |
| P12.2* | The phy | sical input device | meets the requirements of ISC | 0 9995 and ISO 9241-410 | О. | \boxtimes | | |
| P13 | Packag | ing and docume | ntation | | | | | |
| P13.1* | Product | | ial type(s): <i>box</i> weigh ial type(s): <i>paper(manual)</i> ial type(s): <i>PE</i> weight (kg): 0.0 | nt (kg): 0.21 weight (kg): 0.068 08 | | | | |
| P13.2* | Product | plastic primary p | ackaging is free from PVC. | | | \boxtimes | | |
| P13.3* | For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- | | | | | | | |
| P13.4* | Specify media for user and product documentation (tick box): | | | | | | | |
| P13.5 | Ùser an | | s item if paper documentation entation on paper media is chlo | | | | | |
| | | chlorine-free tal chlorine-free | | | | | | |
| | Processed chlorine-free | | | | | H | | |
| P14 | Volunta | ry programs | | | | | | |
| P14.1 | | | quirements of the following vol | untary program(s): | | | | |
| | Eco-lab Eco-lab | el: | Criteria version: 7.1 Criteria version: Criteria version: | Date: 2018-11-18 Date: Date: | Product category: <i>I3</i> Product category: Product category: | | | |
| P15 | | nal information | | | | | | |
| P9 | | | specific configuration may v | | | | | |
| | informat knowled | tion contained in t lge available at th d here is approxin | o representations, guarantees, his document. All information p e time of completion, and supp nate and provided for information | rovided by supplier in this lier shall have no obligati | s document is provided t ion to update such inforn | based on supp nation. The inf | olier's ormati | ion |
| P9 | See Ene | ergy Star Qualifie | d Notebooks & Tablet Compute v/index.cfm?fuseaction=find_a | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | Yoga Smart Tab | Logo | | |
|------------------------|------------------|------|---------|--|
| Model Number | ZA3V, ZA53, ZA54 | _ | l enovo | |
| Issue Date | 2019.7.22 | | Lehovo" | |
| Additional information | | | | |

| P7.1.1 | Product environmental attributes | | | | |
|--|--|--|--|--|--|
| (d) | Year of manufacture: | | | | 2019 |
| (e) | Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with | | | | cards (dGfx) are |
| (f) | Etec value (kWh) per ErP Lot 3 Categor enable | y and capability adjust | ments applied when a | II discrete graphics o | cards (dGfx) are |
| | | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) |
| | Memory over base [GB] | 4 | | | |
| ients sting | Additional internal storage | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| capability adjustments applied during testing | Discrete television tuner | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| ability <i>i</i> | Discrete Audio Card | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| cap: app | Discrete graphics Card(s) [number / #] | No #: (Yes / No) | #: (Yes / No) | #: (Yes / No) | #: (Yes / No) |
| | Category of discrete graphics Card(s) | No | | | |
| Test results | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | 7 | | | |
| Test r | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | | | | |
| (g) | Idle state power demand (Watts); | | <u>.</u> | | 2.136 |
| (h) | Sleep mode power demand (Watts); | | | | 0.212 |
| (i) | Sleep mode with WOL enabled power de | emand (Watts) (where | enabled); | | |
| (j) | Off mode power demand (Watts); | | | | 0.252 |
| (k) | Off mode with WOL enabled power dem | and (Watts) (where en | abled); | | |
| (I) | Internal power supply efficiency at 10 %, | , 20 %, 50 % and 100 ° | % of rated output powe | er (if applicable): | |
| | 10% 20% 50% | 100% Avera | ige | | |
| (m) | External power supply efficiency (if appli | cable)*: | | | |
| | Average active efficiency: 81.93 | | | | |
| (0) | *internal note: show values for all available external p Minimum number of loading cycles that t | | tand (applies only to n | otebook computers): | > 70% at 800 cycle(of Cmin) |
| (p-1) | Measurement methodology used to dete | ermine information mer NA | itioned in points (I) – ir | ternal PSU efficiency: | |
| (p-2) | Measurement methodology used to dete Measuring the Energy Consumption | | | | |

| (p-3) | Measurement metho | dology used to determine information mentioned in p 0.5C Charge/Discharge | points (o) – loading cycles batteries: | | | | |
|---|---|---|--|-----|--|--|--|
| (p-4) | Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: ENERGY STAR Test Method for Computers, Rev. Aug-2010 Sequence of steps for achieving a stable condition with respect to power demand: | | | | | | |
| (q) | Sequence of steps for achieving a stable condition with respect to power demand: ENERGY STAR Test Method for Computers, Rev. Aug-2010 | | | | | | |
| (r) | refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode ACPI system level G2/S5 ('soft off') state | | | | | | |
| (s) | Sequence of events off mode: | required to reach the mode where the equipment au | tomatically changes to sleep and/or | | | | |
| | ref | er to power management, 1mins automatically re | eaches sleep mode | | | | |
| (t) | condition which does | te condition before the computer automatically re not exceed the applicable power demand requirement | ents for sleep mode (in minutes): | 1 | | | |
| (u) | | a period of user inactivity in which the compute ver power demand requirement than sleep mode (in | | NA | | | |
| (v) | | re the display sleep mode is set to activate after | | 1 | | | |
| (w) | Information on the er | nergy-saving potential of power management functio refer to user manual | nality: | | | | |
| (x) | User information on I | now to enable the power management functionality: refer to user manual | | | | | |
| (z) | | neasurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4 | strumentation, set-up and circuits | | | | |
| Additiona | I Notebook Batter | y Information: | | | | | |
| | | Battery[ies] <u>not</u> user replaceable | Battery[ies] user replaceable | n/a | | | |
| | | The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)}$ | | | | | |
| Internal/bu | uilt-in Battery | | | | | | |
| | etachable Battery | | | | | | |
| | up Battery | | | | | | |
| Other: | | | | | | | |
| Additional | information | | | | | | |
| | | | | | | | |
| Akymynaróphara as baterías de e /ýměnu baterie// ßrugeren kan ikk Der Akku/die Akk (asutajad ei saa 4 μπαταρία[-ες] · a/les batterie(s Korisnik ne može a batteria/le bat ietotāji paši nev bo gaminio bate t termék akkum -batterija/batteri Batteriet [ene] i c be batterij(en) in Jžytkownik nie n | a[uτe] δατερικη[μ] в τοзи η peste producto no pueden s baterií v tomto výrobku by ce uden videre udskifte bat kus dieses Produkts kann/k selle toote akut/akusid ise στο προϊόν αυτό δεν μπορ présente(s) dans ce produ a lako zamijeniti Bateriju sa terie in questo prodotto no ra nomainīt šā ražojuma a rijos [baterijų] pats vartotoj ulátorát/akkumulátorait a fe ji f dan il-prodott ma tistax/ lette produktet kan ikke let dit produkte is (zijn) door di | ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu im u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). as negali lengvai pakeisti. Jhasználó nem tudja egyedül egyszerűen kicserélni. jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. | verden. | | | | |