

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
	Alvin L Carter	-
	1009 Think Place	lenovo
	Building 2 / 5F1	
	Morrisville, North Carolina 27560	
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at	
	http://www.lenovo.com/social_responsibility/us/en/datasheets_r	notebooks.html

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook PC					
Commercial name *	Lenovo Z40-70					
Model number *	20366; 80E6					
Issue date *	2015-01-13					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20366; 80E6 Lenovo Z40-70	20366; 80E6			
Issue date *	2015-01-13	Logo	lene	ovo.	
Product environ	mental attributes - Legal requirements		Require	ement	met
Item			Yes	No	n.a.

P1	Hazardous substances and preparations		
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybraminated biohenvils (PRDE) (See legal	\boxtimes	
	0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes	
1 1.2	Comment: Legal reference has no maximum concentration value.		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square	
1 1.0	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum		
	concentration values.		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\times	
	terphenyl (PCT) in preparations (see legal reference).		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes	
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),		\bowtie
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		
	Comment: Legal reference has no maximum concentration values.		N 7
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)		\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as		\square
1 1.0	pentachlorophenol and derivatives (see legal reference).		
	Comment: Legal reference has no maximum concentration values.		
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square	
	microgram/cm ² /week (see legal reference).		
	Comment: Max limit in legal reference when tested according to EN1811:1998.		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes	
	http://www.lenovo.com/social_responsibility/us/en/materials.html		
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\boxtimes	
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is		
	provided in user manual. (See legal reference)		
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes	
D0.0*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes	
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)		
P3	or data integrity reasons do not have to be reasily removable . (See legal reference)		
	Safety, EMC connection to the telephone network and labeling		
P3.1*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference).		
P3.1* P3.2*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference).		
P3.1*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		
P3.1* P3.2*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference).		
P3.1* P3.2* P3.3*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).		
P3.1* P3.2* P3.3* P3.4*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference).		
P3.1* P3.2* P3.3* P3.4* P4	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		
P3.1* P3.2* P3.3* P3.4* P4.1* P4.2*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		
P3.1* P3.2* P3.3* P3.4* P4 P4.1*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).		
P3.1* P3.2* P3.3* P3.4* P4.1* P4.2*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		
P3.1* P3.2* P3.3* P3.4* P4.1* P4.2*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these		
P3.1* P3.2* P3.3* P3.4* P4.1* P4.2* P4.3*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		
P3.1* P3.2* P3.3* P3.4* P4.1* P4.1* P4.2* P4.3* P5.1*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). The product or (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference) and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		
P3.1* P3.2* P3.3* P3.4* P4.1* P4.2* P4.3* P5	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging components do not contain more than 0.01% lead, mercury, cadmium and		
P3.1* P3.2* P3.3* P3.4* P4.1* P4.1* P4.2* P4.3* P5.1*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). The product or (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference) and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		
P3.1* P3.2* P3.3* P3.4* P4.1* P4.2* P4.2* P4.3* P5.1* P5.2*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		
P3.1* P3.2* P3.3* P3.4* P4.1* P4.2* P4.2* P4.3* P5.1* P5.2*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	20366; 80E6			
lssue da	te *	2015-01-13 Log	o len	ovo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious desig	n Requir	ement me	et
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes		ı.a.
P6	Treatme	nt information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	\mathbf{X}		
P7	Design Disasse	mbly, recycling			
P7.1*		at have to be treated separately are easily separable	\square		٦
P7.2*		naterials in covers/housing have no surface coating.			╡
P7.3*		arts >100g consist of one material or of easily separable materials.			╡
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			╡
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly availab			╡
					닉
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
	Product		<u> </u>		_
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgradir	ng can be done using commonly available tools			
P7.9.	Spare pa	arts are available after end of production for: 5 years			
P7.10	Service	s available after end of production for: 5 years			
	Material	and substance requirements			
P7.11*		cover/housing material type:			
		type: PC+ABS-FR(40) Material type: Material type	:		_
P7.12		I cable insulation materials of power cables are PVC free.			
P7.13	Electrica	I cable insulation materials of signal cables are PVC free		\square	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		٦
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249	-2-21. (See		Ē
P7.16		, tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes		
P7.17	Alt. 1 Chemica	additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g a 3-4: Brominated Epoxy Resin See P14	ccording		
P7.18	concentr Comm	etarded plastic parts >25g contain the following flame retardant substances/prep ations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: , CAS #:	arations in		
	2. Chem 3. Chem Alt. 2	ical name: , CAS #: ical name: , CAS #: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% classified a 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	as R45,		Ī
P7.20	Of total p	plastic parts' weight >25g, recycled material content is 2.7%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22		rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg		
P8	Batterie				
P8.1*	Battery of	hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			٦

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * 20366; 80E6Lenovo Z40-70 20366; 80E6 Issue date * 2015-01-13 Logo Ienovo Product environmental attributes - Market requirements (continued) Requirement met

9.1 For Energy mode * Peak (On-max Category I1 Short Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL Category D Short Idle Stat) /2/3 te - WOL Enable e - WOL Enabled OL Enabled . Enabled . Disabled 1/2 te - WOL Enable e - WOL Enabled OL Enabled OL Disabled	following power levels of Power level at 100 V AC 65 W ad 8.595 W ad 5.554 W 0.528 W 0.253 W 0.253 W	Power level at 115 V AC 65 W 8.432 W 5.370 W 0.605 W 0.268 W 0.268 W NA W	Power level at 230 V AC 65 W 8.820 W 5.420 W 0.572 W 0.572 W 0.235 W 0.235 W		idle) idle) leep)	
9.1ForEnergy mode *Peak (On-max)Category I1Short Idle StatShort Idle StatSleep (S3) - WOff (S5) - WOLOff (S5) - WOLCategory DShort Idle StatSleep (S3) - WSleep (S3) - WOff (S5) - WOLOff (S5) - WOLOff (S5) - WOLOff (S5) - WOLOff (S5) - WOL	the product the () /2/3 te - WOL Enable e - WOL Enabled (OL Disabled . Enabled . Disabled 1/2 te - WOL Enable e - WOL Enable (OL Enabled (OL Disabled	following power levels of Power level at 100 V AC 65 W ad 8.595 W d 5.554 W 0.528 W 0.253 W 0.253 W d NA W d	Power level at 115 V AC 65 W 8.432 W 5.370 W 0.605 W 0.268 W 0.268 W NA W	Power level at 230 V AC 65 W 8.820 W 5.420 W 0.572 W 0.572 W 0.235 W 0.235 W	Reference / Standard for energy modes and method * Full load Use for ENERGY STAR V6 registration (P Use for ENERGY STAR V6 registration (P Use for ENERGY STAR V6 registration(Ps Reference Use for ENERGY STAR V6 registration(Ps	idle) idle) leep)	
Energy mode * Peak (On-max) Category I1 Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL Category D Short Idle Stat Sleep (S3) - W Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL) /2/3 te - WOL Enable e - WOL Enabled OL Enabled . Enabled . Disabled 1/2 te - WOL Enable e - WOL Enabled OL Enabled OL Disabled	Power level at 100 V AC 65 W 65 W 0.528 W 0.528 W 0.253 W 0.253 W 0.253 W	Power level at 115 V AC 65 W 8.432 W 5.370 W 0.605 W 0.268 W 0.268 W NA W	Power level at 230 V AC 65 W 8.820 W 5.420 W 0.572 W 0.572 W 0.235 W 0.235 W	Reference / Standard for energy modes and method * Full load Use for ENERGY STAR V6 registration (P Use for ENERGY STAR V6 registration (P Use for ENERGY STAR V6 registration(Ps Reference Use for ENERGY STAR V6 registration(Ps	idle) idle) leep)	
Peak (On-max) Category I1 Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL Sleep (S3) - W Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL	<u>12/3</u> te - WOL Enable coL Enabled OL Disabled . Enabled . Disabled <u>1/2</u> te - WOL Enable e - WOL Enable OL Enabled OL Disabled	100 V AC 65 W d 5.554 W 0.528 W 0.528 W 0.253 W 0.253 W d NA W d	115 V AC 65 W 8.432 W 5.370 W 0.605 W 0.605 W 0.268 W 0.268 W NA W	230 V AC 65 W 8.820 W 5.420 W 0.572 W 0.572 W 0.235 W 0.235 W	method * <i>Full load</i> Use for ENERGY STAR V6 registration (P Use for ENERGY STAR V6 registration(Ps Reference Use for ENERGY STAR V6 registration(Ps	idle) idle) leep)	
Category I1 Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL Category D Short Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	<u>12/3</u> te - WOL Enable coL Enabled OL Disabled . Enabled . Disabled <u>1/2</u> te - WOL Enable e - WOL Enable OL Enabled OL Disabled	ad 8.595 W d 5.554 W 0.528 W 0.528 W 0.253 W 0.253 W d NA W d NA W	8.432 W 5.370 W 0.605 W 0.605 W 0.268 W 0.268 W	8.820 W 5.420 W 0.572 W 0.572 W 0.235 W 0.235 W	Use for ENERGY STAR V6 registration (P Use for ENERGY STAR V6 registration (P Use for ENERGY STAR V6 registration(Ps Reference Use for ENERGY STAR V6 registration(Pa	idle) leep)	
Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL Category D Short Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	te - WOL Enable e - WOL Enable OL Enabled OL Disabled . Enabled . Disabled <u>1/2</u> te - WOL Enable e - WOL Enable OL Enabled OL Disabled	d 5.554 W 0.528 W 0.528 W 0.253 W 0.253 W 0.253 W	5.370 W 0.605 W 0.605 W 0.268 W 0.268 W	5.420 W 0.572 W 0.572 W 0.235 W 0.235 W	Use for ENERGY STAR V6 registration (P Use for ENERGY STAR V6 registration(Ps Reference Use for ENERGY STAR V6 registration(Ps	idle) leep)	
Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL Category D Short Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL	e - WOL Enable OL Enabled OL Disabled Enabled Disabled Disabled te - WOL Enable OL Enabled OL Disabled	d 5.554 W 0.528 W 0.528 W 0.253 W 0.253 W 0.253 W	5.370 W 0.605 W 0.605 W 0.268 W 0.268 W	5.420 W 0.572 W 0.572 W 0.235 W 0.235 W	Use for ENERGY STAR V6 registration (P Use for ENERGY STAR V6 registration(Ps Reference Use for ENERGY STAR V6 registration(Ps	idle) leep)	
Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL Category D Short Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	OL Enabled OL Disabled . Enabled . Disabled <u>1/2</u> te - WOL Enable e - WOL Enabled OL Enabled OL Disabled	0.528 W 0.528 W 0.253 W 0.253 W 0.253 W	0.605 W 0.605 W 0.268 W 0.268 W NA W	0.572 W 0.572 W 0.235 W 0.235 W	Use for ENERGY STAR V6 registration(Ps Reference Use for ENERGY STAR V6 registration(Pa	leep)	
Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL Category D Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL	OL Disabled . Enabled . Disabled <u>1/2</u> te - WOL Enable e - WOL Enabled OL Enabled OL Disabled	0.528 W 0.253 W 0.253 W 0.253 W	0.605 W 0.268 W 0.268 W NA W	0.572 W 0.235 W 0.235 W	Reference Use for ENERGY STAR V6 registration(P		
Off (S5) - WOL Off (S5) - WOL Category D Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	Enabled Disabled 1/2 te - WOL Enable e - WOL Enable OL Enabled OL Disabled	0.253 W 0.253 W 0.253 W d NA W d NA W	0.268 W 0.268 W NA W	0.235 W 0.235 W	Use for ENERGY STAR V6 registration(P _c	ff)	
Off (S5) - WOL Category D Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	Disabled <u>1/2</u> te - WOL Enable e - WOL Enable OL Enabled OL Disabled	0.253 W d NA W d NA W	0.268 W	0.235 W	•	. ff)	
Category D Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL	<u>1/2</u> te - WOL Enable e - WOL Enable OL Enabled OL Disabled	d NAW d NAW	NAW		Use for EuP		
Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	te - WOL Enable e - WOL Enable OL Enabled OL Disabled	d NA W					
Short Idle Stat Long Idle Stat Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	te - WOL Enable e - WOL Enable OL Enabled OL Disabled	d NA W					
Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	OL Enabled OL Disabled			NA W	Use for ENERGY STAR V6 registration (P	idle)	
Sleep (S3) - W Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	OL Enabled OL Disabled		NA W	NAW	Use for ENERGY STAR V6 registration (P		
Sleep (S3) - W Off (S5) - WOL Off (S5) - WOL	OL Disabled		NAW	NAW	Use for ENERGY STAR V6 registration (P	1.1	
Off (S5) - WOL Off (S5) - WOL		NA W	NA W	NAW	Reference	0.000	
Off (S5) - WOL		NAW	NAW	NAW	Use for ENERGY STAR V6 registration(P)	
	Disabled	NAW	NAW	NAW	Use for EuP		
EE2 100-1020		0.105 W	0.107 W	0.111 W			
(External powe plugged in the	r supply / charge wall outlet but rom the product.)	r					
PTEC * Typical Energy	Consumption	W	W	W			
TEC * Typical Energy Consumption		kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy	Consumption	29.63 kWh/year	29.31 kWh/year	30.20 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0) + P_{short idle} \times 0.3 + P_{long idle} \times 0.1)$.35	
		Poff: Off Mode(S5) -	WOL Enabled; P _{slee}	p: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled		
Display resoluti	ion* : 1280*800	Megapixels					
Print Speed *	: lı	mages per minute					
Default time to	enter energy sav	e mode: 25 minutes					
P9.2* Info	ormation about th	e energy save function i	s provided with the	e product.			
EN	ERGY STAR® v	the energy requirements ersion: Version 6.0 Tio rgy Star for External P	er: Produ	uct category: 11	\square	Π	
	issions		0.0000				
P10.1 Mo		Declared according to IS ode description	0 9296	Declared	Declared A-weighted		
				A-weighted	sound pressure level $L_{\rm Am}$ (dB)		
				sound powe		itions	-
				level L_{WAd} (Desktop Operator Desk side operator atter	is not	
Idle	e *	HDD:Idle		* 2.68	21.3		
	eration *	HDD: Operating		* 2.69	21.9		
Oth	ner mode				Energy Star for External Power Supp Eligibility Criteria Version 2	lies	
Ме	asured according		CMA-74				1
P10.2 The	e product meets	the acoustic noise requir			· · · · · · · · · · · · · · · · · · ·		

Model nu	umber *	20366,	; 80E6 L 0	enovo Z	40-70	20366;	80E6			
Issue da	te *	2015-01-13					Logo	leno	VO.	
Product	tonviron	montal attri	hutos - Marki	et requirements (continued)			Require	mont	mot
Item			butes - Marke	et requirements (continueu)			Yes	No	n.a.
itoini	Chemic	al emissions	from printing	products				100		
P10.3*				328 (ISO/IEC 28360)	standard	her specify:				
P10.4			(print phase) is	, ,		ner specify.				
1 10.4	rypical	Dust	Ozone	Styrene	Benzene	TVOC				
P10.5	Chemic		0-00	he following voluntar		are met for	r•			\boxtimes
1 10.0		Dust	Ozone	Styrene	Benzen		TVOC			
		magnetic em			Denzen					
P10.6				nent for low frequenc	v electromagnet	ic fields of the fo	llowing voluntary			
		n/s: MPR-II			.,					
P11			als for printing							
P11.1*	A Safet	y Data Sheet	(SDS) is availat	ole for the ink/toner p	reparation, even	if not legally req	uired (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of									
P11.3*	2-sided	(duplex) print	ing/copying is a	in integrated product	function.					\boxtimes
P12	Ergono	mics for con	nputing produc	cts						
P12.1*	The dis	play meets the	e ergonomic rec	quirements of ISO 92	41-307 for visua	l display technol	ogies.	\boxtimes		
P12.2*	The phy	sical input de	vice meets the	requirements of ISO	9995 and ISO 92	241-410.				
P13		ing and docu		•						
P13.1*	Product	packaging m	aterial type(s):	Corrugated Carton	weight (kg):	0.378				
	Product	packaging m	aterial type(s):	Polyethylene Cushi		eight (kg): 0.081				
			aterial type(s):		: (kg): 0.230					
P13.2*			iging is free fron					\square		
P13.3*				locumentation (tick b	ox):					
	Electror	nic 🔀, Paper	· 🔀, Other 🗌							

For paper user and product documentation, please specify contained percentage of post-consumer recycled

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

P13.4

P14

P9

fiber: 0%

information.

Additional information (See Note B4)

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Z40-70	Logo
Model Number	80E6; 20366	
Issue Date	2015-01-13	lenovo
Additional information		

P7.1.1 P	roduct environmental attributes	
(d)	year of manufacture: 2014	
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics card disabled and if the system is tested with switchable graphics mode with UMA driving the display:	ls (dGfx) are
	Category (according to ErP Lot 3): NA Etec: NA	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics card enabled:	s (dGfx) are
	Category (according to ErP Lot 3): B Etec: 19.29	
(g)	idle state power demand (Watts);	6.56
(h)	sleep mode power demand (Watts);	0.72
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.74
(j)	off mode power demand (Watts);	0.27
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.29
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	Average*: 65W:89.18%,89.04%,89.92%,89.92%,89.18%	
	*internal note: show values for all available external power supplies	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU efficiency:	
	NA	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Energy-star requirement	

(p-3) the meas batteries:	surement methodolog		to determine information mentioned in points (o) - loadingcycles							
		IEC	61960 measurement methodology							
			determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:							
			Energy-star requirement							
(q) sequence	sequence of steps for achieving a stable condition with respect to power demand::									
			Based on user manual							
(r) descriptio	description of how sleep and/or off mode was selected or programmed:									
			Based on user manual							
(s) sequence off mode:		reach tl	ne mode where the equipment automatically changes to sleep and/or							
			Based on user manual							
			efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	25						
() the length										
			ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	NA						
(v) the lengt	h of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10						
(w) informatio	on on the energy-savi	ng poten	tial of power management functionality:							
			Based on user manual							
(x) user infor	mation on how to ena	ble the p	power management functionality:							
			Based on user manual							
electricity	supply system, - int		test voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used							
for electri	cal testing:									
		230V/5	0Hz, Total Harmonic Distortion <2 %							
Addition Notebook	Battery Information:	1								
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed by a non-professional user.	d and replaced						
(Battery not use replaceable)	r (Battery user replaceable)		The battery[ies] in this product cannot be easily replace	d by users						
replaceable)	replaceable)		themselves							
Additional informati										
Additional informati										

Г