



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo |
|--------------------------------------|--|---------|
| Company name * | Lenovo | |
| Contact information * e-mail address | Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com | Lenovo. |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | .html |
| Additional information | The latest version of this document can be found at: | |
| | http://www.lenovo.com/ecodeclaration | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | |
|--|--|--|--|--|--|
| conforms to the statemen | conforms to the statements given in this declaration. | | | | |
| Type of product * | Notebook | | | | |
| Commercial name * | Lenovo N23 Yoga Chromebook; Lenovo Flex 11 Chromebook | | | | |
| Model number * | ZA26;ZA27 | | | | |
| Issue date * | 2017-2-7 | | | | |
| Intended market * | ☑ Global Europe Asia, Pacific & Japan Americas Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

| Model nu | ımber * | ZA26;ZA27 | Logo | | | |
|----------|-----------------------|---------------------------------------|---|-------------|------|-----------------|
| Issue da | te * | 2017-2-9 | | Lend | OVC |) _{TM} |
| | | | | | | |
| | t environ | mental attributes | - Legal requirements | Require | ment | met |
| Item | | | | Yes | No | n.a. |
| P1 | | ous substances and | | | | |
| P1.1* | Products | s do comply with cur | rent European RoHS Directive. (See legal reference and NOTE B1) | \boxtimes | | |
| P1.2* | Products | s do not contain Asb | estos (see legal reference). | \boxtimes | | |
| | | | as no maximum concentration value. | | | |
| P1.3* | | | ne Depleting Substances: Chlorofluorocarbons (CFC), | \boxtimes | | |
| | | | BFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- | | | |
| | | ethane, methyl brom ration values. | ide (see legal reference). Comment: Legal reference has no maximum | | | |
| P1.4* | | | e than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated | | | |
| F 1.4 | | | ons (see legal reference). | | | |
| P1.5* | | | e than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the | ne 🔀 | | |
| | | | be per mass of chlorine in the SCCP (see legal reference). | .0 | ш | |
| P1.6* | | | ed skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee | k 🔀 | | |
| | | al reference). | · · | | | _ |
| | | | reference when tested according to EN1811:2011-5. | | | |
| P1.7* | | | n about substances in articles is available at (add URL or mail contact): | \boxtimes | | |
| | http://ww | vw.lenovo.com/socia | I_responsibility/us/en/environment.html | | | |
| P2 | Batterie | | | | | |
| P2.1* | | | ery or an accumulator, the battery/accumulator is labeled with the disposal | \boxtimes | | |
| | | | er disposal is provided in user manual. (See legal reference) | | | |
| P2.2* | Batteries referenc | | not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal | al 🔀 | Ш | |
| P2.3* | Batteries | and accumulators | are readily removable. (See legal reference) | \boxtimes | | |
| P3 | Conform | nity verification & E | co design (ErP) | | | |
| P3.1* | The prod | duct is CE-marked to | show conformance with applicable legal requirements (see legal reference). | X | | |
| | The Dec | laration of Conformi | y can be requested at (add link or e-mail address): | _ | | _ |
| P3.2* | | duct complies with that reference). | e Eco design requirements for energy-related products, | \boxtimes | | |
| | , , | d information is; | given in item P15 or added to this document, | | | |
| | • | , | available at (add URL): | | _ | _ |

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).

The product packaging material is free from ozone depleting substances as specified in the Montreal

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

P5

P5.1

P5.2*

P5.3*

P6 P6.1*

Product packaging

Treatment information

| Model number * | ZA26;ZA27 | Logo | Longvo |
|----------------|-----------|------|-----------|
| Issue date * | 2017-2-9 | | Lei IOVO. |

| Product | environmental attributes - Market requirements (See General NOTE GN below) | | | |
|---------|--|-------------|-------------|-------------|
| | | Require | ment | met |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P7 | Design, Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | \boxtimes | |
| P7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | | | \boxtimes |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | \boxtimes | | |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | \boxtimes | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | \boxtimes | | |
| | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | \boxtimes | | |
| P7.8* | Upgrading can be done using commonly available tools | \boxtimes | | |
| P7.9 | Spare parts are available after end of production for: 5 years | | | |
| P7.10 | Service is available after end of production for: 5 years | | | |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): | | | |
| | Material type: PC+ABS Material type: TPU Material type: | | | |
| P7.12 | Insulation materials of external electrical cables are PVC free. | | \boxtimes | |
| P7.13 | Insulation materials of internal electrical cables are PVC free. | | \boxtimes | |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. | | | |
| P7.15 | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) | | | |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: | | | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name, CAS #: | | | |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: Brominated Epoxy Resin See P15 | | | |
| P7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: BDP, CAS #: 5945-33-5 (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " | | | |
| | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: | | | |
| P7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): (See note B5) | | | |
| P7.20* | Postconsumer recycled plastic material content is used in the product (See Note B6): | | \square | |
| | If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is g. | | لاحي |] |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | ZA26;ZA27 | Logo | Lanova |
|----------------|-----------|------|----------|
| Issue date * | 2017-2-9 | | LEI IOVO |

| Product envir | ronmental at | tributes - Market re | equirements (conti | nued) | Requirement met |
|------------------|------------------|--------------------------|-------------------------|-------------------------|-----------------------------------|
| Item | | | • | • | Yes No n.a. |
| Mat | erial and subs | stance requirements | (continued) | | |
| P7.21* Biob | pased plastic m | naterial content is used | in the product (See N | OTE B7): | |
| If YE | ES; at least one | e of the two alternative | s below shall be answe | ered; | |
| a) | | | · | material content (calcu | lated as a percentage |
| or | of total plastic | by weight) is % | | | |
| | The weight of | the biobased plastic n | naterial is g. | | |
| P7.22* Ligh | nt sources are f | ree from mercury, i.e. | less than 0,1 mg/lamp. | | Х П П |
| | | specify: Number of lan | nps: and maximum m | ercury content per lamp | o: mg |
| | teries | | | | |
| | - | omposition: Lithium id | on | | |
| | | tion (See NOTE B8) | s or energy consumption | one are reported: | |
| Energy mode * | the product the | Power level at | Power level at | Power level at | Reference/Standard for energy |
| | | 100 V AC | 115 V AC | 230 V AC | modes and test method * |
| Peak (On-max) | | 45 W | 45 W | 45 W | Full load |
| Category I2 | | | | | |
| Short Idle State | e - WOL | 5.47 W | 5.47 W | 5.49 W | Use for ENERGY STAR V6 |
| Enabled | | | | | registration (P _{idle}) |
| Long Idle State | - WOL | 4.28 W | 4.28 W | 4.28 W | Use for ENERGY STAR V6 |
| Enabled | | | | | registration (P _{idle}) |
| | | | | | |
| Sleep (S3) - WC | OL Enabled | 2.19 W | 2.20 W | 2.20 W | Use for ENERGY STAR V6 |
| | | | | | registration(P _{sleep}) |
| Sleep (S3) - WC | OL Disabled | W | W | W | Reference |
| Off (S5) - WOL | Enabled | 0.37 W | 0.37 W | 0.37 W | Use for ENERGY STAR V6 |
| | | | | | registration(P _{off}) |
| Off (S5) - WOL | Disabled | W | W | W | Use for ErP |
| | | W | W | W | Reference |
| | | | | | |
| Category | | | | | |
| | | | | | |
| Short Idle State | e - WOL | W | W | W | Reference |
| Enabled | | | | | |
| Long Idle State | - WOL | W | W | W | Reference |
| Enabled | | | | | |
| Sleep (S3) - WC | OL Enabled | W | W | W | Reference |
| Sleep (S3) - WC | OL Disabled | W | W | W | Reference |
| Off (S5) - WOL | Enabled | W | W | W | Reference |
| Off (S5) - WOL | Disabled | W | W | W | Reference |
| | | W | W | W | Reference |
| | | | | | |
| Category | | | | | |
| Short Idle State | a - WOI | W | W | W | Reference |
| Enabled | - WOL | VV | V V | V V | Kererence |
| Long Idle State | - WOL | W | W | W | Reference |
| Enabled State | | | | | T.C.C. GIOG |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Sleep (S | 3) - WOL Enabled | W | W | W | Reference |
|-------------|--|--|---------------------------------------|------------------|--|
| Sleep (S | 3) - WOL Disabled | W | W | W | Reference |
| Off (S5) - | WOL Enabled | W | W | W | Reference |
| Off (S5) - | WOL Disabled | W | W | W | Reference |
| | | W | W | W | Reference |
| | oad er supply / charger plugged in the disconnected from the product.) | 0.02 W | 0.02 W | 0.03W | |
| PTEC * | nergy Consumption | 44.3 W | 44.3 W | 44.3 W | |
| ETEC * | nergy Consumption | 25.65 kWh/year | 25.68 kWh/year | 25.73 kWh/year | E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_ldle} x 0.10+ P _{short ldle} x 0.30) |
| | | | · · · · · · · · · · · · · · · · · · · | | bled; P _{idle} : Idle State - WOL Enabled |
| External F | Power Supply Efficier | ncy Level (Internation | al Efficiency Marking I | Protocol) * : VI | |
| . , | | egapixels | | | |
| Default tir | me to enter energy sa | ave mode: 25 minute | S | | |
| P9.2* | Information about | the energy save fund | ction is provided with the | ne product. | |
| P9.3 | Energy efficiency | class (monitors only) | • | | |
| P10 | Emissions | | | | |
| | Noise emission - | Declared according | to ISO 9296 (See NO | TE B9) | |
| P10.1 | | Mode description | | | mit A-weighted sound power level, L _{WA,c} (B) |
| | | 2.7 | | * 17.4 | |
| | | 2.7 | | * 17.6 | |
| | | | and pressure level (dB) $L_{ m p}$ | | position desktop – idle) |
| | Other mode | Declared A-weighted so | and pressure level (dB) $L_{ m p}$ | operator j | position desktop – operating) |
| | Measured accordi | ng to: ISO 7779 Other ISO | ECMA-74 11201 (only if not cove | ered by ECMA-74) | |

| Model nu | mber * | ZA26;ZA27 | | | | | Logo | Lenc | MO | |
|------------|---|--|---|---|--|---|---|---------------------------|-------------------|------|
| Issue date | e * | 2017-2-9 | | | | | | Lenc | VO | TM |
| Product | environr | nental attributes | - Market requires | ments (cor | ntinued) | | | Require | ment | met |
| Item | | | • | • | • | | | Yes | No | n.a. |
| | | magnetic emission | | | | | | | | |
| P10.4 | Compute program | | requirement for low | frequency e | lectromagnetic field | ds of the fol | lowing voluntary | | | |
| P12 | | mics for computing | | | | | | | | |
| P12.1* | The disp | lay meets the ergor | nomic requirements of | of ISO 9241- | 307 for visual displ | ay technolo | gies. | \boxtimes | | |
| P12.2* | The phys | sical input device m | eets the requirement | ts of ISO 999 | 95 and ISO 9241-4 | 10. | | \boxtimes | | |
| P13 | Packagi | ing and documenta | ation | | | | | | | |
| P13.1* | Product | packaging material packaging material packaging material | type(s): PE | weight (ko weight (k weight (ko | g): 0.0015 | | | | | |
| P13.2* | Product | plastic primary pack | kaging is free from P | VC. | | | | \boxtimes | | |
| P13.3* | consume | er recovered fiber co | | | • | percentage | of minimum po | ost- | | |
| P13.4* | | media for user and _l ronic, ⊠Paper, □ | oroduct documentation | on (tick box) | | | | | | |
| P13.5 | Ùser and | | tem if paper docume ation on paper media | | | | | | | |
| | Element | hlorine-free al chlorine-free | | | | | | | | |
| | | ed chlorine-free | | | | | | | | |
| P14 | | ry programs | · · · · · · · · · · · · · · · · · · · | Transaction (a) | | | | | | |
| P14.1 | rne prod | auct meets the requ | irements of the follow | ving voluntar | y program(s): | | | | | |
| | Eco-labe | el: | Criteria version: 6. Criteria version: Criteria version: | .1 | Date: 2017-2-7 Date: Date: | Product | category: /2 category: category: | | | |
| P15 | | nal information (Se | | | | | | | | |
| P9 | | | pecific configuration | | | | | | | |
| | informati knowled provided informati | ion contained in this ge available at the t I here is approximat ion. | epresentations, guar document. All inforr ime of completion, a e and provided for in | mation provided in the supplier so in the supplier | led by supplier in the shall have no obligate purposes only. See | nis docume ation to upda a Lenovo | nt is provided ba ate such informa | sed on supportion. The in | olier's format | tion |
| P9 | | | lotebooks & Tablet C ndex.cfm?fuseaction: | | | | code=CO | | | |
| | | | | | | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | Lenovo N23 Yoga Chromebook; Lenovo Flex 11 Chromebook | Logo | | |
|------------------------|---|------|---------|--|
| Model Number | ZA26;ZA27 | | Lonovo | |
| Issue Date | 2017-2-9 | | Lenovo. | |
| Additional information | | | | |

| Year of manufacture: Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor enable | | | | 2016 |
|---|---|---|--|--|
| disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor | | | -11 -1: | |
| | | node with UMA driving | | cards (dGfx) are |
| enable | y and capability adjust | ments applied when a | II discrete graphics o | cards (dGfx) are |
| | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) |
| Memory over base [GB] | 2G | | | |
| Additional internal storage | YES (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| Discrete television tuner | NO (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| Discrete Audio Card | NO (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| Discrete graphics Card(s) [number / #] | NO #: (Yes / No) | #: (Yes / No) | # <i>:</i> (Yes / No) | #: (Yes / No) |
| Category of discrete graphics Card(s) | Α | | | |
| Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | 25.73 | | | |
| Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | | | | |
| Idle state power demand (Watts); | • | | | 5.49 |
| Sleep mode power demand (Watts); | | | | 4.28 |
| Sleep mode with WOL enabled power de | emand (Watts) (where | enabled); | | 2.20 |
| Off mode power demand (Watts); | | | | 0.37 |
| Off mode with WOL enabled power dema | and (Watts) (where en | abled); | | 0.37 |
| Internal power supply efficiency at 10 %, | 20 %, 50 % and 100 9 | % of rated output power | er (if applicable): | |
| 10% 20% 50% | | | , , | |
| External power supply efficiency (if applie | cable)*: | | | |
| Average active efficiency: Lite-on 88.59 | %; AcBel 88.5% | | | |
| | | | | |
| Minimum number of loading cycles that t | he batteries can withst | and (applies only to n | otebook computers): | 800 |
| Measurement methodology used to dete | | tioned in points (I) - ir | nternal PSU efficiency: | |
| | Additional internal storage Discrete television tuner Discrete Audio Card Discrete graphics Card(s) [number / #] Category of discrete graphics Card(s) Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) Idle state power demand (Watts); Sleep mode power demand (Watts); Sleep mode with WOL enabled power de Off mode power demand (Watts); Off mode with WOL enabled power demand linternal power supply efficiency at 10 %, 10% 20% 50% External power supply efficiency (if applied Average active efficiency: Lite-on 88.59) *internal note: show values for all available external power in the power of | Memory over base [GB] Additional internal storage YES (Yes / No) Discrete television tuner NO (Yes / No) Discrete Audio Card NO (Yes / No) Discrete graphics Card(s) [number / #] Category of discrete graphics Card(s) A Etec Value (kWh) - dGfx disabled all discrete graphics cards (d6fx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (d6fx) Etec Value (kWh) - dGfx enabled Idle state power demand (Watts); Sleep mode power demand (Watts); Sleep mode with WOL enabled power demand (Watts) (where Off mode power demand (Watts); Off mode with WOL enabled power demand (Watts) (where enabled power supply efficiency at 10 %, 20 %, 50 % and 100 % 10% 20% 50% 100% Average active efficiency: Lite-on 88.5%; AcBel 88.5% *internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withsteep in the power supplies Minimum number of loading cycles that the batteries can withsteep in the power supplies Minimum number of loading cycles that the batteries can withsteep in the power supplies | Memory over base [GB] Additional internal storage YES (Yes / No) Discrete television tuner NO (Yes / No) Discrete Audio Card NO (Yes / No) (Yes / No) Discrete graphics Card(s) [number / #] NO (Yes / No) Category of discrete graphics Card(s) A Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled) UMA is active for switchable graphics product has no graphics cards (dGfx) are enabled all discrete graphics cards (dGfx) are enabled all discrete graphics cards (dGfx) are enabled Idle state power demand (Watts); Sleep mode power demand (Watts); Sleep mode with WOL enabled power demand (Watts) (where enabled); Off mode power demand (Watts); Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power 10 % 20 50 100 Average External power supply efficiency (if applicable)*: Average active efficiency: Lite-on 88.5%; AcBel 88.5% *internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to new 10 measurement methodology used to determine information mentioned in points (I) – in | (according to ErP Lot 3) (according to ErP Lot 3) (according to ErP Lot 3) |

| (p-2) | (p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0) | | | | | |
|---|--|---------------------------------|---|-------------------------------|-------|--|
| (p-3) | Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin | | | | | |
| (p-4) | Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: | | | | | |
| | IEC 62623 | | | | | |
| (q) | Sequence of steps for achieving a stable condition with respect to power demand:: | | | | | |
| Power on -> Wait 5 minutes -> Stable condition | | | | | | |
| (r) | Description of how sleep and/or off mode was selected or programmed: | | | | | |
| Begin menu -> Power -> Select sleep or off mode | | | | | | |
| (s) | Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: | | | | | |
| Control Panel->Power Options-> Change Settings-> Restore default settings for this plan | | | | | | |
| (t) | Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): | | | | 25min | |
| (u) | Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): | | | | 25min | |
| (v) | Length of time before the display sleep mode is set to activate after user inactivity (in minutes): | | | | 25min | |
| (w) | Information on the energy-saving potential of power management functionality: | | | | | |
| (x) | User information on how to enable the power management functionality: **Refer to User Guide** | | | | | |
| (z) | Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test voltage in V and frequency in Hz 230V/50Hz Total harmonic distortion of the electricity supply system ≤2% | | | | | |
| | Instrument | | Range Used | Make and Model ** | | |
| | AC Power Source | | 5~300V;45~500HZ;500VA. | ALLPOWER APF-500W | | |
| | Power Meter | | 0-1100V;0-90A | HITESTER HIOKI 3332 | | |
| Additional Notebook Battery Information: | | | | | | |
| | | | not user replaceable | Battery[ies] user replaceable | n/a | |
| | | The battery[ies replaced by use |] in this product cannot be easily ers themselves. 1) | | | |
| Internal/built-in Battery | | | | | | |
| External/detachable Battery | | | | | | |
| Bios Backup Battery | | | | | | |
| Other: | | | | | | |
| Additional information | | | | | | |
| | | | | | | |
| | | | | | | |
| 1) | | | | | | |
| The battery[ies] in this product cannot be easily replaced by users themselves. | | | | | | |

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.