

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter @lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	<i>lonitor</i>			
Commercial name *	T2224pD			
Model number *	MT: 60CA-MAR6-WW			
Issue date *	15/01/05			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🖂	

Model number *	T2224pD		
Issue date *	2015-01-05	Logo	lenovo.

<b>Product</b>	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			$\boxtimes$	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$	$\Box$		
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	ıl 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	T2224pD		
Issue date *	2015-01-05	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	Ħ	Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	$\overline{\Box}$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	$\overline{\Box}$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		П	$\overline{\Box}$
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	
P7.8*	Upgrading can be done using commonly available tools	$\overline{\square}$	Ħ	$\overline{\Box}$
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years	_		$\overline{\Box}$
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: <b>ABS</b> Material type: <b>PC</b> Material type: <b>ABS+PC</b>			
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	÷	$\boxtimes$	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			$\boxtimes$
D7.47	Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):	$\boxtimes$		
	TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #:			
	Alt. 2  Chamical appointance of flame retardants in printed circuit boards (without components) >25g according			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			Ш
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	. $\Box$		
	concentrations above 0.1%:	' Ш	Ш	
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain	1		
	complete chemical name, CAS number and supplier.  1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2		Ш	$\boxtimes$
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			]
P7.20	Of total plastic parts' weight >25g, recycled material content is 85%(TCO calculation).			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury			
P8.1*	Batteries Battery chemical composition:			
	Batteries meet the requirements of the following voluntary program/s:			
P8.2	batteries meet the requirements of the following voluntary program/s:			$\boxtimes$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	T2224pD		
Issue date *	2015-01-05	Logo	lenovo.

Product environmental attributes - Market requirements (continued) Requirement met					
Item	tem Yes No n.a				
P9 Energy consumption					
9.1 For the product the following power levels or energy consumptions are reported: See P14 The product is shipped w/ WOL Enabled.					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	21.08W	21.02W	21.16W	Full load	
Category A	Category A				
Idle State - WOL Enabled	18.2W	18.2W	<b>18.6</b> ₩	Use for Energy Star V5 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	<b>0.25</b> ₩	<b>0.25</b> ₩	<b>0.29</b> W	Use for Energy Star V5 registration(P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	<b>0.22</b> W	<b>0.22</b> W	<b>0.23</b> ₩	Reference	
Off (S5) - WOL Enabled	0.11W	0.11W	<b>0.14</b> W	Use for Energy Star V5 registration(Poff)	
Off (S5) - WOL Disabled	0.11 W	0.11W	<b>0.11</b> W	Use for ErP	
Category B					
	W	W	W	(P <sub>idle</sub> )	
	W	W	W	(P <sub>sleep</sub> )	
	W	W	W		
	W	W	W	(P <sub>off</sub> )	
	W	W	W		
EPS No-load	W	W	W		
(External power supply / charger plugged in the wall outlet but disconnected from the product.)					
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	48.60 kWh/year	48.60kWh/year	49.87 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
	Poff: Off Mode(S5) - 1	WOL Enabled; Psleep: S	Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : Idle State - WOL Enabled	
Display resolution : 1920*108	30 Megapixels				
Print Speed : Images p	er minute				
Default time to enter energy sa	ive mode: 15 second	ds			
P9.2* Information about t	the energy save fund	ction is provided with	the product.		
P9.3* The product meets	the energy requiren	nents of the following	g voluntary program	n/s:	
ENERGY STAR® Others specify:	version: Version6.0	Product category:	Display		
P10 Emissions					
	Declared according	to ISO 9296		D. I. I.A I.I. I	
P10.1 Mode N	Mode description		Declared A-weighted	Declared A-weighted sound pressure level $L_{p{\sf Am}}$ (dB)	
			sound power		
			level $L_{WAd}$ (B)	Operator position Bystander positions  Desktop	
				or Desk side (only if product is not operator attended)	
	HDD: Idle		*	, , , , , , , , , , , , , , , , , , , ,	
Operation *	HDD: Operating		*		
Other mode					
Measured according	ng to: ISO7779 Other	ECMA-74	ed by ECMA-74 with	h L <sub>pAm</sub> measurement distance m)	
P10.2 The product meets	the acoustic noise				

Model nu	mber *	T2224pD				
Issue date *		2015-01-05	Logo	lend	vo	).
<b>D</b> 1 1						
	environr	nental attributes - Market requirements (continued)		Requir	emeni No	
Item	01	al and a target of the construction of the target of target of the target of tar		Yes	INO	n.a.
P10.3*		al emissions from printing products				
		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				
P10.4		emission rate (print phase) is (mg/h):				$\boxtimes$
P10.5		Dust Ozone Styrene Benzene TVOC all emission requirements of the following voluntary program/s are met for :				$\boxtimes$
F 10.5			TVOC 🗌		Ш	$\boxtimes$
		nagnetic emissions	1000			
P10.6		er display meets the requirement for low frequency electromagnetic fields of the foll	owing voluntar	v		
1 10.0		s: TCO 6.0	ownig voluntar	,		ш
P11	Consum	nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3)	).		$\boxtimes$
P11.2*	Paper of EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	e requirement	s of		$\boxtimes$
P11.3*	2-sided	duplex) printing/copying is an integrated product function.				$\boxtimes$
P12	Ergonoi	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.	$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				$\boxtimes$
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): EPS+LDPE weight (kg): 0.176				
		packaging material type(s): PE Bag weight (kg): 0.027				
		packaging material type(s): Paper weight (kg): 0.010				
		packaging material type(s):Carton weight (kg): 0.954 packaging material type(s): weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.				
P13.3*	Specify i	media for user and product documentation (tick box):				
	Electron	ic 🔀, Paper 🔀, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-				$\boxtimes$
		er recycled fiber: 70% (Japan only 70%)				
P14		nal information (See Note B4)	<del></del>			
	informat knowled	Supplier makes no representations, guarantees, assurances or warranties whether ton contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to updathere is approximate and provided for informational purposes only. See a Lenovo Aton.	nt is provided bate such inform	ased on su ation. The	pplier's informa	3

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19