

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Think Logo			
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	ThinkPad E465				
Model number *	20EX				
Issue date *	2015-08-27				
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20EX		
Issue date *	2015-08-27	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	\Box	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	\boxtimes		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		\Box	\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	20EX		
Issue date *	2015-08-27	Logo	lenovo.

Product	oduct environmental attributes - Market requirements - Environmental conscious design				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.			n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\Box}$		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9.	Spare parts are available after end of production for: 5 years	_			
P7.10	Service is available after end of production for: 5 years	_			
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
D7.40	Material type: PC+ABS+Talc 15% Material type: PC+ABS Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.				
P7.13	Electrical cable insulation materials of signal cables are PVC free	\boxtimes			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: : DOPO(9,10-dihydro-9-oxy-10-phosphaphenanthrene-10-oxide), CAS #: 35948-25-5 Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according				
P7.18	ISO 1043-4: <i>FR(40)</i> Alt. 1		_		
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: <i>Phosphorus compounds</i> , CAS #: <i>confidential</i>	ı 🔀			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)	\boxtimes			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is 10.67 %.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batteries				
P8.1*	Battery chemical composition: Lithium Ion / Lithium Manganese Dioxide				
P8.2	Batteries meet the requirements of the following voluntary program/s: US Call2Recycle,and add EPBA,				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20EX		
Issue date *	2015-08-27	Logo	lenovo.

Product environmental attr	Product environmental attributes - Market requirements (continued) Requirement met							
Item	Yes No n.							
P9 Energy consumption		1		and the October				
9.1 For the product the for	ollowing power leve	0,						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *				
Peak (On-max)	65 W	65 W	65 W	Full load				
Category I1								
Short Idle State - WOL Enabled	6.53 W	6.36 W	6.51 W	Use for ENERGY STAR V6 registration (P _{idle})				
Long Idle State - WOL Enabled	3.92 W	3.96 W	3.95 W	Use for ENERGY STAR V6 registration (P _{idle})				
Sleep (S3) - WOL Enabled	0.95 W	0.93 W	0.93 W	Use for ENERGY STAR V6 registration(P _{sleep})				
Off (S5) - WOL Enabled	0.26 W	0.26 W	0.28 W	Use for ENERGY STAR V6 registration(Poff)				
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.0788 W	0.0772 W	0.0744 W					
PTEC * Typical Energy Consumption	2.75 W	2.69 W	2.74 W					
TEC * Typical Energy Consumption	0.463 kWh/week	0.454 kWh/week	0.462 kWh/week					
ETEC * Annual Energy Consumption	24.08 kWh/year	23.6 kWh/year	24.03 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10 + P_{short_Idle} \times 0.30)$				
	P _{off} : Off Mode(S5	5) - WOL Enabled; I	P _{sleep} : Sleep Mode	(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled				
Category I2								
Short Idle State - WOL Enabled	7.11 W	7.12 W	7.33 W	Use for ENERGY STAR V6 registration (Pidle)				
Long Idle State - WOL Enabled	3.96 W	4.08 W	4.14 W	Use for ENERGY STAR V6 registration (P _{idle})				
Sleep (S3) - WOL Enabled	0.91 W	0.9 W	0.9 W	Use for ENERGY STAR V6 registration(P _{sleep})				
Off (S5) - WOL Enabled	0.28 W	0.27 W	0.3 W	Use for ENERGY STAR V6 registration(Poff)				
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.0788 W	0.0772 W	0.0744 W					
PTEC * Typical Energy Consumption	2.92 W	2.93 W	3 W					
TEC * Typical Energy Consumption	0.492 kWh/week	0.493 kWh/week	0.506 kWh/week					
ETEC * Annual Energy Consumption	25.56 kWh/year	25.64 kWh/year	26.31 kWh/year	$E_{TEC} = (8760/1000) \times (P_{\text{off}} \times 0.25 + P_{\text{sleep}} \times 0.35 + P_{\text{long_ldle}} \times 0.10 + P_{\text{short_ldle}} \times 0.30)$				
		b) - WOL Enabled; I	P _{sleep} : Sleep Mode	(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled				
Display resolution* : 2.0736 Me	<u> </u>							
'	ges per minute							
Default time to enter energy save								
P9.2* Information about the energy save function is provided with the product.								
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: Version 6.1 Tier: Product category: 11/1/2 Others specify:								

P10	Emissions	Emissions					
	Noise emission – Declared according to ISO 9296						
P10.1	Mode	Mode description	Declared A-weighted sound power	Declared A sound pressure	A-weighted level $L_{p m Am}$ (dB)		
			level $L_{W\!Ad}(B)$	Operator position Desktop Or Desk side	Bystander positions (only if product is not operator attended)		
	Idle	* Idle	* 3.1	2	23		
	Operation	* Operating	* 3.5	2	?7		
	Other mode		4.5				
	Measured according to: ☐ ISO7779 ☐ ECMA-74 ☐ Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)						
P10.2	The product me	eets the acoustic noise requirements of th	e following voluntary	program/s:			

wodei nur	nber "	20EX					
Issue date) *	2015-08-27	Logo	lei	70V	70 .	
Product	environn	nental attributes - Market requirements (continued)		Rea	uiren	nent	met
Item	CIIVIIOIIII	nental attributes - market requirements (continued)			'es	No	n.a.
	Chemica	al emissions from printing products					
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			1	П	
P10.4		emission rate (print phase) is (mg/h):					
	• • •	Dust Ozone Styrene Benzene TVOC					
P10.5		I emission requirements of the following voluntary program/s are met for :					\boxtimes
			TVOC	_			
	Electron	nagnetic emissions					
P10.6	Compute	er display meets the requirement for low frequency electromagnetic fields of the follows: JEITA-ITR (2pin adapter only)/MPR-II (3pin adapter only)	owing volunta	ary			
P11	Consum	able materials for printing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4	.3).			\boxtimes
P11.2*	Paper co	ontaining post-consumer recycled fibers can be used, provided that it meets that.	e requireme	nts of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					\boxtimes
P12	Ergonor	nics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					П	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.						
P13		ng and documentation					
P13.1*	Product Product Product	packaging material type(s): carton packaging material type(s): paper pad packaging material type(s): bag packaging material type(s):manual packaging material type(s):cushion weight (kg): 0.02 weight (kg): 0.01 weight (kg): 0.01 weight (kg): 0.01					
P13.2*	Product	plastic packaging is free from PVC.			X		П
P13.3*	Specify r	nedia for user and product documentation (tick box):					〒
		c 🔀, Paper 🔀, Other 🗌					
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-co	nsumer recy	cled			П
		% (only for Japan) %					
P14		nal information (See Note B4)	<u>.</u>				
DO.	informati knowled provided informati		it is provided ite such infor	based on mation. Th	suppl e info	ier's rmati	on
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information: vw.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw code	9=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad E465	Logo
Model Number	20EX	_
Issue Date	2015-08-27	lenovo.
Additional information		

P7.1.1	Product environmental attributes						
(d)	year of manufacture: 2015						
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:						
	Category (according to ErP Lot 3): A Etec: 15.34						
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete grap enabled:	hics cards (dGfx) are					
	Category (according to ErP Lot 3): B Etec: 15.69						
(g)	idle state power demand (Watts);	A:4.97/B:5.01					
(h)	sleep mode power demand (Watts);	A:0.78/B0.92					
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	A:0.8/B:0.96					
(j)	off mode power demand (Watts);	A:0.3/B:0.3					
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	A:0.3/B:0.32					
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average						
(m)	external power supply efficiency (if applicable): Average*: *internal note: show values for all available external power supplies						
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook comp	uters): 500 cycles					
(p-1)	the measurement methodology used to determine information mentioned in points (I) – intern efficiency:	al PSU					
(p-2)	the measurement methodology used to determine information mentioned in points (m) – extern efficiency: Measuring the Energy Consumption of External Power Supplies, Appendix Z to 10 CFR Part 430						

Additiona	l informatio	n .						
				themselves				
replaceabl		replaceable)		The battery[ies] in this product cannot be easily repla	aced by users			
(Battery	not user	(Battery user	1,,,,	by a non-professional user.				
Yes	AOTEDOOK R	attery Information: No	n/a	This notebook computer is operated by battery/ies that cannot be access	ssed and replaced			
Addition	lotobook B	attory Information						
		230V, 50GHz-<0	.5%-EN	ERGY STAR Test Method for Computers, Rev. Aug-2010				
	for electrication		omalioi	n and documentation on the instrumentation, set-up and circuits used				
(z)				test voltage in V and frequency in Hz, — total harmonic distortion of the				
				refer to user manual				
(x)	user inform	nation on how to ena	ble the	power management functionality:				
()								
(**/		c.ic.g, cavil	3 20101	refer to user manual				
(w)	information	on the energy-savir	ng poter	ntial of power management functionality:				
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10			
	power mo	de that has a lower	power	demand requirement than sleep mode (in minutes):	NA			
(u)				ser inactivity in which the computer automatically reaches a				
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	20			
		•						
		refer to pow	ver man	agement, 20mins automatically reaches sleep mode				
(s)	sequence off mode:	of events required to	reach t	he mode where the equipment automatically changes to sleep and/or				
				ystem level G2/S5 ('soft off') state				
	refer to po	ower management, s		ode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI				
(r)	description	of how sleep and/or	r off mod	de was selected or programmed:				
				pperating system has fully loaded. If necessary, run the initial operating ary file indexing and other one-time/periodic processes to complete.				
(q)	sequence of steps for achieving a stable condition with respect to power demand::							
				AR Test Method for Computers, Rev. Aug-2010				
	power as d			roduct IT Eco Declaration:				
(p-4)	the measu	rement methodology	used to	determine information mentioned in maximum, idle, sleep, off mode				
	batteries:	IEC 619	960 mea	surement methodology / 0.5C Charge/Discharge				
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadingcycles							