

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environme	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook PC					
Commercial name *	ThinkPad L430					
Model number *	M/T: 2464/2465/2466/2468/2469					
Issue date *	2014, June 17					
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkPad L430	M/T: 2464/2465/2466/24
Issue date *	2014, June 17	

2468/2469

lenovo

Product	oduct environmental attributes - Legal requirements							
Item		Yes	No	n.a.				
P1	Hazardous substances and preparations							
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)							
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$						
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).							
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$						
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	,						
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$				
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\boxtimes$						
	microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.							
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$						
	http://www.lenovo.com/social_responsibility/us/en/environment.html			_				
P2	Batteries							
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See lead reference)							
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	$\square$						
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)							
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic							
P3	or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling							
P3.1*	The product complies with legally required safety standards as specified (see legal reference).							
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).							
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀						
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$						
P4	Consumable materials							
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\boxtimes$				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).							
P5	Product packaging							
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	nd 🔀						
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀						

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Product Item P6 P6.1* P7						lenovo				
ltem <b>P6</b> P6.1*		La tradición de la Manda de la construction de la Construction de la construction de la construction de la const								
<b>P6</b> P6.1*		al attributes - Market requirements - Environmental conscious d	iesign F	Require						
P6.1*	Treatment info	fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a				
		recyclers/treatment facilities is available (see legal reference).								
	Design									
	Disassembly, r	ecyclina								
P7.1*		to be treated separately are easily separable								
<sup>2</sup> 7.2*		s in covers/housing have no surface coating.								
P7.3*		00g consist of one material or of easily separable materials.				-				
P7.4*		5g have material codes according to ISO 11469 referring ISO 1043.			H	╞				
P7.5		e free from metal inlays or have inlays that can be removed with commonly a	available tools		+	╞				
P7.6*		ly separable. (This requirement does not apply to safety/regulatory labels).								
F7.0										
P7.7*	Product lifetim	be done e.g. with processor, memory, cards or drives								
P7.8*		be done using commonly available tools			<u> </u>	_				
P7.9.	10 0									
		available after end of production for: 5 years								
P7.10		able after end of production for: 5 years								
		ubstance requirements								
P7.11*		ousing material type: type: PC+ABS-FR(40) Material type: Materia	l typo:							
P7.12		insulation materials of power cables are PVC free.	r type.							
P7.13		insulation materials of signal cables are PVC free				+				
P7.14		g plastic parts >25g are free from chlorine and bromine.			<u> </u>	╞				
P7.15		it boards (without components) >25g are halogen free. as defined in IEC6	1040 0 01 (800		⊢⊢	╞				
P7.15	Note B2)		1249-2-21. (See							
P7.16	Marking: FR(40	plastic parts >25g in covers / housings are marked according ISO 1043-4:		$\square$						
P7.17		fications of flame retardants in printed circuit boards >25g (without compone ive) , TBBPA (reactive) , Other ; chemical name: <i>DOPO(9,10-dihy</i> <i>phosphaphenanthrene-10-oxide</i> ), CAS #: <i>35948-25-5</i>								
	ISO 1043-4: FF	fications of flame retardants in printed circuit boards (without components) >	25g according							
P7.18	concentrations		/preparations in							
	Provide a list or complete chem 1. Chemical nat 2. Chemical nat	me: , CAS #: , Supplier:	list must contain							
	FR(40)	fications of flame retardants in plastic parts >25g according ISO 1043-4:								
P7.19		5g are free from flame retardant substances/ preparations above 0.1% class R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,	$\square$						
P7.20		parts' weight >25g, recycled material content is 10%.								
P7.21		parts' weight >25g, biobased material content is 0%.								
97.22	0	re free from mercury								
28	Batteries					_				
P8.1*	•	al composition: Lithium Ion/Lithium Manganese Dioxide the requirements of the following voluntary program/s: US Call2Recycle, EF								

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue date * 2014, Ju	ine 17				Logo	lenovo	
Product environmental at	ttributes - Marke	et requirements	(continued)			Requirement	t met
Item			(,			Yes No	
P9 Energy consump							
9.1 For the product the		0,	•	•			
Energy mode	Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Star method *	ndard for e	nergy modes and test	
Peak (On- max)	65/90 W	<u>65/90</u> W	<mark>65/90</mark> W	Full load			
Category 11							
Short Idle - WOL Enabled	<b>13.152</b> W	12.828 W	12.156 W			gistration(P <sub>SHORT_IDLE</sub> )	
Long Idle - WOL Enabled	8.412 W	8.772 W	9.060 W			gistration(P <sub>LONG_IDLE</sub> )	
Sleep (S3) - WOL Enabled	1.164 W	1.176 W	1.284 W	Use for Energy	Star V6 re	gistration(P <sub>SLEEP)</sub>	
Sleep (S3) - WOL Disabled	W	W	W	Reference			
Off (S5) - WOL Enabled	0.816 W	0.840 W	0.972 W	Use for Energy	Star V6 re	gistration(P <sub>OFF</sub> )	
Off (S5) - WOL Disabled	W	W	W	Use for ErP			
Category 12		•	•	•			1
Short Idle - WOL Enabled	13.656 W	13.524 W	13.392 W	Use for Energy	Star V6 re	gistration(P <sub>SHORT_IDLE</sub> )	
Long Idle - WOL Enabled	<b>8.976</b> W	8.568 W	9.312 W	Use for Energy	Star V6 re	gistration(PLONG_IDLE)	市
Sleep (S3) - WOL Enabled	1.164 W	1.176 W	1.236 W			gistration(P <sub>SLEEP)</sub>	Ħ
Sleep (S3) - WOL Disabled	W	W	W	Reference			⊢⊢
Off (S5) - WOL Enabled	0.840 W	0.828 W	0.948 W	Use for Energy	Star V6 ro	distration/P)	븜
Off (S5) - WOL Disabled	W	W	W	Use for ErP	Star Vore	gistiation(P OFF)	⊢⊢
EPS No-load	W	0.26 W	0.38 W	USE IUI LIF			井븜
(External power supply / charger plugged in the wall outlet but disconnected from the product.)	v	0.20 W	0.30 W				
P <sub>TEC</sub> Typical Energy Consumption	W	W	W				
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Consumption	<b>I1:47.29,I2:49.1</b> <b>6</b> kWh/year	<b>11:46.84,12:48.4</b> 7 kWh/year	<b>11:45.95,12:49.2</b> <b>2</b> kWh/year	E <sub>TEC</sub> = (8760/10 Tsleep + Plong_i Tshort_idle)	000) X (P <sub>OI</sub> IDLE × T <sub>LON</sub>	FF × T <sub>OFF</sub> + P <sub>SLEEP</sub> × Ig_IDLE + PSHORT_IDLE ×	
Display resolution : 1366 x 7	<b>.</b> <b>68, 1600 x 900</b> Pix	(els					
Print Speed : In	nages per minute						┢
Default time to enter energy sa		Ites					┼岩
P9.2* Information about			with the product	I			그믐
P9.3* The product meets ENERGY STAR® Others specify:	s the energy requir	ements of the follo	wing voluntary pro				
P10 Emissions							
- Noise emission P10.1 Mode	<ul> <li>Declared according</li> <li>Mode description</li> </ul>	ng to ISO 9296	Declared	1	Declared A	weighted	P1
			A-weighter sound power level $L_{WAd}$	ed sound ver (B) Operator po Des	pressure le sition 🔀	evel $L_{p\rm Am}$ (dB)	0.1
Idle	• HDD: Idle		* 2.9	or Desk		2	-
Operation 3	HDD: Idle		* 2.9		22		-
Other mode			0.0		20	~	-
	ng to: 🔀 ISO7779 Other		wered by ECMA 7	4 with L <sub>pAm</sub> measu	iremont dia	tance m)	1
P10.2 The product meets	s the acoustic nois					stance m)	-

M/T: 2464/2465/2466/2468/2469

Model number \*

leave date

ThinkPad L430

Model nu	umber *	ThinkPad	L430	M/T: 2	2464/24	65/246	6/2468/24	<i><b>469</b></i>			
Issue dat	te *	2014, June 17					Logo	le	eno	VO.	
Product	environ	mental attributes	- Market reg	uirements (co	ontinued)			R	equirer	ment	met
Item									Yes	No	n.a.
	Chemic	al emissions from	printing produ	icts							
P10.3*		rformed according to			tandard	other specify	<i>I</i> :				
P10.4		emission rate (print			, <u> </u>						
-	• •	Dust Ozon	. ,		zene	TVOC					
P10.5		al emission requiren				are me	t for :				$\square$
				Styrene	Benze	ene	TVOC				
	Electro	magnetic emission						•			
P10.6	Comput	er display meets the	e requirement fo	or low frequency	electromagne	etic fields of	the following vol	untary	$\square$		
	program	n/s: <b>MPR-II</b> (3 pin AC	adapter only)		-		-	-			
P11		nable materials for									
P11.1*	-	y Data Sheet (SDS)			•	-	• • •	,			$\boxtimes$
P11.2*	Paper c EN1228	containing post-cons	sumer recycled	fibers can be u	used, provide	ed that it m	eets the require	ments of			$\square$
P11.3*	2-sided	(duplex) printing/cop	oying is an integ	rated product fu	nction.						$\boxtimes$
P12	Ergono	mics for computin	g products								
P12.1*	The disp	play meets the ergo	nomic requireme	ents of ISO 9241	1-307 for visu	ial display te	chnologies.				
P12.2*	The phy	sical input device m	eets the require	ements of ISO 99	995 and ISO	9241-410.					$\Box$
P13	Packag	ing and document	ation								
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): Corrug type(s): Recycl type(s): Others	led Polyethylen s(Plastic Bags)		weight (kg) weight (kg) weight (kg)	: <b>0.200</b>				
P13.2*	Product	plastic packaging is	free from PVC	).					$\boxtimes$		
P13.3*		media for user and hic 🔀, Paper 🔀, C		entation (tick box	():						
P13.4*	For pape	er user and product 6.(Japan only 70%)		, please specify o	contained pe	rcentage of	post-consumer r	ecycled			
P14		nal information (Se									
	informat knowled	Supplier makes no tion contained in this lge available at the t d here is approximat tion.	document. All ime of completion	information prov on, and supplier	ided by supp shall have n	lier in this de obligation	ocument is provi to update such i	ded based	l on supp . The int	plier's format	
P7.17	Produc	t does not contain	free TBBPA in	printed circuit	boards(with	out compo	nents)>25g.				
P9	See EN	ERGY STAR Quali	fied Notebooks	& Tablet Com	outers for th						
	http://de	ownloads.energys	tar.gov/bi/qplis	st/laptops_prod	_list.xls						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad L430	Logo
Model Number	2464, 2465, 2466, 2468, 2469	lenovo
Issue Date	2014, July 1	
Additional information		

P7.1.1	Product envir	onmenta	attributes						
(d)	year of manu	ifacture:							
(-)	,								2014
(e)					pability adjustme graphics mode				ards (dGfx) are
	Category (a	ccording	to ErP Lot 3):	A E	tec: 31.70				
(f)	E TEC value enabled:	; (kWh) pe	r ErP Lot 3 Cat	tegory and cap	ability adjustme	nts applied w	hen all discret	e graphics ca	ards (dGfx) are
	Category (a	ccording	to ErP Lot 3):	B E	tec: 36.90				
(g)	idle state po	wer demar	nd (Watts);					A	:9.38,B:11.53
(h)	sleep mode	power den	nand (Watts);						
(i)	sleep mode	with WOL	enabled power	demand (Wat	ts) (where enabl	ed);		4	A:1.48,B:1.37
(j)	off mode pov	ver deman	d (Watts);						
(k)	off mode with	n WOL ena	abled power de	mand (Watts)	(where enabled)	);			A:1.09,B:1.02
(I)	internal powe	er supply e	fficiency at 10	%, 20 %, 50 %	6 and 100 % of r	ated output p	ower (if applica	able):	
	10%	20%	50%	100%	Average				
(m)	external pow	er supply (	efficiency (if ap	plicable):					
	10%	20%	50%	100%	Average	;			
	or level: V								
(0)	the minimum	ı number c	of loading cycle	s that the batte	eries can withsta	nd (applies c	inly to notebool	( computers):	400
(p-1)	the measure efficiency:	ement me	thodology use	d to determin	ne information i	mentioned ir	ı points (I) –	internal PSU	
	entorency.			Not a	applicable				
(p-2)	efficiency:		or Calculating	the Energy Ef	e information m ficiency of Sing dated August	gle-Voltage E	,		
(p-3)	the measure batteries:	ement me	thodology use	d to determin	e information n	nentioned in	points (o) -	loadingcycles	

			IEC	61960 measurement methodology						
(p-4)				determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:						
	ENERGY STAR measurement methodology									
(q)	sequence of steps for achieving a stable condition with respect to power demand::									
			ENERC	GY STAR measurement methodology						
(r)	description	of how sleep and/o	r off moo	de was selected or programmed:						
		By selectin	g sleep	and/or off mode thru Windows operating system						
(S)	sequence off mode:	of events required to	reach t	he mode where the equipment automatically changes to sleep and/or						
		A	utomati	cally changes to sleep after 20 minutes						
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	20 minutes					
(u)				ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):						
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10 minutes					
(w)	information	n on the energy-savi	ng poter	tial of power management functionality:						
	User i	nformation describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs						
(x)	user inform	nation on how to ena	ble the p	power management functionality:						
	User i	nformation describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs						
(z)	the electric			test voltage in V and frequency in Hz, — total harmonic distortion of ation and documentation on the instrumentation, set-up and circuits						
230V, 50Hz, Total Harmonic Distortion <2 %										
	Notebook B	attery Information:								
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	ssed and replaced					
(Battery replaceab		(Battery user replaceable)		The battery[ies] in this product cannot be easily repla themselves	aced by users					

Additional information