

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo	
Company name *	Lenovo		
Contact information * Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com		lenovo.	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_	notebooks.html	

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	otebook PC				
Commercial name *	ThinkPad T530/T530i				
Model number *	M/T: 2359/2392/2393/2394/2429/2430/2434				
Issue date *	2014, June 17				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control F		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkPad T530/T530i	M/T: 2359/2392/2393/2394/2	//2429/2430/2434	
Issue date *	2014, June 17	Log	ogo lenovo.	

Product	environmental attributes - Legal requirements	Require	men	t met
Item	V 1	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
P2.3*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		П	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		Щ	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀	П	Ш

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkPad T530/T530i	M/T: 2359/2392/2393/2394/2429/2430/2434		
Issue date *	2014, June 17	Logo	lenovo.	

Product	uct environmental attributes - Market requirements - Environmental conscious design Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	<u>Ш</u>
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		$\overline{}$	$\overline{}$
P7.2*	Plastic materials in covers/housing have no surface coating.		X	+
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			₩
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		+	∺
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		╬	╫
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		╬	╫
1 7.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$	$\overline{}$
P7.8*	Upgrading can be done using commonly available tools	X	∺	∺
P7.9.				₩
P7.10	Spare parts are available after end of production for: 5 years			₩
1 7.10	Service is available after end of production for: 5 years Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: Material type: Material type:			
	PC+ABS-FR(40)			
D7.40	GFRP:PA6-GF50FR(52+61)			
P7.12	Electrical cable insulation materials of power cables are PVC free.			뿌
P7.13	Electrical cable insulation materials of signal cables are PVC free		Щ.	Щ.
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		Щ.	Щ.
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	\boxtimes		
P7.16	Note B2) Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			
F7.10	Marking: FR(40), FR(52+61)			Ш
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other ; chemical name: DOPO(9,10-dihydro-9-oxa-10-			
	phosphaphenanthrene-10-oxide), CAS #: 35948-25-5			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
D7.40	ISO 1043-4: FR(40)			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:	Ш		ш
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2	\boxtimes		
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
D7.40	FR(40), FR(52+61)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\boxtimes		Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 0 %.			
P7.21	Of total plastic parts' weight >25g, recycled material content is <i>0</i> %. Of total plastic parts' weight >25g, biobased material content is <i>0</i> %.			
P7.22	Light sources are free from mercury	\boxtimes		\neg
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			\Box
P8.2	Batteries meet the requirements of the following voluntary program/s: US Call2Recycle, EPBA, JBRC			Ħ

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkPad T530/T530i		
	M/T: 2359/2392/2393/2394/2429/2430/2434		
Issue date *	2014, June 17	Logo	lenovo.

Product environmental attributes - Market requirements (continued)			Requirement	met	
Item				Yes No	n.a.
P9 Energy consumpt					
9.1 For the product the			nsumptions are re	<u>'</u>	Ш
Energy mode	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On- max)	<i>65/90/135</i> W	<i>65/90/135</i> W	<i>65/90/135</i> W	Full load	
Category I1					
Short Idle - WOL Enabled	12.996 W	13.224 W	14.136 W	Use for Energy Star V6 registration(P _{SHORT_IDLE})	
Long Idle - WOL Enabled	7.812 W	7.680 W	7.896 W	Use for Energy Star V6 registration(PLONG_IDLE)	
Sleep (S3) - WOL Enabled	<i>0.780</i> W	<i>0.792</i> W	0.924 W	Use for Energy Star V6 registration(P _{SLEEP)}	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.396 W	<i>0.408</i> W	0.540 W	Use for Energy Star V6 registration(P _{OFF})	
Off (S5) - WOL Disabled	W	W	W	Use for ErP	
Category I2	I		I		
Short Idle - WOL Enabled	13.236 W	11.904 W	13.404 W	Use for Energy Star V6 registration(PSHORT_IDLE)	
Long Idle - WOL Enabled	7.440 W	7.776 W	7.572 W	Use for Energy Star V6 registration(PLONG IDLE)	H
Sleep (S3) - WOL Enabled	0.792 W	0.780 W	0.924 W	Use for Energy Star V6 registration(P _{SLEEP)}	H
Sleep (S3) - WOL Disabled	W	W	W	Reference	H
Off (S5) - WOL Enabled	0.396 W	0.408 W	0.540 W	Use for Energy Star V6 registration(P _{OFF})	H
Off (S5) - WOL Disabled	W	W	W	Use for ErP	∺
Category I3					
Short Idle - WOL Enabled	14.748 W	15.708 W	15.624 W	Use for Energy Star V6 registration(P _{SHORT IDLE})	
Long Idle - WOL Enabled	8.772 W	8.748 W	9.888 W	Use for Energy Star V6 registration(P _{LONG IDLE})	H
Sleep (S3) - WOL Enabled	0.900 W	0.924 W	1.080 W	Use for Energy Star V6 registration(P _{SLEEP})	H
Sleep (S3) - WOL Disabled	W	W	W	Reference	H
Off (S5) - WOL Enabled	0.456 W	0.468 W	0.588 W	Use for Energy Star V6 registration(P _{OFF})	H
Off (S5) - WOL Disabled	W	W	W	Use for ErP	Н
				USE TOT ETP	Щ
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	0.26 W	0.38 W		
P _{TEC} Typical Energy Consumption	W	W	W		
TEC Typical Energy Consumption	kWh/week	kWh/wee	kWh/wee k		
ETEC * Annual Energy Consumption	I1:44.26,I2:44.6 0,I3:50.20 kWh/year	<i>I1:44.80,I2:41.3 8,I3:52.80</i> kWh/year	I1:48.08,I2:45.8 7,I3:54.32 kWh/year	ETEC = (8760/1000) X (POFF * TOFF + PSLEEP * TSLEEP + PLONG_IDLE * TLONG_IDLE + PSHORT_IDLE * TSHORT_IDLE)	
Display resolution : 1366 x 7	68, 1600 x 900, 19	920 x 1080 Pixels	I		
Print Speed : Im	ages per minute				
Default time to enter energy sa	ve mode: 20 minu	tes			
P9.2* Information about t	he energy save fu	nction is provided	with the product.		
P9.3* The product meets the energy requirements of the following voluntary progration ENERGY STAR® version: <i>Version 6.0 dated June 2, 2014</i> Product category Others specify:					

Model number *	ThinkPad T530/T530i	M/T: 2359/2392/2393/2394/242	9/2430/2434
Issue date *	2014, June 17	Logo	lenovo.

Product	environmental	attributes - Market requ	irements (continued)	R	equiremer	it met
Item					Yes No	n.a.
P10	Emissions					
	Noise emission	n - Declared according to ISC	O 9296			
P10.1	Mode	Mode description	Declared	Declared A-weighted	t	
			A-weighted sound power	sound pressure level $L_{p{\sf A}}$	m (dB)	
			level L_{WAd} (B)			_
				operator position	der positions	1
				Desktop (only if p	roduct is no	
					attended)	
	Idle	* HDD: Idle	* 3.2 (Integrated video)	23 (Integrated video)	attoriaca)	ПП
			* 2.9 (Hybrid video)	22 (Hybrid video)		
			* 3.3 (Discrete video)	25 (Discrete video)		
	Operation	* HDD: Operating	* 3.5 (Integrated video)	26 (Integrated video)		\dashv \sqcap
	Operation	TIBB: Operating	* 3.7 (Hybrid video)	27 (Hybrid video)		ш
			* 4.2 (Discrete video)	31 (Discrete video)		
	Othermone		,	,		_
	Other mode					4
	Measured accor	rding to: 🔀 ISO7779 🔀 EC				
			ly if not covered by ECMA-74 wi		m)	
P10.2			ements of the following voluntary	program/s:		
		sions from printing produc				
P10.3*		according to ECMA-328 (ISC		r specify:		
P10.4	Typical emission	n rate (print phase) is (mg/h):				
	Dust	Ozone Styre	ne Benzene TV	OC .		
P10.5	Chemical emiss	sion requirements of the follow	wing voluntary program/s	are met for :		
	Dust	Ozone S	tyrene Benzene	TVOC		_
	Electromagnet					
P10.6			low frequency electromagnetic f	ields of the following voluntary	\boxtimes	
		R-II(3 pin AC adapter only)				
P11		naterials for printing produc		11 11 21 (2.10)		
P11.1*			e ink/toner preparation, even if r			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of					
P11.3*	EN12281.) printing/copying is an integr	ated product function			
			ated product function.			
P12 P12.1*	The display may	r computing products	nts of ISO 9241-307 for visual di	anlay tachnalagias		
					<u> </u>	
P12.2*		•	nents of ISO 9995 and ISO 9241	1-410.		<u> </u>
P13		documentation		1. (1.)		
P13.1*	Product packag	ing material type(s): Corrugating material type(s): Recycle	ated Cardboard Weight Religions (RLDRF) Weight	ght (kg):		
		ing material type(s): Others(ght (kg): 0.43 ght (kg): 0.03		
P13.2*		packaging is free from PVC.	Weight Macro Dags)	grit (11g). 0.00		
P13.3*			ntation (tick box):			-
1 10.0	Specify media for user and product documentation (tick box):					Ш
P13.4*	Electronic X, Paper X, Other For paper user and product documentation, please specify contained percentage of post-consumer recycled					
1 10.1	fiber: 0%.(Japa		siedes speeny contained percent	lage of poor concurrer recycles		ш
P14		rmation (See Note B4)				
	NOTE: Supplie	er makes no representations,		ranties whether express or implied		
	information con	tained in this document. All ir	formation provided by supplier i	n this document is provided based	on supplier	S
				ligation to update such information		
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more)
P7.17	information. Product does not contain free TRRPA in printed circuit heards(without components)>25g					
P9	Product does not contain free TBBPA in printed circuit boards(without components)>25g. See ENERGY STAR Qualified Notebooks & Tablet Computers for the latest information:					
"		ds.energystar.gov/bi/qplist		cot information.		
P7.15	Excluding 135		- to the Three or Tuesday			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T530/T530i	Logo
Model Number	2359, 2392, 2393, 2394, 2429, 2430, 2434	lenovo.
Issue Date	2014, July 1	1011010
Additional information		

(d)	year of manufactu	re:				2014		
e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:							
	Category (accord	ling to ErP Lot 3):	<i>A</i> E	itec: 26.90				
f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:							
	Category (accord	ling to ErP Lot 3):	В	itec: 41.80				
g)	idle state power de	emand (Watts);				A:7.92,B:1	3.20	
h)	sleep mode power	demand (Watts);						
i)	sleep mode with V	VOL enabled powe	r demand (Wat	ts) (where enable	ed);	A:1.46,B:	1.68	
j)	off mode power de	emand (Watts);						
k)	off mode with WO	L enabled power d	emand (Watts)	(where enabled)	;	A0.92,B:1	1.08	
1)	internal power sup	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20%	50%	100%	Average				
m)	external power sup	external power supply efficiency (if applicable):						
	10% 20%	50%	100%	Average	;			
	or level: V				17 2 1 1			
o)	the minimum num	ber of loading cycle	es that the batt	eries can Withstai	nd (applies only to no	• '	400	
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: Not applicable							
p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004							
p-3)	the measurement batteries:	t methodology use	ed to determin	ne information m	nentioned in points	(o) - loadingcycles		

(p-4)				o determine information mentioned in maximum, idle, sleep, off mode product IT Eco Declaration:		
			ENER	GY STAR measurement methodology		
(q)	sequence	of steps for achievin	g a stab	le condition with respect to power demand::		
			ENER	GY STAR measurement methodology		
(r)	description of how sleep and/or off mode was selected or programmed:					
		By selectin	g sleep	and/or off mode thru Windows operating system		
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
		A	utomati	ically changes to sleep after 20 minutes		
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 20 minutes					
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):					
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 minutes					
(w)	information	on the energy-savi	ng poter	ntial of power management functionality:		
	User i	nformation describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs		
(x)	user inforn	nation on how to ena	able the	power management functionality:		
	User i	nformation describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs		
(z)	the electric			test voltage in V and frequency in Hz, — total harmonic distortion of ation and documentation on the instrumentation, set-up and circuits		
			230V,	50Hz, Total Harmonic Distortion <2 %		
Addition	n Notebook B	attery Information:				
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be acces by a non-professional user.	sed and replaced	
(Battery replacea	not user able)	(Battery user replaceable)		The battery[ies] in this product cannot be easily repla themselves	ced by users	

Additional information		