

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	lotebook PC		
Commercial name *	ThinkPad W510		
Model number *	M/T: 4318/4319//4389/4391		
Issue date *	2010, February 12		
Intended market *	🛛 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model n	umber *	ThinkPad W510 M/T: 4318/4319//4389/4391					
Issue date *		2010, February 12	Logo	lend	lenovo		
Produc	t environ	mental attributes - Legal requirements		Require	ment	met	
tem				Yes	No	n.a	
P1	Hazardo	us substances and preparations				ma	
P1.1*	Products 0.1% po	do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hex ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (\$ and Note B1)		iium, 🔀			
P1.2*	Products	t do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrac thane, methyl bromide (see legal reference). Comment: Legal reference has no ation values.		_			
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polyc I (PCT) in preparations (see legal reference).	chlorinated	\boxtimes			
P1.5*	Products	do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 can ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	arbon atoms ir	n the 🔀			
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-ph idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal referer nt: Legal reference has no maximum concentration values.		S),			
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo col amines. (See legal reference and Note B1)	lorants that sp	lit		\boxtimes	
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as orophenol and derivatives (see legal reference). tt: Legal reference has no maximum concentration values.	well as				
P1.9*	Parts wit microgra	h direct and prolonged skin contact do not release nickel in concentrations above m/cm ² /week (see legal reference).	0.5				
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or ma w.lenovo.com/social_responsibility/us/en/environment.html	il contact):	\boxtimes			
P2	Batterie	\$					
P2.1*	If the pro more tha marked	duct contains a battery or an accumulator, it is labeled with the disposal symbol a n 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of le with the chemical symbol for the metal concerned, Hg or Pb. Information on prope in user manual. (See legal reference)	ead, it shall be				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)						
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)						
P3	Safety, I	EMC connection to the telephone network and labeling					
P3.1*	The proc	luct complies with legally required safety standards as specified (see legal referer	nce).	\square			
P3.2*	The proc	luct complies with legally required standards for electromagnetic compatibility (se	e legal referer	nce). 🔀		F	
P3.3*	If produc	t is intended for connection to a public telecom network or contains a radio transr Illy required standards for radio and telecommunication devices (see legal referen	nitter, it comp				
P3.4*		luct is labeled to show conformance with applicable legal requirements (see legal		\boxtimes			
P4	Consum	able materials					
P4.1*	If a phote	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium r erence and Note B1).	nax 0.01% (se	ee			
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see le	egal reference	e).		X	
P4.3*	product/j requirem	/toner formulation/preparation is classified as hazardous according to applicable i packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance w ents is available (see legal reference).					
P5	Product	packaging					
P5.1*	Packagii	ing and packaging components do not contain more than 0.01% lead, mercu	ury, cadmium	and 🔀			
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see lega	al reference).	\square			
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specifie (see legal reference). t: Legal reference has no maximum concentration values.	d in the Mor	ntreal 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Issue da	umber * ThinkPad W510 M/T: 4318/4319//4389/4391 ite * 2010, February 12 Logo	leno	-	
10000 00		eno	00	
Produc	t environmental attributes - Market requirements - Environmental conscious design	Requiren	nent	met
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			T
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ē	F
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	┢
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools		Ħ	
P7.9.	Spare parts are available after end of production for: 5 years			┢
P7.10	Service is available after end of production for: 5 years			┢
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS-FR(40) Material type: PA6-CF20FR(52+61) Material type: PA6-GF50	0 FR(40)		
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free			Г
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			Ľ
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40), FR(52+61)</i>	\boxtimes		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	 3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40), FR(52+61) 			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\square		
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: <i>no. of lamps</i> and max. mercury content per lamp: <i>x</i> mg			
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nur		nkPad W510	IVI/I:4318	/4319//438		
Issue date	e * 2010, F	February 12			Logo lenovo	
Product	environmental	attributes - Market	requirements (co	ontinued)	Requirement n	net
Item			•		Yes No i	n.a
P9	Energy consum	ption				
9.1	For the product t	he following power lev	els or energy consu	mptions are reporte	d: 🗌 🗌	
Energy mo	ode	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	max)	135 W	135 W	135 W	Full load	
Category	В					
Idle State)	19.22 W	19.78 W	20.13 W	Idle State for ES	
Sleep(S3)	- WOL Disable	1.307 W	1.360 W	1.559 ₩	Sleep Mode w/ WOL Disabled for ES	
Sleep(S3)	- WOL Enable	1.617 W	1.617 W	1.780 W	Sleep Mode w/ WOL Enabled for ES	$\overline{\Box}$
Off(S4/S5) - WOL Disable	0.538 W	0.644 W	0.729 W	Off Mode w/ WOL Disabled for ES	$\overline{\Box}$
Off(S4/S5) - WOL Enable	0.881 W	0.958 W	0.979 W	Off Mode w/ WOL Enabled for ES	Ē
EPS No-lo	ad	0.85 W	0.86 W	0.93 W		Ē
(External p charger plu	oower supply / ugged in the wall disconnected from					
Р _{тес} Typical En	ergy Consumption	W	W	W	(Workstation Levels) $P_{TEC} = 0.35 * P_{off} + 0.10 * P_{sleep} + 0.55 * P_{idle}$	
TEC Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption		54.6 kWh/year(B)	56.5 kWh/year(B)	58.3 kWh/year(B)	(Desktop, Integrated Desktop, and Notebook Levels)	
	3, 11 11				$E_{TEC} = (8760/1000) * (P_{off} * T_{off} + P_{sleep} * T_{sleep} + P_{idle} * T_{idle})$	
Display res	solution : 1366*7	68 Megapixels				
Print Spee	d :	mages per minute				
Default tim	e to enter energy	save mode: 10 minute	s			
P9.2*	Information abou	t the energy save fund	tion is provided with	the product.		〒
P9.3*	The product mee	ts the energy requirer	nents of the following	o voluntary program	/s:	_
		version: Version 5.0				
		Energy Star for Extern	nal Power Supplies	Eligibility Criteria	Version 2	
P10	Emissions	De classe d'	1- 100 0000			_
P10.1	Noise emission Mode	 Declared according Mode description 	10 150 9296	Declared	Declared A-weighted	P1
F 10.1	WOULE			A-weighted	5	0.1
				sound power		
				level L_{WAd} (B)	Operator position	
					Desktop	
	Idle	* HDD: Idle		* 3.4	or Desk side	
	Operation	* HDD: Operating		* 3.8	34.2	
	Other mode					
	Measured accord	ling to: 🔀 ISO7779 [ECMA-74	1 1		
		Other			L _{pAm} measurement distance m)	
P10.2	The product mee	ts the acoustic noise i	equirements of the f	ollowing voluntary p	rogram/s:	

Model nui	mber *	ThinkPad W510 M/T: 4318/4319//4389/4391					
Issue date *		2010, February 12 Logo			lenovo		
Product	environn	nental attributes - Market requirements (continued)		Require		met	
Item	_			Yes	No	n.a.	
	Chemica	al emissions from printing products					
P10.3*		ormed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes	
P10.4	Typical e	mission rate (print phase) is (mg/h):				\mathbb{X}	
		Dust Ozone Styrene Benzene TVOC					
P10.5		I emission requirements of the following voluntary program/s are met for :	_			\boxtimes	
D /0.0		nagnetic emissions					
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follo s: <i>MPR-II</i>	wing voluntary				
P11		able materials for printing products					
P11.1*	-	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi				\boxtimes	
P11.2*	Paper co EN1228	portaining post-consumer recycled fibers can be used, provided that it meets the	e requirements	of 🗌		\mathbb{X}	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				X	
P12		nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.	\square			
P12.2*	The phys	ical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes			
P13		ng and documentation					
P13.1*		backaging material type(s): Solid EPE weight (kg): 0.075					
		backaging material type(s): <i>Corrugated</i> weight (kg): 0.60					
P13.2*		backaging material type(s): weight (kg): blastic packaging is free from PVC.		\square			
P13.3*		nedia for user and product documentation (tick box):					
F 13.3		$c \boxtimes$, Paper \boxtimes , Other \square					
P13.4*		r user and product documentation, please specify contained percentage of post-cor %(Japan only 70%)	sumer recycled				
P14	Addition	al information (See Note B4)			-		
		Supplier makes no representations, guarantees, assurances or warranties whether					
		on contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to update					
		here is approximate and provided for informational purposes only. See a Lenovo A				on	
	informati	on.			1010		
P7.17	Product	does not contain free TBBPA in printed circuit boards(without components)>	25g.				
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information:					
		wnloads.energystar.gov/bi/qplist/laptops_prod_list.xls					
P12.1		is designed to meet the subject ISO Standard 9241-307, but is not confirmed to					
P12.2	Product method	is designed to meet the subject ISO Standard 9995 and 9241-410, but is not co	onfirmed throug	in formal t	est		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19