

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Notebook PC		
Commercial name *	ThinkPad X201 Tablet		
Model number *	MT: 0831, 2985, 0053, 3093, 3113, 3144, 3239		
Issue date *	2010, March 1		
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other		
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🛛			

Model number * ThinkPad X201 Tablet

M/T: 0053, 0831, 2985, 3093, 3113, 3144, 3239 2010, March 1

Issue date *

Logo lenovo

Product	Require	ement	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	n, 🔀		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🛛		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)).		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			\boxtimes
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkPad X201 Tablet					
		M/T: 0053, 0831, 2985, 3093, 3113, 3144, 3239					
Issue date *			leno	vo	E.		
Product	duct environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design Disasse	mbly, recycling	_				
P7.1*	Parts that	t have to be treated separately are easily separable	\square				
P7.2*	Plastic m	aterials in covers/housing have no surface coating.					
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		Ē	Ē		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	Ħ		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		H	┢		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		╞	╞		
1 7.0	Product			· 🛄 .			
P7.7*		g can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools		⊢⊢	╞		
P7.9.	10				╞		
P7.10	<u> </u>	rts are available after end of production for: 5 years	_		┝		
P7.10		s available after end of production for: 5 years	-				
P7.11*	Product	and substance requirements cover/housing material type: type: PC+ABS-FR(40) Material type: Material type:					
P7.12		I cable insulation materials of power cables are PVC free.		\boxtimes			
P7.13		I cable insulation materials of signal cables are PVC free	- H		╞		
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			╞		
P7.15	All printe	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See					
P7.16	Note B2) Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\square				
P7.17	Alt. 1						
	Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
	ISO 1043	l specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>Brominated Epoxy Resin See P14</i>					
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%:					
	Provide complete 1. Chemi	It: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must contain e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:					
	3. Chemi Alt. 2	cal name: , CAS #: , Supplier:	\boxtimes				
	FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20		lastic parts' weight >25g, recycled material content is 0%.					
P7.21		lastic parts' weight >25g, biobased material content is 0%.					
P7.22		irces are free from mercury					
P8	Batterie						
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide			<u> </u>		
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * M/T: 0053, 0831, 2985, 3093, 3113, 3144, 3239 Issue date * 2010, March 1 Logo Ienovo

Product	environmental	attributes - Market	requirements (co	ontinued)	Requirement	met
Item					Yes No	n.a
P9	Energy consum					
9.1		the following power lev hipped w/ WOL Enable		mptions are reporte		
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)		65 W	65 W	65 W	Full load	
Catego	<u>ry A</u>					
Idle State	e - WOL Enabled	10.95 W	10.63 W	10.91 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S	3) - WOL Enabled	1.53W	1.57W	1.87 W	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S	3) - WOL Disabled	1.23 W	1.34 W	1.55 W	Reference	
Off (S5) -	WOL Enabled	1.16 W	1.17 W	1.39 W	Use for Energy Star V5 registration(Poff)	
Off (S5) -	WOL Disabled	0.77W	0.71 W	0.96 W	Use for EuP	
Catego	ry B					
	e - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P _{idle})	X
Sleep (St	3) - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P _{sleep})	X
Sleep (S	3) - WOL Disabled	W	W	W	Reference	X
Off (S5) -	WOL Enabled	W	W	W	Use for Energy Star V5 registration(Poff)	\times
Off (S5) -	WOL Disabled	W	W	W	Use for EuP	\times
EPS No-le	oad	0.320 W	0.320 W	0.369 W		
charger p	power supply / lugged in the wall disconnected from lct.)					
TEC Typical Ei	nergy Consumptior	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption		36.2 kWh/year	35.5 kWh/year	37.6 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
		Poff: Off Mode(S5) -	WOL Enabled; Psleep:	Sleep Mode(S3) - WC	L Enabled; Pidle: Idle State - WOL Enabled	
Display re	esolution : 1280x	800 Megapixels				
Print Spe	ed :	Images per minu	te			\times
•		save mode: minutes				
P9.2*		it the energy save fund		the product		
P9.3*		ets the energy requirer	•	•		
P9.3	ENERGY STAR	® version: Version 5.0 Energy Star for Extern	0 dated July 1, 2009	Product category:	A 🗌	
P10	Emissions	De alta	100 0000			
P10.1	Noise emission Mode	 Declared according Mode description 	10 150 9296	Declared	Declared A-weighted	
. 10.1	INICUE	Mode description		A-weighted sound power	sound pressure level L_{pAm} (dB)	
				level L_{WAd} (B)	Operator position Bystander positions	
				WAU ()	Desktop (only if product is not operator attended)	
	Idle	* HDD: Idle		* 2.9	27	
	Operation	* HDD: Operating		* 3.4	27	
	Other mode					
	Measured accord	ding to: 🔀 ISO7779 [Dther m)	ECMA-74 (only if not c	overed by ECMA-74	4 with L_{pAm} measurement distance	
P10.2	The product mee	ets the acoustic noise	requirements of the f	ollowing voluntary r	program/s:	

Model number * ThinkPad X201 Tablet									
Issue dat	• *	<i>M/T:</i> 0053, 0831, 2985, 3093, 3113, 3144, 3239							
issue dat	Logo lenovo								
Product	environr	nental attributes - Market requirements (continued)	Re	quire	ment	met			
Item				Yes	No	n.a.			
	Chemic	al emissions from printing products							
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				\square			
P10.4		emission rate (print phase) is (mg/h):							
	,,	Dust Ozone Styrene Benzene TVOC							
P10.5		al emission requirements of the following voluntary program/s are met for :				\boxtimes			
		Dust Ozone Styrene Benzene TVOC							
	Electror	nagnetic emissions							
P10.6	Compute	er display meets the requirement for low frequency electromagnetic fields of the following voluntar /s: MPR-II	у	\boxtimes					
P11		nable materials for printing products							
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\square			
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requiremen	ts of						
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes			
P12		mics for computing products							
P12.1*		ay meets the ergonomic requirements of ISO 9241-307 for visual display technologies. See P14							
P12.2*	-	sical input device meets the requirements of ISO 9995 and ISO 9241-410. See P14			Ħ	Ħ			
P13		ing and documentation							
P13.1*	Product Product Product	packaging material type(s): Corrugated cardboard weight (kg): 0.51 packaging material type(s): Polyethylene (RLDPE) weight (kg): 0.03 packaging material type(s): weight (kg):							
P13.2*	Product	plastic packaging is free from PVC.		\times					
P13.3*		media for user and product documentation (tick box):							
		ic 🔀, Paper 🔀, Other 🗌							
P13.4*	fiber: 0	er user and product documentation, please specify contained percentage of post-consumer recycl % (Japan only 70%)	ed						
P14		nal information (See Note B4)							
	informati knowled provided informati		ased on ation.	n supp The inf	olier's ormati				
P7.17		t does not contain free TBBPA in printed circuit boards(without components)>25g.							
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:								
-	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls								
P12.1		t is designed to meet the subject ISO Standard 9241-307, but is not confirmed through form							
P12.2	Product method	t is designed to meet the subject ISO Standard 9995 and 9241-410, but is not confirmed thro s.	ougn to	ormal t	est				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19