

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad Logo					
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html					

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	otebook PC					
Commercial name *	ThinkPad X230/X230i Tablet					
Model number *	M/T: 3434/3435/3436/3437/3438/3441/3442					
Issue date *	2014, June 17					
Intended market *	🔀 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	equireme	ent met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number

ThinkPad X230/X230i Tablet M/T: 3434/3435/3436/3437/3438/3441/3442 2014, June 17

Issue date '

Logo

lenovo

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	,			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html	\boxtimes			
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🔀			
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	nd 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

mouern	umber *	ThinkPad X230/X230i Tablet					
		M/T:3434/3435/3436/3437/3438/3441/3442					
lssue da	ssue date * 2014, June 17 Logo						
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	equire	ment	met		
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	\square				
P7	Design						
P7.1*		mbly, recycling thave to be treated separately are easily separable					
P7.1							
		naterials in covers/housing have no surface coating.					
P7.3*		arts >100g consist of one material or of easily separable materials.		<u> </u>			
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		<u> </u>			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ц.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).					
D7 7+	Product		5.7				
P7.7*		ig can be done e.g. with processor, memory, cards or drives		<u> </u>			
P7.8*		g can be done using commonly available tools	\bowtie				
P7.9.		rts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type:					
P7.12		type: PC+ABS-FR(40) Material type: Material type: I cable insulation materials of power cables are PVC free. Material type: Material type:					
P7.12		I cable insulation materials of signal cables are PVC free					
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		⊢⊢			
P7.15		d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See					
17.15	Note B2)						
P7.16	Flame re	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\square				
P7.17	Marking:	FR(40)					
F7.17		l specifications of flame retardants in printed circuit boards >25g (without components): (additive) □, TBBPA (reactive) □, Other ⊠; chemical name: <i>DOPO(9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide)</i> , CAS #: <i>35948-25-5</i>					
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>FR(40)</i>					
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%:					
	Provide a complete 1. Chemi 2. Chemi	 nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must contain e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: 		_			
	Alt. 2 Chemica <i>FR(40)</i>	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	R40, R46	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Battery, AC	blastic parts' weight >25g, recycled material content is 0%. (Assessment is about main computer parts only. adapter, Cords, Drives, Keyboard, LCD, and misc parts not included.)					
P7.21		plastic parts' weight >25g, biobased material content is 0%.					
P7.22		irces are free from mercury	\square				
P8	Batteries				_		
P8.1*	Battery c	hemical composition: Lithium Ion/Lithium Manganese Dioxide			11		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkPad X230/X230i Tablet M/T:3434/3435/	3436/34	37/3438/3441/3442
Issue date *	2014, June 17	Logo	lenovo

Product environmental a	duct environmental attributes - Market requirements (continued) Requirement me							
Item					Yes No	n.a.		
P9 Energy consum								
	The product is shipped w/ WOL Enabled.							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	at Power level at 230 Reference / Standard for energy modes and test method *					
Peak (On-max)	65/90 W	65/90 W	65/90 W	Full	lload			
Category I1								
Short Idle - WOL Enabled	10.824 W	11.916 W	11.352 W	Use	e for Energy Star V6 registration(P _{SHORT_IDLE})			
Long Idle - WOL Enabled	7.236 W	8.292 W	7.992 W	Use	e for Energy Star V6 registration(P _{LONG_IDLE})			
Sleep (S3) - WOL Enabled	1.008 W	1.008 W	1.128 W	Use	e for Energy Star V6 registration(P _{SLEEP)}			
Sleep (S3) - WOL Disabled	W	W	W	Ref	ference			
Off (S5) - WOL Enabled	0.624 W	0.624 W	0.756 W	Use	e for Energy Star V6 registration(POFF)			
Off (S5) - WOL Disabled	W	W	W	Use	e for ErP			
Category I2				•				
Short Idle - WOL Enabled	12.456 W	12.120 W	12.432 W	Use	e for Energy Star V6 registration(P _{SHORT_IDLE})			
Long Idle - WOL Enabled	8.256 W	8.472 W	8.844 W	Use	e for Energy Star V6 registration(PLONG_IDLE)			
Sleep (S3) - WOL Enabled	0.972 W	0.984 W	1.116 W	Use	e for Energy Star V6 registration(P _{SLEEP)}			
Sleep (S3) - WOL Disabled	W	W	W	Ref	ference			
Off (S5) - WOL Enabled	0.612 W	0.612 W	0.744 W	Use	e for Energy Star V6 registration(P _{OFF})			
Off (S5) - WOL Disabled	W	W	W	Use	e for ErP			
EPS No-load	W	0.26 W	0.38 W					
(External power supply / charger plugged in the wall outlet but disconnected from the product.)								
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week			\boxtimes		
ETEC * Annual Energy Consumption	/1:39.24,12:44.2 9 kWh/year	11:43.04,12:43.6 3 kWh/year	/1:41.95,/2:45. 7 kWh/year	T _{SL}	ic = (8760/1000) x (Poff × Toff + Psleep × eep + Plong_idle × Tlong_idle + Pshort_idle × hort_idle)			
Display resolution : 1366 x	768 Pixels							
Print Speed :	Images per mi	nute				\square		
Default time to enter energy	save mode: 20 minu	ites						
P9.2* Information abou	t the energy save fu	nction is provided	with the product					
	ts the energy requir version: <i>Version</i>							
P10 Emissions								
	- Declared accordin	ng to ISO 9296	Dee!		Declared A surjusted			
P10.1 Mode	Mode description		Declare A-weigh		Declared A-weighted sound pressure level L_{pAm} (dB)			
			sound po					
			level L_{WA}	.d (B)	Operator position Bystander positions Desktop Image: Comparison of the sector of the			
					or Dock side (only if product is not			
Idle	* HDD: Idle		* 3.2		operator attended)			
Operation	* HDD: Operating		* 4.3		31	1 H		
Other mode						1		
Measured accord	Other	ECMA-74 (only if i	not covered by E	CMA-7	74 with L _{pAm} measurement distance			
P10.2 The product mee	m) ts the acoustic nois	e requirements of	the following vol	untarv	program/s:			
		5 . 5qui onionio 01		antary	p. og			

Model nu	umber *	ThinkPad X2	30/X230i	Tablet	M/T:343	4/3435/3	436/34:	37/343	8/344	41/34	442
Issue dat	te *	2014, June 17					Logo	le	eno	VO .	
Product	environ	ental attributes - Ma	arket requirem	ents (conti	nued)			R	equire	ment	met
Item			-	-					Yes	No	n.a.
	Chemic	l emissions from print	ing products								
P10.3*	Test per	ormed according to ECN	/A-328 (ISO/IEC	28360) stand	ard . othe	specify:					\boxtimes
P10.4	Typical	mission rate (print phase	e) is (ma/h):	,							
	• •	Dust Ozone	Styrene	Benzen	e TV	OC					
P10.5		emission requirements			-	are met for :					\square
		ust Ozone	Styrene		Benzene	7	туос				
	Electro	agnetic emissions		<u> </u>							
P10.6		r display meets the requ	irement for low fr	requency elec	tromagnetic f	ields of the fo	llowing volu	Intary	\square		
		s: MPR-II(3 pin AC adap		. ,	0		0	,			
P11	Consun	able materials for print	ting products								
P11.1*	A Safety	Data Sheet (SDS) is ava	ailable for the ink/	/toner prepara	ation, even if I	not legally req	uired (see l	P4.3).			\square
P11.2*	Paper c EN1228	ntaining post-consume	recycled fibers	can be used	l, provided th	at it meets t	he requirer	nents of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						\square				
P12	Ergono	nics for computing pro	ducts								
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.										
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.						Ħ				
P13	Packad	ng and documentation									
P13.1*	Product Product Product	backaging material type backaging material type backaging material type backaging material type blastic packaging is free	s): Molded Fiber s): Others (plast	r	weigh	weight (k weight (k t (kg): 0.04					
P13.3*		nedia for user and produ		n (tick hov);							╞
F 13.3		$\mathbf{\Sigma}_{\mathbf{X}}$, Paper $\mathbf{X}_{\mathbf{X}}$, Other									
P13.4*	For pape	r user and product docu (<i>Japan only 70%</i>)		e specify cont	ained percen	tage of post-c	onsumer re	ecycled			
P14		al information (See No	te B4)								
	NOTE:	Supplier makes no repre-	sentations, guara								
	knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more										
	informat										
P7.17	Produc	does not contain free	TBBPA in printe	ed circuit boa	rds(without	components)>25g.				
P9	See EN	RGY STAR Qualified N	lotebooks & Tab	blet Compute	ers for the lat						
	http://d	wnloads.energystar.go	ov/bi/qplist/lapto	ops_prod_list	t.xls						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19