

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	lenovo Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
	Alvin L Carter	_			
	1009 Think Place	lenovo			
	Building 2 / 5F1				
	Morrisville, North Carolina 27560				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_i	notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Server				
Commercial name *	ThinkServer RD350				
Model number *	70D6,70D7,70D8,70D9				
Issue date *	November 26, 2014				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information	Energy Star qualified				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control Requirement Re			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkServer RD350		
	MT: 70D6,70D7,70D8,70D9		
Issue date *	November 26, 2014	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	ment	met
Item	• •	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference).			
D4 40*	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html		Ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
P2.3*	, , , , , , , , , , , , , , , , , , , ,			
design of the product). Exception: Batteries that are permanently installed for safety, performance, me or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	$-$ H $^{-}$	H	
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	ıl 🖂		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkServer RD350		
	MT: 70D6,70D7,70D8,70D9		
Issue date *	November 26, 2014	Logo	lenovo.

Produc	duct environmental attributes - Market requirements - Environmental conscious design Requirement met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.			∺	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			∺	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes	∺	∺	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		H	∺	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$	\dashv	\dashv	
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools		Ħ	一百	
P7.9.	Spare parts are available after end of production for: years			Ħ	
P7.10	Service is available after end of production for: years	•		一百	
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: SGCC Material type: Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes		
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:	\boxtimes			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:				
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #: Alt. 2				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.				
P7.22	Light sources are free from mercury	\boxtimes			
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg				
P8.1*	Battery chemical composition: lithium , Manganese dioxide				
P8.2	Batteries meet the requirements of the following voluntary program/s:			+	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkServer RD350 MT: 70D6,70D7,70D8,70D9		
Issue date *	November 26, 2014	Logo	lenovo

	ct environmental attributes - Market requirements (continued) Yes No					
Item				n.a.		
P9 9.1						
Energy mo	<u> </u>	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		
Peak (On-	max)	W	438.8 W	W	Full load	
Off		W	14.95 W	W	Use for ErP	H
Minimur	n Power Config	uuration				
Idle	TT OWO! COINING	79.69 W	78.03 W	70.23 W	Use for ENERGY STAR V2 registration	
Mavimuu	m Power Config	guration			3	
Idle	III OWEI COIIII	164.07 W	162.69 W	159.72 W	Use for ENERGY STAR V2 registration	
	Power Configu					
Idle	Tower Cornigu	136.08 W	136.08 W	148.38 W	Use for ENERGY STAR V2 registration	
	l Dorformana	Power Configur		7.0.00	occion Enercia orini ve regionadori	
Idle	Performance	79.69 W	78.03 W	70.23 W	Use for ENERGY STAR V2 registration	
	d Darfarmanaa			70.23 W	USE TO ENERGY STAR V2 registration	
Idle	<u>a Performance</u>	Power Configu	162.69 W	159.72 W	Use for ENERGY STAR V2 registration	
luie		704.07 VV	702.03 VV	139.72 VV	USE TOT ENERGY STAR V2 Tegistration	<u> </u>
EPS No-loa		W	W	W		
(External p	ower supply / charg the wall outlet but ed from the product	er	VV	VV		
PTEC *		W	W	W		
	ergy Consumption					
TEC * Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
		Poff: Off Mode(S5	b) - WOL Enabled; F	P _{sleep} : Sleep Mode((S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	olution* : Mo	egapixels				
Print Speed	: m	nages per minute				\boxtimes
Default time	e to enter energy sa		utes			
P9.2*	Information about t	the energy save funct	tion is provided wi	th the product.		
P9.3*		s the energy requirem version: Version 2.0				
P10	Emissions		100 0000			
P10.1		Declared according to Mode description	to ISO 9296	Declared	Declared A-weighted	
		viodo docemption		A-weighted sound power	sound pressure level $L_{p{\rm Am}}$ (dB)	
				level L_{WAd} (Bystander positions Desktop (only if product is not operator attended)	
	Idle *	HDD:Idle		* 5.5	operator attended)	
	Operation *	HDD: Operating		* 5.5		
	Other mode					
	Measured according	~ = -	ECMA-74		Luddh Languaga and distance	
P10.2	The product meets	Other the acoustic noise re			with L _{pAm} measurement distance m) tary program/s:	\square

Model number *	ThinkServer RD350 MT: 70D6,70D7,70D8,70D9		
Issue date *	November 26, 2014	Logo	lenovo

Product	environmental attributes - Market requirements (continued)	Require	ment	met		
Item	(**************************************	Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:	\Box		\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			$\overline{\boxtimes}$		
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes		
	Dust Ozone Styrene Benzene TVOC					
	Electromagnetic emissions					
P10.6	6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes		
P12	Ergonomics for computing products					
P12.1*	* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): <i>carton</i> weight (kg): 3.4					
	Product packaging material type(s): <i>EPE</i> weight (kg): 1.91					
D40.0*	Product packaging material type(s): wood Product plastic packaging is free from PVC. weight (kg): 3.0					
P13.2*				<u>Н</u>		
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other					
P13.4*	* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%					
P14	Additional information (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such informatic provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	d on sup n. The in	plier's format	tion		
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) $$	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) $$	P7.19

Lenovo ErP Lot3 Information Sheet

- Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkServer RD350	Logo
Model Number	MT: 70D6,70D7,70D8,70D9	
Issue Date	November 26, 2014	lenovo.
Additional information		

(d)	year of manufacture:				Please refer to name plate of product	
(e)	internal/external power supply PS-2451-6L-LF	efficiency:				
	Power Efficiency :10% 86%	20% 90%	50% 92%	100% 91 %		
	FSD062-EL0G					
	Power Efficiency :10% 80%	20% 88%	50% 92%	100% 88%		
	PS-2551-6L-LF					
	Power Efficiency :10% 88%	20% 91%	50% 94%	100% 93%		
	PS-2751-3L-LF					
	Power Efficiency :10% 87%	20% 92 %	50% 94%	100% 93%		
	DPS-750AB-20 A					
	Power Efficiency :10% 92%	20% 95 %	50% 96%	100% 94 %		
	DPS-750AB-21 A					
	Power Efficiency :10% 81%	20% 93 %	50% 94%	100% 92%		
	DPS-550AB-5 A					
	Power Efficiency :10% 85%	20% 92 %	50% 94%	100% 92%		
	DPS-1100EB A					
	Power Efficiency :10% 84%	20% 92%	50% 94%	100% 93%		
	DPS-1600AB-1 A					
	Power Efficiency :10% 86%	20% 93%	50% 94%	100% 90 %		
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity					
	supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: -Test Voltage: 230V, Frequency: 50Hz					
	-Total harmonic distortion: <2%					
	 Information and documentation on the instrumentation: Please refer to additional information, Set-up and circuits used for electrical testing: Please refer to additional information 					
g)	maximum power (Watts)	electrical les	oung. Fieds	e refer to auditional illiorillation		
					438.8	
	idle state power (Watts)					

(i)	sleep mode power (Watts)		
(j)	off mode power (Watts) 14.95		
(I-1)	the measurement methodology used to determine information mentioned in points (e): 80 PLUS test method		
(I-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:		
	ENERGY STAR Program Requirements Product Specification for Computer Servers Test Method Rev. Mar-2013		

Additional information -Information and documentation on the instrumentation Instrument I.D. Range Used Instrument Type Make and Model 1~280VAC;1~550HZ;1000V AC POWER SOURCE EC1000S; SN:9136092 Α8 B43 Digital Watch Full range HS-70W; SN:107Q05R B45 0~600V;0~20A Power Meter WT210;SN:27D941999 Humidity/Temperature Sensor B48 15~30°C;12~89%RH Watchport/H;SN:W11492318 - Set-up and circuits used for electrical testing: Unit AC power supply 50Hz or 60Hz under

test

W: Wattmeter