



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Workstations and Servers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0	
Company name *	Lenovo			
Contact information *	ntact information * Lenovo Global Environmental Affairs		ODOVO	
e-mail address	ail address Alvin L Carter		Lenovo	
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product * Workstation					
Commercial name *	Thinkstation P330				
Model number *	30C5,30C6,30C9,30CY,30D0,30D3				
Issue date *	2018/5/9				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD certified				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	30C5,30C6,30C9,30CY,30D0,30D3	Logo	Lonovo
Issue date *	2018/5/9		Lenovo.

Product	environmental attributes - Legal requirements	Require	men	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
Г1. 4	terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/wee	k 🔀		
	(see legal reference).			
- · - ·	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	\boxtimes		Ш
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	J 🔽		
F2.2	reference)	ıl 🔀	Ш	Ш
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X		
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	The product complies with the Eco design requirements for energy-related products,	X		
	(see legal reference).			
	Required information is;			
	available at (add URL):			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium at	nd 🔀		
DE 0*	hexavalent chromium by weight of these together.	- \	_	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoc (see legal reference).	ol 🔀		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
	, ,			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	mber * 30C5,30C6,30C9,30CY,30D0,30D3		Lopovo
Issue date *	2018/5/9		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			Ц_
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: <i>plastic</i> Material type: <i>metal</i> Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	\Box	\square	
	as defined in IEC 61249-2-21. (See 1NOTE B2)	ш		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin , CAS #:	Ш		Ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			Ш
P7.18	according ISO 1043-4: <u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 24.1% .			
	or			
	b) The weight of recycled material is 286.9 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	30C5,30C6,30C9,30CY,30D0,30D3	Logo	Lonovo
Issue date *	2018/5/9		LCI IOVO.

Product environmental attributes - Market requirements (continued)			nt met
Item	Yes	No	n.a.

Material and substance requirements (continued)									
P7.21*	Biobased plastic r	material content is used	in the product (See N	OTE B7):					
	,			,	ated as a percentage of				
		of the biobased plastic r	material is g.						
P7.22*		free from mercury, i.e. specify: Number of lan		um mercury content pe	er lamp: mg				
P8	Batteries								
P8.1*	-	composition: Lithium N	Manganese Dioxide						
P9		otion (See NOTE B8)							
P9.1	For the product th	e following power level							
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *				
Peak (On-r	max)	138.56 W	106.21 W	104.21 W	Full load				
Category	<u>y</u>								
Short Idle : Enabled	State - WOL	48.26W	48.23 W	48.81 W	Use for ENERGY STAR V6 registration (Pidle)				
Long Idle S Enabled	State - WOL	47.12W	46.13W	46.28W	Use for ENERGY STAR V6 registration (P _{idle})				
Sleep (S3)	- WOL Enabled	1.31 W	1.31W	1.26 W	Use for ENERGY STAR V6 registration(P _{sleep})				
Sleep (S3)	- WOL Disabled	W	W	W	Reference				
Off (S5) - V	VOL Enabled	0.82W	0.82W	0.82W	Use for ENERGY STAR V6 registration(Poff)				
Off (S5) - V	VOL Disabled	W	W	W	Use for ErP				
		W	W	W	Reference				
		W	W	W	Reference				
EPS No-loa (External power si	ad supply / charger plugged in the connected from the product.)	W	W	W					
PTEC *	ergy Consumption	26.79 W	26.63 W	26.88 W					
ETEC *	ergy Consumption	kWh/year	kWh/year	kWh/year	ETEC = (8760/1000) x (Poff x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)				
					ed; P _{idle} : Idle State - WOL Enabled				
		ncy Level (International	l Efficiency Marking Pro	otocol) * :					
Display res	olution * : m	negapixels							
Default time	e to enter energy s	ave mode: 25 minutes							
P9.2*	Information about	the energy save function	on is provided with the	product.					
P9.3		class (monitors only):							
P10	Emissions								
		- Declared according to	ISO 9296 (See NOTE	B9)					
P10.1		Mode description			it A-weighted sound power level, LwA,c (B)				
		* Idle		* 3					
	Operation	* Oper		* 3					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	18 (operator position desktop – idle)			
Other mode	Declared A-weighted sound pressure level (dB) $L_{p{\rm Am}}$	18 (operator position desktop – operating)			
Measured according to: ISO 7779 ECMA-74					
	Other (only if not covered by	ECMA-74)			

Model number *	30C5,30C6,30C9,30CY,30D0,30D3	Logo	Lonovo
Issue date *	2018/5/9		LEI IOVO"

Product 6	environmental attributes - Market	equirements (cor	ntinued)		Require	ment	met
Item			-		Yes	No	n.a.
	Electromagnetic emissions						
P10.4	Computer display meets the requirement program(s):	t for low frequency e	lectromagnetic fields	s of the following voluntary			
P12	Ergonomics for computing products						
P12.1*	The display meets the ergonomic requir	ements of ISO 9241-	307 for visual displa	y technologies.			\boxtimes
P12.2*	The physical input device meets the req	uirements of ISO 999	95 and ISO 9241-41).		\boxtimes	
P13	Packaging and documentation						
P13.1*	Product packaging material type(s): <i>car</i> Product packaging material type(s): <i>EPI</i> Product packaging material type(s):		g): 0.305				
P13.2*	Product plastic primary packaging is fre	e from PVC.			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 70 %						
P13.4*	Specify media for user and product documentation (tick box): Electronic, Paper, Other						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:						
	Totally chlorine-free						
	Elemental chlorine-free				\boxtimes		
	Processed chlorine-free						
P14	Voluntary programs						
P14.1	The product meets the requirements of	the following voluntar	y program(s):				
	Eco-label: Greenguard Criteria ve Eco-label: EPEAT Criteria ve	ersion:	Date: Oct-2014 Date: Date:	Product category: Workst Product category: Product category:	ation		
P15	Additional information (See NOTE B1				•		
P9	Energy consumption of specific conf		•				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						
P9	See Energy Star Qualified Notebooks & http://www.energystar.gov/index.cfm?fu						
	. 37						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet

- Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Thinkstation P330	Logo	
Model Number	30C5,30C6,30C9,30CY,30D0,30D3		Longyo
Issue Date	2018/5/9		Lenovo.
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD certified		

)	roduct environmental attril Year of manufacture:	34100		Available on product	
:)	Internal/external power supply	efficiency:			
	PCH016-EL0G: 10% 88.64%				
	PA-3251-1VA: 10% 78.10% FSP400-40AGPAA: 10% 87.				
	101 400 40A01 AA. 1070 OT.	20 / 0 02:00 / 0 00:00 / 0	Average 51.55%		
)	Test parameters for measurer				
	 test voltage in V and freque 				
	 total harmonic distortion of information and documenta 				
	— Information and documenta				
	Test voltage in V and frequen				
	Total harmonic distortion of th				
	Information and documentation	•			
	Instrument	Range Used	Make and Model **		
	Type	Or ***	mano ana modo.		
	AC Power Source	1~280VAC;1~550HZ;1000VA.	NF;EC1000S; SN:9152124		
	Digital Watch	Full range	CASIO; HS-70W; SN:208Q08R		
			YOKOGAWA;WT210;SN:91M944		
	Power Meter	0~600V;0~20A	560		
	Hygrothermograph	15~35℃/15~90%	testo; 608-H1,SN:1034895602		
	Thermal anemometer	0~20m/s,-20~70°C	Testo;425;SN:02591883		
	Light Measuring	1° ;1-300cd/ m²	Konica Minolta;LS-110;		
		,	, ,		
)	Maximum power (Watts)				
,	maraniani porroi (rrano)				
1)	Idle state power (Watts)				
				68.12	
)	Sleep mode power (Watts)				
	cloop mode power (traile)			1.27	
)	Off mode power (Watts)				
	On mode power (waits)			0.91	
·1)	Measurement methodology us	sed to determine information mention	aned in points (a):		
')	80 PLUS test method				
2)	Measurement mathedalem used to determine information mentioned in maximum idle along affirmation and the determined in the second of the secon				
2)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
	IEC 62623 / IEC EN50564:2011 measurement methodology				
dditiona	l information				