

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name *	E1922s Wide			
Model number *	MT: 60BD-AAR6			
Issue date *	2014.02.13			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	nt met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	E1922swD	MT: 60BD-AAR6		
Issue date *	2014.2.13		Logo	lenovo

Product	Product environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\square$				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	,				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	$\square$				
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			$\square$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🗌				
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).					
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S		$\square$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\square$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	nd 🔀				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	umber *	E1922swD MT: 60BD-AAR6						
Issue date * 201		2014.2.13	Logo	leno	vo.			
		mental attributes - Market requirements - Environmental conscious	design	Require		met		
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P6.1*		nt information ion for recyclers/treatment facilities is available (see legal reference).						
P0.1		on for recyclers/treatment rachines is available (see legal reference).						
P7	Design Disasse	mbly, recycling						
P7.1*	Parts that	at have to be treated separately are easily separable		$\boxtimes$				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			$\boxtimes$			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.							
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		$\square$				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		Ē			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	Ē		
-	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\square$				
P7.8*	Upgradir	g can be done using commonly available tools			Ē	Ē		
P7.9.		arts are available after end of production for: 5 years				Ħ		
P7.10		s available after end of production for: 5 years				H		
-		and substance requirements						
P7.11*		cover/housing material type:						
	Material	type: ABS Material type: PC Materia	al type:					
P7.12	Electrica	I cable insulation materials of power cables are PVC free.			$\boxtimes$			
P7.13	Electrica	I cable insulation materials of signal cables are PVC free			$\square$			
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.		$\boxtimes$				
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC6 )	61249-2-21. (Se	e	$\square$			
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				$\boxtimes$		
P7.17	Alt. 1			_				
	TBBPA (	Il specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , other; chemical name: 9,10-DIHYDRO-9 APHENANTHRENE-10-OXIDE(DOPO) , CAS #: 35948-25-5						
		Il specifications of flame retardants in printed circuit boards (without components) : 3-4: <b>FR(40)</b>	>25g according	$\boxtimes$				
P7.18		etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparations i	n 🔀				
		ent: No legal limits exist, this is a market requirement.						
		ical name: ABS SD-0150 , CAS #: 9003-56-9						
		ical name: 2-Methyl-2-propenoic acid methyl ester homopolymer , CAS #: 1 ical name: , CAS #:	39189-30-3					
	Alt. 2 Chemica	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% clas 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,					
P7.20		plastic parts' weight >25g, recycled material content is 85%.						
P7.21	Of total p	plastic parts' weight >25g, biobased material content is 0%.						
P7.22		urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp:	mg	$\boxtimes$				
P8	Batterie							
P8.1*	Battery c	chemical composition:				$\square$		
P8.2	Batteries	meet the requirements of the following voluntary program/s:						

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	del number * E1922swD MT: 60BD-AAR6						
Issue date *	2014.2.1	3			Logo	lenovo	
Product environmental attributes - Market requirements (continued) Requirement met							et
Item						Yes No	
	gy consumpt						
	ne product the	following power leve					
Energy mode *		Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard method *	for energy modes and test	
Peak (On-max)		<b>13.6</b> W	<b>13.6</b> W	<b>13.7</b> W	Full load		
Category A							
Idle State - WOL Enabled		<b>13.6</b> W	<b>13.6</b> W	<b>13.7</b> W	Use for Energy Star	V6 registration (P <sub>idle</sub> )	
Sleep (S3) - WO	L Enabled	0.20 W	0.20W	0.25W	Use for ENERGY ST	AR registration(P <sub>sleep</sub> )	
Sleep (S3) - WO	L Disabled	0.20 W	0.20 W	0.25W	Reference		
Off (S5) - WOL E	nabled	0.13 W	0.13 W	0.19 W	Use for Energy Star	V6 registration(Poff)	
Off (S5) - WOL L	Disabled	0.13 W	0.13 W	0.19W	Use for EuP		
Category B		1		I			
Idle State - WOL	Enabled	W	W	W	Use for ENERGY ST	AR V5 registration(Pidle)	
Sleep (S3) - WO	L Enabled	W	W	W	Use for ENERGY ST	AR V5 registration (P <sub>sleep</sub> )	
Sleep (S3) - WO	L Disabled	W	W	W	Reference		
Off (S5) - WOL E	nabled	W	W	W	Use for ENERGY ST	AR V5 registration(Poff)	Ē
Off (S5) - WOL L	Disabled	W	W	W	Use for EuP		Ē
EPS No-load		W	W	W			Ē
(External power s charger plugged outlet but disconr the product.)	in the wall						
PTEC * Typical Energy C	onsumption	W	W	W			
TEC * Typical Energy C	onsumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy C	onsumption	36.60 kWh/year	36.60 KWh/year	37.22kWh/year	$E_{TEC} = (8760/1000) \times P_{idle} \times 0.3)$	$(P_{off} \times 0.6 + P_{sleep} \times 0.1 +$	
		Poff: Off Mode(S5) -	WOL Enabled; P <sub>sleep</sub> : S	Sleep Mode(S3) - WC	L Enabled; P <sub>idle</sub> : Idle Stat	e - WOL Enabled	
Display resolution	ז* : <b>1600*900</b>	Megapixels					
Print Speed *	: Im	ages per minute					$\square$
Default time to er	nter energy sa	ve mode: 20 second	s				
P9.2* Inform	nation about t	he energy save func	tion is provided with	the product.	I		
EN	NERGY STAR	ets the energy requir <sup>®</sup> version: <b>6.0</b> Tier:			am/s:		
	hers specify: sions						
Nois	Noise emission – Declared according to ISO 9296						
P10.1 Mode	e N	Mode description		Declared A-weighted sound power level $L_{\rm WAd}$ (E	sound press	(only if product is not	:
Idle	*	* HDD:Idle		*		operator attended)	
Oper	ation *	HDD: Operating		*			$-\boxtimes$
	r mode						
Meas	ured accordin	ig to: ISO7779 Other	ECMA-74 (only if not covere	d by ECMA-74 with	L <sub>pAm</sub> measurement dis	tance m)	
P10.2 The p	product meets	the acoustic noise re				Í 🗌 🗌	

Model nur	mber *	E1922swD	MT: 60	BD-AAR6					
Issue date	<b>;</b> *	2014.2.13				Logo	leno	VO.	
Product	environn	nental attributes - Ma	rket requiren	nents (continued	)		Require	ment	met
Item				•			Yes	No	n.a.
	Chemica	al emissions from print	ing products						
P10.3*	Test per	formed according to ECM	1A-328 (ISO/IEC	C 28360) standard	, other specify:				$\boxtimes$
P10.4	Typical e	emission rate (print phase	e) is (mg/h):	,					$\square$
		Dust Ozone	Styrene	Benzene	TVOC				
P10.5	Chemica	al emission requirements	of the following	voluntary program/s	are met for :				$\boxtimes$
	0	Dust Ozone	Styrer	ne 🗌 👘 Be	nzene 🗌	TVOC 🗌			
	Electron	magnetic emissions							
P10.6	program			frequency electroma	ignetic fields of the fo	llowing voluntary	$\boxtimes$		
P11	Consum	hable materials for print	ing products						
P11.1*	A Safety	Data Sheet (SDS) is ava	ailable for the inl	k/toner preparation,	even if not legally req	uired (see P4.3).			$\boxtimes$
P11.2*	Paper c EN1228	ontaining post-consumer 1.	recycled fibers	s can be used, pro	vided that it meets t	he requirements of	of 🗌		$\square$
P11.3*	2-sided (	(duplex) printing/copying	is an integrated	product function.					$\times$
P12		mics for computing pro							
P12.1*	The disp	lay meets the ergonomic	requirements o	of ISO 9241-307 for v	isual display technol	ogies.	$\square$		
P12.2*	The phys	sical input device meets t	he requirement	s of ISO 9995 and IS	SO 9241-410.				
P13	Packagi	ng and documentation							
P13.1*	Product Product	packaging material type(s packaging material type(s packaging material type(s packaging material type(s	s): <b>PE Bag</b> s): <b>Paper</b>	weight (kg): 0.150 weight (kg): 0.025 weight (kg): 0.690 weight (kg): 0.016					
P13.2*	Product	plastic packaging is free	from PVC.				$\square$		
P13.3*		media for user and produ ic 🔀, Paper 🔀, Other [	ct documentatio	on (tick box):					
P13.4*		er user and product docur	mentation, pleas	se specify contained	percentage of post-c	onsumer recycled			
P14		nal information (See Not							
	informati knowled provided informati		ment. All inform f completion, ar provided for inf	nation provided by so nd supplier shall hav formational purposes	upplier in this docume e no obligation to upo s only. See a Lenovo	ent is provided bas late such informati Account Represer	ed on sup on. The in	plier's format	ion
P9		ergy Star Qualified Note ww.energystar.gov/inde					0		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19