

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo					
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 Bulcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at					
	http://www.lenovo.com/social_responsibility/us/en/datasheets_l	monitors.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Display						
Commercial name *	E2323 Wide						
Model number *	MT: 60B0-HA*1						
Issue date *	2013.11.25						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	nt met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	E2323	MT: 60B0-HA*1		
Issue date *	2013.11.25		Logo	lenovo.

Product	t environmental attributes - Legal requirements	Requirement met			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		$\overline{\Box}$	\square	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes	П		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).				
	Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	E2323 MT: 60B0-HA*1		
Issue date *	2013.11.25	Logo	lenovo

Product		equiren	nent	met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.							
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes						
P7	Design Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes						
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		$\overline{\sqcap}$					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\overline{\sqcap}$					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	$\overline{\Box}$				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	Ħ	Ħ				
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes	П					
P7.8*	Upgrading can be done using commonly available tools	X	$\overline{\sqcap}$					
P7.9.	Spare parts are available after end of production for: 5 years			Ħ				
P7.10	Service is available after end of production for: 5 years			Ħ				
	Material and substance requirements							
P7.11*	Product cover/housing material type:							
	Material type: PC Material type: PC							
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes					
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes						
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes					
	Note B2)							
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:							
P7.17	Alt. 1							
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	\boxtimes	Ш	Ш				
	TBBPA (additive) , TBBPA (reactive) , Other, Chemical Hame. , CAS #.							
	Alt. 2							
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes						
	ISO 1043-4: <i>FR(16)</i>							
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in							
	concentrations above 0.1%:	Ш	Ш					
	Comment: No legal limits exist, this is a market requirement.							
	1. Chemical name: , CAS #:							
	2. Chemical name: , CAS #:							
	3. Chemical name: , CAS #:							
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:							
	Chomical specifications of name retardants in plastic parts >20g according to 0 1040 4.							
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)							
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.							
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.							
P7.22	Light sources are free from mercury							
DO	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg							
P8 1*	Batteries Pottony chemical composition:							
P8.1*	Battery chemical composition:							
P8.2	Batteries meet the requirements of the following voluntary program/s:							

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	E2323	MT: 60B0-HA*1		
Issue date *	2013.11.25		Logo	lenovo

Product environmental attributes - Market requirements (continued) Requirement met									
Item					Yes No	n.a.			
P9	Energy consump								
9.1	For the product the	e following power leve			ported: See P14				
Energy mo			Reference / Standard for energy modes and test method *						
Peak (On-	max)	20.08 W 19.89W 19.86 W Full load		Full load					
Categor	v A		l	I.					
	- WOL Enabled	20.08 W	19.89 W	19.86 W	Use for ENERGY STAR V6 registration (Pidle)	П			
Sleep (S3)	- WOL Enabled	0.17 W	0.17 W	0.18 W	Use for ENERGY STAR V6 registration(P _{sleep})	一			
Sleep (S3)	- WOL Disabled	0.17 W	0.17 W	0.18 W	Reference	$\overline{\sqcap}$			
Off (S5) - I	WOL Enabled	0.11 W	0.11W	0.12 W	Use for ENERGY STAR V6 registration(Poff)				
Off (S5) - I	WOL Disabled	0.11 W	0.11W	0.12 W	Use for EuP				
Categor	v B			l .					
Idle State	- WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{idle})				
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Psleep)				
Sleep (S3)	- WOL Disabled	W	W	W	Reference				
Off (S5) - I	WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{off})				
Off (S5) - I	WOL Disabled	W	W	W	Use for EuP				
EPS No-loa	ad	W	W	W					
charger plu	oower supply / ugged in the wall lisconnected from t.)								
PTEC *	•	W	W	W					
Typical En	ergy Consumption								
TEC * Typical End	ergy Consumption	kWh/week	kWh/week	kWh/week					
ETEC * Annual Ene	ergy Consumption	53.50 kWh/year	53.00 kWh/year	52.98 kWh/ye ar	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$				
		P _{off} : Off Mode(S5) -	WOL Enabled; P _{slee}	: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled				
Display res	solution* : 1920*10	80 Megapixels							
Print Spee	d* : In	nages per minute							
Default tim	e to enter energy s	ave mode: 15 Second	ds			$\overline{\sqcap}$			
P9.2*	Information about	the energy save func	tion is provided wi	th the product.	× Π	$\overline{\sqcap}$			
P9.3*		eets the energy requir				<u>—</u>			
	Others specify:								
P10	Emissions Noise emission	Doctored according	to ISO 0206						
P10.1	Noise emission – Declared according to ISO 9296 1 Mode Mode description Declared Declared A-weighted			Declared A-weighted					
	mode does, pas.		A-weighted	sound pressure level $L_{-\Delta m}$ (dB)					
				sound power level $L_{W\!Ad}$ (
				WAd V	Desktop X				
					or Desk side (only if product is not operator attended)				
	Idle	* HDD:Idle	IDD:Idle			\boxtimes			
	Operation	* HDD: Operating		*		\boxtimes			
	Other mode								
	Measured accordi	ng to: ISO7779 L	ECMA-74		1				
P10.2	The product most	Other	· ·	•	with L _{pAm} measurement distance m)				
	10.2 The product meets the acoustic noise requirements of the following voluntary program/s:								

wodei nu	ilibei	E2323	IVI I :	[·] 60B0-H/	A *	*1					
Issue dat	e *	2013.11.25					Logo		leno	VO.	
Product	environn	nental attrib	utes - N	Market require	eme	nents (continued)			Require	ment	met
Item									Yes	No	n.a.
	Chemica	al emissions f	from pri	nting products	}						
P10.3*	Test per	formed accord	ing to E0	CMA-328 (ISO/II	EC:	28360) standard, other specify:					\boxtimes
P10.4	Typical e	emission rate (print pha	ise) is (mg/h):							
			Ozone	Styrene		Benzene TVOC					
P10.5		al emission req Dust	uiremen Ozone		-	voluntary program/s are met e Benzene	for :	l			\boxtimes
		nagnetic emis		; Styl	rene	e Berizerie	1 000				
P10.6				quirement for lov	w fr	requency electromagnetic fields of t	he following volu	ıntarv			
1 10.0	program			quironioni ioi ioi		requeries electromagnette helde en t	no ronoving voic	arrical y		ш	ш
P11	Consum	nable material	s for pri	inting products	S						
P11.1*	A Safety	Data Sheet (S	SDS) is a	vailable for the	ink/	/toner preparation, even if not legall	y required (see I	P4.3).			\boxtimes
P11.2*	Paper co		-consum	er recycled fibe	ers	can be used, provided that it me	ets the requirer	ments o	of		
P11.3*	2-sided (duplex) printin	g/copyin	g is an integrate	ed p	product function.					\boxtimes
P12	Ergonor	nics for comp	outing p	roducts							
P12.1*	The disp	lay meets the	ergonom	nic requirements	s of	ISO 9241-307 for visual display ted	hnologies.		\boxtimes		
P12.2*	The phys	sical input devi	ice meet	s the requireme	ents	of ISO 9995 and ISO 9241-410.					
P13		ng and docur									
P13.1*	Product Product	packaging mat packaging mat packaging mat packaging mat	terial typ terial typ	e(s): Paper		weight (kg): 0.196 weight (kg): 0.027 weight (kg): 0.010 weight (kg): 0.954					
P13.2*		plastic packag				3 7 (3)			X		
P13.3*		media for user		duct documenta	ation	n (tick box):					
P13.4*		er user and pro			ease	e specify contained percentage of p	ost-consumer re	ecycled			
P14		nal information									
	informati knowled provided informati	on contained i ge available at here is appro- on.	n this do the time ximate a	ecument. All info e of completion, and provided for i	orma and info	ntees, assurances or warranties wh ation provided by supplier in this do d supplier shall have no obligation to ormational purposes only. See a Ler	cument is provid o update such in novo Account Re	led bas formati	ed on sup on. The in	plier's forma	;
P9						Computers for the latest information=find_a_product.showProduct		ode=CC)		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19