

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor				
Commercial name *	ThinkVision L2251p Wide				
Model number *	M/T: 2572-H*6				
Issue date *	2009, September 03				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkVision L2251p Wide	M/T: 2572-H*6		
Issue date *	2009, September 03		Logo	lenovo

Item	Product	environmental attributes - Legal requirements	Requirement met			
P1.1° Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyly (RPB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) P1.2° Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value. P1.3° Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.4° Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), nydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCPC), Halons, carbonitetrachloride, 1,1,1-trochlorocethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4° Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated lephenyl (PCD) in preparations (see legal reference). Comment: Legal reference has no maximum concentration values. P1.5° Exclusional containing or state 48% per mass of clinton in the SCCP; (see legal reference). Comment: Legal reference has no maximum concentration values. P1.8° Textile and leather parts with direct skin contact do not contain Tel-(2.3-cibromopropyl)-phosphate (TRIS), Tis-(aridinyl-)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9° Parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.8° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/m/week (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/m/m/mek (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9° Parts with direct and prolonged skin contact do not release nickel in c			Yes	No	n.a.	
0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)  Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.  P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrofbromfluorocarbons (HBFC), hydrochlorofluorocarbons (CFC), hydrofbromfluorocarbons (HBFC), hydrochlorofluorocarbons (CFC), hydrochlorofluorocarbons (HBFC), hydrochlorofluorocarbons (CFC), hydrochlorofluorocarbons (HBFC), hydrochlorofluorocarbons (HBFC), hydrochlorofluorocarbons (HBFC), hydrochlorofluorocarbons (HBFC), hydrochlorofluorocarbons (HBFC), hydrochlorons (HBFC), see legal reference).  P1.5* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic aminise, (See legal reference has no maximum concentration values.  P1.7* Toxille and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic aminise, (See legal reference and chornium as a wood preservation treatment as well as pentachlorophenic and deviatives (See legal reference).  P1.9* Very still direct and protonged skin contact do not release nickes.  P1.9* Parts with direct and protonged skin contact do not release nickes.  P2.1* If the product contains a battery or an accumulation, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concentration on proper disposal is provided in user manual. (See legal reference).  P2.2* Batteries  P2.1* If the product contains a battery or an accumulati						
Comment. Legal reference has no maximum concentration value.  P1.3: Products do not contain Ozono Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochronofluorocarbons (HBFC), hydrochronofluorocarbons (HBFC), Halons, carbontetrachloride, 1,1,1-trichlorocethane, methyl bromide (see legal reference). Comment. Legal reference has no maximum concentration values.  P1.4: Products do not contain more than 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCD) in preparations (see legal reference). Comment. Legal reference).  P1.5: Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Comment. Legal reference has no maximum concentration values. Comment. Legal reference has no maximum concentration values.  P1.7: Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split arrowatca mines. (See legal reference) and some periodic polychoratic amines. (See legal reference). Comment. Legal reference has no maximum concentration values.  P1.9: Wooden parts do not contain arsenic and Arbonium as a wood preservation treatment as well as periodicolorycherol and derivaritives (see legal reference). Comment. Legal reference has no maximum concentration values.  P1.9: Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5. Images an incomment. Maximit in legal reference when lested according to ENT8111998.  P2.1: If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concentration, and the product of the metal concernment, high reference high product is intended for connection to the metal concernment, high reference high product is intended for c	P1.1*	0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal				
P1.3: Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC) hydrochromfluorocarbons (HBFC), Mydrochlorofluorocarbons (HGFC), Majorcchlorofluorocarbons (HGFC), Majorcchlorofluorocarbons (HGFC), Majorcchlorofluorocarbons (HGFC), Majorcchlorofluorocarbons (HGFC), Majorchlorofluorocarbons (HGFC), Majorchlorocarbons (HGFC), HGFC), Majorchlorocarbons (HGFC), HGFC), Majorchlorocarbons (HGFC), HGFC), Majorchlorocarbons (HGFC), HGFC), HGFC, HGFC, HGFC, HGFC), HGFC, H	P1.2*		$\boxtimes$			
hydrobromofluorocarbons (HBFC), hydrochlordiuorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3, dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  P1.9* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/usen/environment.html  P2.* Batteries  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is produced in user manual. (See legal reference).  P3.* Safety, EMC connection to the tensor than 0.005% of mercury or 0.002% of cadmium. (See leg	P1.3*		$\overline{\square}$			
concentration values.  P1.4" Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated tephenyl (PCT) in preparations (see legal reference).  P1.5" Products do not contain more than 0.1% short chain chiloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.5" Totalise and leather parts with direct skin contact do not contain Tri-(2.3 -dibrromoproyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  P1.7" Textile and leather parts with direct skin contact do not contain marked to maximum concentration values.  P1.7" Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic anines. (See legal reference and Note B1)  P1.9" Variable and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic anines. (See legal reference and Note B1)  P1.9" Variable with direct and prolonged skin contact do not contain more than 0.003% Azo colorants that split aromatic anines. (See legal reference).  Comment: Legal reference has no maximum concentration values.  Comment: Legal reference has no maximum concentration values.  P1.9" REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/usen/environment.html  P2.8 Satteries  P2.1" If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.3" Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product contain an entire than 0.0005% of me						
P1.4: Products do not contain more than; 0.005% polychlorinated biphenyl (PCT) in preparations (see legal reference).  P1.5: Products do not contain more than 0.1% short chain chloroparatfins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6: Textile and leather parts with direct skin contact do not contain Th(2.3 distromporpyl)-phosphate (TRIS), Tis-(azindinyl-phosphate) prophosphate (TRIS), Tis-(azindinyl-phos						
terphenyl (PCT) in preparations (see legal reference).  P1.5: Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6: Textile and leather parts with direct skin contact do not contain Tri-(2.3, dibromopropyl)-phosphate (TRIS), Tris-(azridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  P1.7: Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference has no maximum concentration values.  P1.8: Wooden parts do not contain arenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9: Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10: REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html  P2. Batteries  P2.1: If the product contains a battery or an accumulator, it is tabeled with the disposal symbol and if it contains more than 0.0005% of mercury (for burton cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2: Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.005% of mercury or 0.002% of cadmium. (See legal reference)  P3.3: The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3: The product is intended for connection to a public telecom n	D					
P1.5' Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6' Textile and leather parts with direct skin contact do not contain Th-(2.3,-dibromoproyl)-phosphate (TRIS), Tirs-(azzindinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.7' Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split are pentachlorophenol and derivatives (see legal reference) and hold the pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9' Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10' REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html  P2 Batteries  P2.1' If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2' Button cells used in the product do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P3.3' Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries than 2% by weight of mercury. Other batteries or accumulators are daily required standards for electromagnetic compatibility (see legal reference).  P3.1' The product complies with legally required stan	P1.4*		$\boxtimes$			
chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3-dibromopropyl-)-hosphate (TRIS), Tris-(azridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  P1.8* Wooden parts do not contain arsenic and chromotum as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html  P2. Batteries  P2.11* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Higo Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Batteries and accumulators do not contain more than 0.005% of mercury. Other batteries or accumulators do not contain more than 0.005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Safety, EMC connection to the telephone network and labeling  P3.1* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.2* The product is libeled to show conformance with applicable legal requirements (see legal reference).  P3.3* The product is intended for connection to a public telecom network or contains a radio	P1.5*		$\overline{\square}$			
Tris-(aziridnyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.7' Taxtile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  P1.8' Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and defivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9' Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm//week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10' REACH Article 33 information about substances in articles is available at (add URL or mail contact):  http://www.lenovo.com/social_responsibility/us/en/environment.html  P2 Batteries  P2.1' If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2' Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P3.3 Safety, EMC connection to the telephone network and labeling  P3.1' The product complies with legally required safety standards as specified (see legal reference).  P3.2' The product complies with legally required safety standards as specified (see legal reference).  P3.3' If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required safety standards for electromagnetic compatibility (see legal reference).  P4. Consumable material		chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		<u> </u>		
P1.7' Totale and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  P1.8' Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9' Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10' REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html  P2.1' If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.009% of learn 0.004% of leat, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2' Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3' Batteries and accumulators are easily removable? (See legal reference)  P3. Safety, EMC connection to the telephone network and labeling  P3.1' The product complies with legally required safety standards as specified (see legal reference).  P3.2' The product complies with legally required safety standards for electromagnetic compatibility (see legal reference).  P3.3' If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required safety standards for electromagnetic compatibility (see legal reference).  P4. Consumable materials  P4.1' If ink/loner is used in the product, it does not contain cadmium max 0.01% (see legal reference).  P5. Product packag	P1.6*				$\bowtie$	
P1.8* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split amonatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P8.110* REACH Article 3in information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/en/vironment.html  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proved slopsoal is provided in user manual. (See legal reference)  P2.2* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3.3* If product complies with legally required safety standards as specified (see legal reference).  P3.4* The product complies with legally required safety standards as specified (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4. Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference).  P4. Product packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is av						
P1.8* Wooden parts do not contain arsenic and Note B1)  P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5  microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact):  http://www.lenovo.com/social_responsibility/us/en/environment.html  P2 Batteries  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference).  P3.1* The product complies with legally required sandards for electromagnetic compatibility (see legal reference).  P3.2* The product complies with legally required sandards for electromagnetic compatibility (see legal reference).  P3.4* The product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference).  P4.4* Consumable materials  P4.1* If a photo con	P1.7*					
P1.9* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal arfedrence).  Comment: Legal reference has no maximum concentration values.  P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P2.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/en/vironment.html  P2 Batteries  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.005% of mercury or 0.002% of cadmium. (See legal reference)  P3.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3.3* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required safedrates for radio and telecommunication devices (see legal reference).  P4. Consumable materials  F4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.2* If ink/toner is used in			ш	ш		
P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	P1.8*				$\boxtimes$	
P1.9° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10° REACH Article 33 information about substances in articles is available at (add URL or mail contact):					_	
microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.  P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html  P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3.2* Safety, EMC connection to the telephone network and labeling  P3.1* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P4.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.5* If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference).  P4.6* The product packaging as adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see	D4.0*			_		
P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact):    REACH Article 33 information about substances in articles is available at (add URL or mail contact):   http://www.lenovo.com/social_responsibility/us/en/environment.html   P2.	P1.9"		$\boxtimes$	Ш	Ш	
P2.1° If the product contains and bate substances in articles is available at (add URL or mail contact):    P2						
P2   Batteries	P1.10*					
P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3.4* The product complies with legally required safety standards as specified (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to SD 11469 referrin		http://www.lenovo.com/social_responsibility/us/en/environment.html				
more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3.4* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P4.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 refe	P2	Batteries		•	-	
marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)  Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3. Safety, EMC connection to the telephone network and labeling  P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P6.3* The produ	P2.1*				$\square$	
P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3. Safety, EMC connection to the telephone network and labeling  P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be				
P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3.4* The product complies with legally required safety standards as specified (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is				
P2.3°   Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)   P3	P2 2*				$\square$	
P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  P3. Safety, EMC connection to the telephone network and labeling  P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			ш			
P3. Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			$\boxtimes$	
P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4. Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5. Product packaging  Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			_		_	
P3.1* The product complies with legally required safety standards as specified (see legal reference).  P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.4* Product packaging  Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	Do.					
P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference).  P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4. Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).				$\overline{}$		
P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.4* Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).				₩		
with legally required standards for radio and telecommunication devices (see legal reference).  P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference).  P4 Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			<u> </u>	<u>Щ</u>		
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3.3*			Ш	$\boxtimes$	
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.2* Product packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).				
legal reference and Note B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P4	Consumable materials				
P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P4.1*					
P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X	
product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  Product packaging  Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	Ħ	Ħ		
P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these				
P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P5					
hexavalent chromium by weight of these together.  P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			M			
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		hexavalent chromium by weight of these together.				
Protocol (see legal reference).			$\boxtimes$			
	P5.3*					
		Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkVision L2251p Wide	M/T: 2572-H*6		
Issue date *	2009, September 03		Logo	lenovo

Product	duct environmental attributes - Market requirements - Environmental conscious design Requirement me			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		₩	+
P7.3*			井	井
	Plastic parts >100g consist of one material or of easily separable materials.		井	Щ.
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Щ.	<u>Ц</u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u>Ш</u>	_Ц
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	Щ.	Щ.	
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
P7.12	Material type: ABS Material type: Material type: Electrical cable insulation materials of power cables are PVC free.	_		_
	·	井		Щ.
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		Щ.	Ш
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	$\boxtimes$		
P7.16	Note B2) Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	_		
F7.10	Marking:	Ш	Ш	
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	П		
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			$\boxtimes$
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.  Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			$\boxtimes$
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	ш	ш	
	Chemical specifications of flame retainants in plastic parts >259 according 150 1045-4.			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			$\boxtimes$
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is +25%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury  If mercury is used specify: Number of lamps: 2 and max. mercury content per lamp: 2.3 mg			$\boxtimes$
P8	Batteries			
P8.1*				
P8.2	Battery chemical composition:			
1 0.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkVision L2251p Wide	M/T: 2572-H*6		
Issue date *	2009, September 03		Logo	lenovo

Product 6	environmental attributes - Market requirements (continued) Requirement me					met	
Item						Yes No	n.a.
P9	Energy consump						
9.1	For the product the	e following power leve	els or energy consur	nptions are reporte	d:		
Energy mo	de	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for and test method *	energy modes	
Peak (On-	max)	W	<b>28</b> W	<b>22</b> W	Full load		
On-idle		W	<b>19</b> W	<b>19</b> W	On Mode/Active Power		
Save 1		W	<i>0.48</i> W	<i>0.65</i> W	Sleep Mode/Low Power		
Off		W	<b>0.42</b> W	<b>0.51</b> W	Off Mode/Standby Power		
		W	W	W			Щ
		W	W	W			
EPS No-lo	ad	W	W	W			
charger plu	oower supply / ugged in the wall lisconnected from t.)						
PTEC Typical En	ergy Consumption	W	W	W			
TEC *	ergy condumption	kWh/week	kWh/week	kWh/week			
Typical En	ergy Consumption						
Display res	solution : 1680*10	50 Megapixels					
Print Spee	d : In	nages per minute					
Default tim	e to enter energy sa	ave mode: 10 minute:	S				
P9.2*	Information about	the energy save fund	tion is provided with	the product.			
P9.3*		s the energy requirent version: <b>5.0</b> Produc			/s:		$A \square$
P10	Emissions						
	Noise emission –	Declared according	to ISO 9296				
P10.1	Mode	Mode description	<u> </u>	Declared	Declared A-weig	nhted	
		mode decempne	•	A-weighted	_		
				sound	sound pressure level	$L_{pAm}$ (ub)	
				power	Operator		
				level	position		
				$L_{WAd}$ (B)	Desktop 🗌		
					or Desk side		
	Idle	*		*			$\boxtimes$
	Operation	*		*			$\boxtimes$
	Other mode						
	Measured acco	ording to: 🔀 ISO	7779 🔲 ECMA-	-74			
	Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)						
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:						

Model number *	ThinkVision L2251p Wide	M/T: 2572-H*6		
Issue date *	2009, September 03		Logo	lenovo

Product	environmental attributes - Market requirements (continued)	equire	ment	met		
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			$\boxtimes$		
P10.4	Typical emission rate (print phase) is (mg/h):			$\boxtimes$		
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			$\boxtimes$		
	Dust Ozone Styrene Benzene TVOC					
	Electromagnetic emissions					
P10.6	6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II					
P11	Consumable materials for printing products	•				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\boxtimes$				
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): <i>EPS</i> weight (kg): <i>0.45</i>					
	Product packaging material type(s): Corrugated weight (kg): 1.28					
P13.2*	Product packaging material type(s): weight (kg):  Product plastic packaging is free from PVC.		$\overline{}$			
		$\boxtimes$		Щ.		
P13.3*	Specify media for user and product documentation (tick box):					
D40.4*	Electronic , Paper , Other			_		
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%(Japan only 70%)					
P14	Additional information (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.	-				
P9	See Energy Star Qualified Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=MO					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19