

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkVision	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.lenovo.com/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Monitor			
Commercial name *	ThinkVision L2321x Wide			
Model number *	М/Т: 4014-Н*6			
Issue date *	2010, June 21			
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information	nal information ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model nu	imber *	ThinkVision L2321x Wide M/T: 4014-H*6				
Issue dat	:e *	2010, June 21	Logo	lend	vo	Č.
	environ	mental attributes - Legal requirements		Require		met
Item				Yes	No	n.a.
P1		bus substances and preparations	volont ob rom:			
P1.1*	0.1% po	a do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexa lybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (Se e and Note B1)		ium, 🔀		
P1.2*	Products	s do not contain Asbestos (see legal reference). it: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products hydrobro trichloroe	a do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no r ration values.				
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polych I (PCT) in preparations (see legal reference).	lorinated	\square		
P1.5*		do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in	the 🔀		
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pho ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference nt: Legal reference has no maximum concentration values.		6),		
P1.7*		nd leather parts with direct skin contact do not contain more than 0.003% Azo colo amines. (See legal reference and Note B1)	rants that spl	it 🗌		\boxtimes
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as v orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.	vell as			
P1.9*	Parts wit microgra	h direct and prolonged skin contact do not release nickel in concentrations above m/cm ² /week (see legal reference).	0.5			
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html					
P2	Batterie					
P2.1*	more that marked v	duct contains a battery or an accumulator, it is labeled with the disposal symbol ar in 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lea with the chemical symbol for the metal concerned, Hg or Pb. Information on proper in user manual. (See legal reference)	ad, it shall be	is 🗌		
P2.2*					\boxtimes	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3		EMC connection to the telephone network and labeling				
P3.1*	The proc	luct complies with legally required safety standards as specified (see legal reference	ce).	\square		
P3.2*	The proc	luct complies with legally required standards for electromagnetic compatibility (see	legal referen	ice). 🔀		
P3.3*		t is intended for connection to a public telecom network or contains a radio transm Illy required standards for radio and telecommunication devices (see legal reference		ies		
P3.4*	The proc	duct is labeled to show conformance with applicable legal requirements (see legal i	eference).			
P4		nable materials				
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium m erence and Note B1).	,			
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see le	gal reference).		\boxtimes
P4.3*	product/	/toner formulation/preparation is classified as hazardous according to applicable re packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance wit tents is available (see legal reference).		e		
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0.01% lead, merculent chromium by weight of these together.		and 🔀		
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal	reference).	\boxtimes		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). ht: Legal reference has no maximum concentration values.	in the Mon	treal 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Issue dat	te * 2010, June 21 Logo	leno		100		
Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	me		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square				
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\square				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ē			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ			
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools		Ħ	X		
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years			+		
1 7.10	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: Material type: Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.	\boxtimes				
P7.13	Electrical cable insulation materials of signal cables are PVC free		Ħ	Ē		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		H	F		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		H	-		
	Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			\geq		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			\ge		
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	n 🗌				
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:	n				
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			$\mathbf{ imes}$		
P7.20	Of total plastic parts' weight >25g, recycled material content is +25%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batteries					
P8.1*						

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nur	nber *	^{er*} ThinkVision L2321x Wide M/T: 4014-H*6								
Issue date	; *	2010, Ju	ine 21			1	Logo	leno	vo	
Product	Product environmental attributes - Market requirements (continued) Requirement m							mot		
Item								n.a.		
P9	P9 Energy consumption									
9.1 For the product the following power levels or energy consumptions are reported:										
Energy mo	ode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / and test met	Standard for	energy m	odes	
Poak (On-	max)		27 W	27 W	27 W	Full load	nou			
Peak (On-max) On-idle		25 W	25 W	25 W	On Mode/Ad	tive Power			H	
Save 1		0.72 W	0.74 W	0.78 W	Sleep Mode/Low Power					
Off			0.26 W	0.25 W	0.28 W	Off Mode/St	andby Power			
			W	W	W		-			
			W	W	W					
EPS No-lo	ad		W	W	W					
(External p		ply /								
charger plu	00									
outlet but of the produc		ed from								
PTEC		*	W	W	W					
Typical En	ergy Cons	umption								
TEC *			kWh/week	kWh/week	kWh/week					
Typical En	ergy Cons	umption								
Display res	solution	: 1 920*10	80 Megapixels							
Print Spee	d	: In	nages per minute							
Default tim	ne to enter	energy sa	ave mode: 10 minute:	S						
P9.2*	Informati	on about	the energy save func	tion is provided with	the product.			\boxtimes		
P9.3*		Y STAR®	the energy requirem version: 5.0 Production:			/s:				
P10	Emissio									
	Noice of	minoion	Declared according	to ISO 0206						
	NOISE EI	hission –	Declared according	10 150 9296						
P10.1	Mode		Mode descriptior	ו	Declared	Dec	clared A-wei	ghted		
					A-weighted sound	sound pro	essure level	L_{pAm} (dl	B)	
					power			-		
					level	Op positi	erator			
					L_{WAd} (B)	Deskt				
	1.0.		*		*	or Desk si	de			
	Idle Operat		*		*					\boxtimes
	Other r									
			ording to: 🔀 ISO	7779 🗌 ECMA-	-74					
		-	Other		ed by ECMA-74 wit	h L _{pAm} measu	irement distand	ce n	n)	
P10.2	The proc	luct meets	s the acoustic noise r	equirements of the f	ollowing voluntary p	orogram/s:				\square

٦

Model nu	mber *	ThinkVision L2321x Wide M/T: 4014-H*6				
Issue date	e *	2010, June 21	.ogo	leno	vo	
Dueslaset				Denvine		
	environn	nental attributes - Market requirements (continued)		Require		
Item	Chomic	al emissions from printing products		Yes	No	n.a.
P10.3*						
P10.4		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				
P10.4	• •	Dust Ozone Styrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for :				\square
1 10.0			voc			
	Electron	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follow /s: MPR-II	ving voluntary	\boxtimes		
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally require	ed (see P4.3).			\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the 1.	requirements c	of 🗌		\square
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\times
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologie	es.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): <i>LDPE</i> weight (kg): <i>1.1</i> packaging material type(s): <i>Corrugated</i> weight (kg): <i>1.4</i> packaging material type(s): weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		nedia for user and product documentation (tick box):				
P13.4*	For pape	r user and product documentation, please specify contained percentage of post-cons %(Japan only 70%)	sumer recycled			
P14	Additior	al information (See Note B4)				
	informati knowled provided informati		is provided base such informatic count Represent	d on supp on. The inf	olier's ormat	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>2	5g.			
P9		rgy Star Qualified Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&	paw code=MO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19