

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter @lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display				
Commercial name *	LT2013p Wide				
Model number *	MT:60A0-MA*1				
Issue date *	2013.11.25				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🛛	

Model number *	LT2013pwA	MT: 60A0- MA*1		
Issue date *	2013.11.25		Logo	lenovo

Product	oduct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*					
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	\Box		
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	d 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LT2013pwA	MT: 60A0- MA*1		
Issue date *	2013.11.25		Logo	lenovo

Product		equire	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	Ħ	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\overline{\boxtimes}$	Ħ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\boxtimes}$	Ħ	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	П	
P7.8*	Upgrading can be done using commonly available tools		Ħ	
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	\boxtimes	Ш	Ш
	TBBFA (additive) , TBBFA (reactive) , Other, Chemical Hame. , CAS #.			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes		
	ISO 1043-4: <i>FR(16)</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:		Ш	
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	Chemical specifications of flame retardants in plastic parts >239 according 100 1043-4.		П	\boxtimes
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
D7.00	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 85%.			
P7.21 P7.22	Of total plastic parts' weight >25g, biobased material content is 0%. Light sources are free from mercury			
1 1.22	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	Ш
P8	Batteries			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			$\overline{\boxtimes}$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LT2013pwA	MT: 60A0- MA*1		
Issue date *	2013.11.25		Logo	lenovo

Product environn	nental att	tributes - Market	requirements (continued)	Requirement	met
Item					Yes No	n.a.
•	consumpt					
9.1 For the product the following power levels or energy consumptions are reported: See P14						
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)		14.49W	14.45W	14.51W	Full load	
Category A						
Idle State - WOL En	abled	14.49 W	14.45W	14.51W	Use for ENERGY STAR V6 registration (P _{idle})	П
Sleep (S3) - WOL E	nabled	0.36W	0.36W	0.41 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL D	isabled	0.36W	0.36W	0.41 W	Reference	
Off (S5) - WOL Enai	bled	0.23 W	0.23 W	0.27 W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disa	bled	0.23 W	0.23 W	0.27 W	Use for EuP	
Category B		-				
Idle State - WOL En	abled	W	W	W	Use for ENERGY STAR V6 registration(Pidle)	
Sleep (S3) - WOL E	nabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3) - WOL D	isabled	W	W	W	Reference	
Off (S5) - WOL Enai	bled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disa	bled	W	W	W	Use for EuP	
EPS No-load		W	W	W		
(External power support charger plugged in the outlet but disconnect the product.)	ne wall					
PTEC *		W	W	W		
Typical Energy Cons	umption					
TEC * Typical Energy Cons	umption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Cons	umption	39.60 kWh/year	39.50 kWh/year	39.91 kWh/ye ar	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
		P _{off} : Off Mode(S5) -	WOL Enabled; P _{sleep}	: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution* :	1600*900	Megapixels				
Print Speed *	: Im	ages per minute				\boxtimes
Default time to enter	energy sa	ve mode: 15 second	S			П
P9.2* Informati	on about t	he energy save func	tion is provided wi	th the product.		
ENER	GY STAR	ets the energy requir ® version: <i>Version</i> (
P10 Emissio	s specify:					
		Declared according	to ISO 9296			
P10.1 Mode		Node description		Declared	Declared A-weighted	
				A-weighted sound power		
				level L_{WAd} (
				,,,,,,	Desktop (only if product is not	
Idle	*	HDD:Idle		*	operator attended)	
Operatio	n *	HDD: Operating		*		
	Other mode					
Measure	d accordin	g to: 🔀 ISO7779 🗌	ECMA-74	<u> </u>	•	
		Other	· •	•	with L _{pAm} measurement distance m)	
P10.2 The prod	luct meets	the acoustic noise re	equirements of the	e following volunt	tary program/s:	\boxtimes

wodei nu	ımber "	LT2013pwA MT: 60A0- MA*1				
Issue dat	te *	2013.11.25	Logo	lenov	/O .	
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical e	emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :				\boxtimes
		Oust Ozone Styrene Benzene	TVOC 🗌			
		magnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following	owing voluntary			
B44	program					
P11		nable materials for printing products	inad (a.a. D4.0)			
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ			<u>Ц</u>	
P11.2*	Paper co	ontaining post-consumer recycled fibers can be used, provided that it meets the 1.	e requirements	of		
P11.3*	2-sided ((duplex) printing/copying is an integrated product function.				\boxtimes
P12		mics for computing products				
P12.1*		olay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13	Packagi	ng and documentation				
P13.1*		packaging material type(s): EPS weight (kg): 0.270				
		packaging material type(s): PE Bag weight (kg): 0.027				
		packaging material type(s): Paper weight (kg): 0.040				
D40.0*		packaging material type(s): Carton weight (kg): 0.780			_	_
P13.2*		plastic packaging is free from PVC.		\boxtimes		ᆜ
P13.3*		media for user and product documentation (tick box): ic ☑, Paper ☑, Other ☑				Ш
P13.4*	For pape fiber: 7	er user and product documentation, please specify contained percentage of post-co	nsumer recycled			
P14		nal information (See Note B4)				
	NOTE: S informati knowled provided informati	Supplier makes no representations, guarantees, assurances or warranties whether externed in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to updat here is approximate and provided for informational purposes only. See a Lenovo Ation.	it is provided bas ite such informat	sed on sup ion. The in	plier's forma	3
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw_code=C	0		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19