

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Display		
Commercial name *	LT2934z Wide		
Model number *	MT:60A5-RA*1		
Issue date *	013.11.25		
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀		

Model nur	nber *	LT2934zwA	MT:60A5- RA*1
Issue date	*	2013.11.25	

Logo

lenovo

P1.1* P c	Hazardous substances and preparations Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	Yes	No	n.a.
P1.1* P c	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent			
с				
le	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3* P h tr	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated erphenyl (PCT) in preparations (see legal reference).	$\square$		
	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in he chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
Т	Fextile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Fris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			$\square$
P1.7* T	Fextile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$
P1.8* V p	Nooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9* P m	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 nicrogram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10* R	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	$\boxtimes$		
P2 B	Batteries			
n n	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2* B	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			$\square$
P2.3* B d	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3 S	Safety, EMC connection to the telephone network and labeling			
P3.1* T	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
	The product complies with legally required standards for electromagnetic compatibility (see legal eference).	$\square$		
	f product is intended for connection to a public telecom network or contains a radio transmitter, it complie vith legally required standards for radio and telecommunication devices (see legal reference).	s		$\square$
P3.4* T	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4 C	Consumable materials			
	f a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see egal reference and Note B1).			$\square$
P4.2* If	f ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$
p re	f the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these equirements is available (see legal reference).			
P5 P	Product packaging			
P5.1* P h	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar nexavalent chromium by weight of these together.	id 🔀		
	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	umber *	LT2934zwA MT:60A5- RA*1				
Issue da	te *	2013.11.25	Logo	leno	VO.	
Product		mental attributes - Market requirements - Environmental conscious	design	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6.1*		ent information ion for recyclers/treatment facilities is available (see legal reference).				
		ion for recyclers/treatment facilities is available (see legal reference).				
P7		mbly, recycling				
P7.1*	Parts that	at have to be treated separately are easily separable		$\square$		
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		$\boxtimes$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradir	ng can be done using commonly available tools			Π	
P7.9.	Spare pa	arts are available after end of production for: 5 years				Ħ
P7.10		s available after end of production for: 5 years				H
		and substance requirements				
P7.11*		cover/housing material type:				
	Material	type: ABS Material type: PC Materia	al type:			
P7.12		I cable insulation materials of power cables are PVC free.			$\boxtimes$	
P7.13	Electrica	I cable insulation materials of signal cables are PVC free			$\boxtimes$	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.		$\boxtimes$		
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC6	61249-2-21. (Se	e 🗌	$\square$	
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				$\square$
P7.17	Alt. 1	al specifications of flame retardants in printed circuit boards >25g (without component)	ents).	$\boxtimes$		
		(additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2	al appoifications of flows raterdants is printed eirquit beards (without components)	2Eg opporting			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) : 3-4: <i>FR</i> (16)	>259 according			
P7.18		etarded plastic parts >25g contain the following flame retardant substances	s/preparations i	n 🗌		$\square$
		ations above 0.1%:				
		ent: No legal limits exist, this is a market requirement.				
		ical name: , CAS #: ical name: , CAS #:				
		ical name: , CAS #:				
	Alt. 2					
	Chemica	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:		_	_	
D7.40	Disstisu		- 10 D 45		<u> </u>	
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% clas 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,			
P7.20		plastic parts' weight >25g, recycled material content is 85%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22		urces are free from mercury ry is used specify: Number of lamps: and max. mercury content per lamp:	ma		$\Box$	
P8	Batterie		mg			
P8.1*		shemical composition:				
P8.2		meet the requirements of the following voluntary program/s:				

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * LT29	34zwA M		4*1		
Issue date * 2013.11.2	25			Logo lenovo	
Product environmental at	tributes - Market	requirements (	continued)	Requireme Yes N	ent met lo n.a.
P9 Energy consumpt	ion				10 m.a.
	following power leve	els or energy cons	umptions are re	ported: See P14	
Energy mode *	Power level at <b>100</b> V AC	Power level at <b>115</b> V AC	Power level at 230 V AC	Reference / Standard for energy modes and te method *	est
Peak (On-max)	31.35 W	<b>31.43</b> W	30.94 W	Full load	
Category A					•
Idle State - WOL Enabled	<b>31.35</b> W	<b>31.43</b> W	<b>30.94</b> W	Use for ENERGY STAR V6 registration (Pidle,	
Sleep (S3) - WOL Enabled	0.44 W	0.45 W	0.47 W	Use for ENERGY STAR V6 registration(Psleep	
Sleep (S3) - WOL Disabled	0.44 W	0.45 W	0.47 W	Reference	
Off (S5) - WOL Enabled	0.36 W	0.34 W	0.37 W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	0.36 W	0.34 W	0.37 W	Use for EuP	
Category B	•	•	•		
Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Pslee	J
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
EPS No-load	W	W	W		
(External power supply / charger plugged in the wall outlet but disconnected from the product.)					
PTEC * Typical Energy Consumption	W	W	W		
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	84.67kWh/year	84.78kWh/year	83.67kWh/ye ar	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1)$ $P_{idle} \times 0.3$	+ 🗆
	Port: Off Mode(S5) -	WOL Enabled: Pelos	: Sleep Mode(S3)	- WOL Enabled; Pidle: Idle State - WOL Enabled	
Display resolution* : 2560*108					
Print Speed * : Im	ages per minute				
Default time to enter energy sa	•	S			
•.	he energy save func		th the product.		ᅱᆸ
•	ets the energy requir ® version : Version		<b>U</b> .	program/s:	
P10 Emissions					
	Declared according	to ISO 9296			
P10.1 Mode N	Node description		Declared A-weighted sound powe		
			level $L_{WAd}$		lot
Idle *	HDD:Idle		*		,
Operation *	HDD: Operating		*		$\square$
Other mode					
Measured accordin	ig to: ISO7779	ECMA-74	red by FCMA-74	with L <sub>pAm</sub> measurement distance m)	
P10.2 The product meets	the acoustic noise r				

Model nur	mber *	LT2934zwA MT:60A5- RA*1				
Issue date	<b>;</b> *	2013.11.25	Logo	lenov	10	
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	ormed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				$\boxtimes$
P10.4		mission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	I emission requirements of the following voluntary program/s are met for :				$\mathbf{X}$
	0	Dust Ozone Styrene Benzene	TVOC			
	Electron	nagnetic emissions				
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the foll /s: CE	owing voluntary			
P11	Consum	able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).			$\boxtimes$
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th	e requirements o	f		
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.				$\square$
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.	$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			Ē	
P13	Packagi	ng and documentation				
P13.1*	Product Product Product	packaging material type(s): <i>EPE+paper</i> weight (kg): 2.24 packaging material type(s): <i>PE Bag</i> weight (kg): 0.32 packaging material type(s): <i>Paper</i> weight (kg): 0.08 packaging material type(s): <i>Carton</i> weight (kg): 1.63				
P13.2*	Product	plastic packaging is free from PVC.		$\square$		
P13.3*		nedia for user and product documentation (tick box): c $\square$ , Paper $\square$ , Other $\square$				
P13.4*		r user and product documentation, please specify contained percentage of post-co	nsumer recycled			
P14		al information (See Note B4)				
	informati knowledg provided informati		nt is provided base ate such information	d on sup on. The in	plier's format	
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	o&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19