

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Magningilla, North Carelina 27500				
	Morrisville, North Carolina 27560 ulcarter @lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display				
Commercial name *	LT2423 Wide				
Model number *	MT: 60A8-KAR2				
Issue date *	2013/11/25				
Intended market *	☑ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality controls such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	LT2423wC	MT: 60A8-KAR2		
Issue date *	2013/11/25		Logo	lenovo

Product	duct environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)					
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).					
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).					
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).					
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		$\overline{\Box}$	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes	П			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).					
	Comment: Legal reference has no maximum concentration values.					

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LT2423wC	MT: 60A8-KAR2		
Issue date *	2013/11/25		Logo	lenovo

Product		equirer	ment	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\square	П			
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	$\overline{\Box}$		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\overline{\Box}$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			X		
P7.8*	Upgrading can be done using commonly available tools			\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: <i>PC</i> Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes			
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes			
	Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1 Chamical appointance of flame retardants in printed circuit boards > 25g (without components):					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #: 79-94-7	\boxtimes	Ш			
	TBBFA (additive) , TBBFA (leactive) , Other, Chemical Hame. , CAS #. 19-94-1					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes				
5= 10	ISO 1043-4: <i>FR(16)</i>					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			\square		
	concentrations above 0.1%:	ш	Ш			
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
	Chomical specifications of hame retardants in plastic parts >20g according to 0 1040 4.		ш			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is 85%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sources are free from mercury	\boxtimes				
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batteries 27					
P8.1*	Battery chemical composition:					
P8.2	Batteries meet the requirements of the following voluntary program/s:					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LT2423wC	MT: 60A8-KAR2		
Issue date *	2013/11/25		Logo	lenovo

Product environ	mental at	tributes - Market i	requirements (continued)		Requirement	t met	
Item								
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14								
	product the							
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard method *	for energy modes and test		
Peak (On-Max)		28.9 W	28.9 W	29 W	Full load			
Category A		1						
Idle State - WOL E	nabled	18.61 W	18.64 W	18.85 W	Use for Energy Star	V6 registration(P _{idle})	ТП	
Sleep (S3) - WOL E	Enabled	0.17 W	0.18 W	0.24 W	Use for Energy Star	V6 registration (P _{sleep})	$+\overline{\Box}$	
Sleep (S3) - WOL I	Disabled	0.17 W	0.18 W	0.24 W	Reference		市	
Off (S5) - WOL Ena	abled	0.14 W	0.15 W	0.21 W	Use for Energy Star	V6 registration(P _{off})	市	
Off (S5) - WOL Dis	abled	0.14 W	0.15 W	0.21 W	Use for EuP		\Box	
Category B		<u>I</u>						
Idle State - WOL E	nabled	W	W	W	Use for Energy Star	V6 registration(P _{idle})		
Sleep (S3) - WOL E	Enabled	W	W	W	Use for Energy Star	V6 registration (P _{sleep})		
Sleep (S3) - WOL I	Disabled	W	W	W	Reference			
Off (S5) - WOL Ena	abled	W	W	W	Use for Energy Star	V6 registration(P _{off})		
Off (S5) - WOL Dis	abled	W	W	W	Use for EuP			
EPS No-load		W	W	W			\boxtimes	
(External power sup charger plugged in to outlet but disconned the product.)	he wall							
PTEC * Typical Energy Con	sumption	W	W	W				
,,	•							
TEC * Typical Energy Con	sumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Con:	sumption	49.8 kWh/year	49.9kWh/year	50.6 kWh/year	$E_{TEC} = (8760/1000) \times (P_{idle} \times 0.3)$	(P _{off} x 0.6 + P _{sleep} x 0.1 +		
		Poff: Off Mode(\$5) - I	WOL Enabled; Psleep	: Sleep Mode(S3)	- WOL Enabled; Pidle: Idle	State - WOL Enabled		
Display resolution*	: 2.1 Mega	pixels						
Print Speed *	: Im	ages per minute						
Default time to ente	r energy sa	ve mode: 15 second	1					
P9.2* Informa	tion about t	he energy save func	tion is provided wi	th the product.	'			
	Y STAR® v	the energy requirem version: Version 6.0			gram/s: uct category: Display			
P10 Emission	<u> </u>							
Noise e	mission –	Declared according	to ISO 9296					
P10.1 Mode	N	Node description		Declared		ed A-weighted		
				A-weighted sound power		are level $L_{p m Am}$ (dB)		
				level $L_{W\!Ad}$ (Bystander positions		
				,,,,,	Desktop or Desk side	(only if product is not		
Idle	*	HDD:Idle		*		operator attended)		
Operation	on *	HDD: Operating		*				
Other m		-						
Measure	ed accordin	· <u> </u>	ECMA-74					
		Other			with L _{pAm} measuremen	nt distance m)	<u></u>	
P10.2 The pro	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:							

Model nu	mber *	LT2423wC	MT: 6	0A8-KAR2					
Issue date	e *	2013/11/25				Logo	leno	VO.	
Product	environr	nental attributes - Ma	arket require	ements (continued)			Require	ement	t met
Item				(**************************************			Yes	No	n.a.
	Chemica	al emissions from print	ing products						
P10.3*		formed according to ECN		C 28360) standard	, other specify:			\Box	\boxtimes
P10.4	•	emission rate (print phas		,					$\overline{\boxtimes}$
		Dust Ozone	Styrene	Benzene	TVOC				
P10.5	Chemica	al emission requirements	of the following	g voluntary program/s	are met for :				X
		Ozone Ozone	Styre	ene 🗌 💮 Ben	zene 🗌	TVOC		_	
		magnetic emissions	-						
P10.6		er display meets the requ	irement for low	v frequency electromag	netic fields of the fol	llowing voluntary	<i>'</i>		
	program								
P11		nable materials for prin		1.4	27	·			
P11.1*		Data Sheet (SDS) is av							
P11.2*	Paper co	ontaining post-consume 1.	r recycled fibe	rs can be used, provi	ded that it meets th	ne requirements	of	Ш	
P11.3*	2-sided ((duplex) printing/copying	is an integrated	d product function.					\boxtimes
P12		mics for computing pro							
P12.1*	The disp	lay meets the ergonomic	requirements	of ISO 9241-307 for vi	sual display technolo	ogies.			
P12.2*	The phys	sical input device meets	the requiremen	nts of ISO 9995 and IS	O 9241-410.				\boxtimes
P13	Packagi	ng and documentation							
P13.1*		packaging material type(weight (kg): 0.3					
		packaging material type		weight (kg): 1.260					
D40.0*		packaging material type		weight (kg): 0.046					
P13.2*		plastic packaging is free							
P13.3*		media for user and produ	ict documentati	ion (tick box):					
D40.4*		ic X, Paper X, Other	<u> </u>	.,					_
P13.4*	fiber: 0			ase specify contained p	percentage of post-c	onsumer recycle			Ш
P14		nal information (See No							
	informati knowled	Supplier makes no repression contained in this doctoring available at the time of the is approximate and	ument. All infor	mation provided by sup and supplier shall have	pplier in this docume no obligation to upd	ent is provided ba ate such informa	ased on supation. The i	pplier's nforma	3

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

information.

P9

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19