

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	nts given in this declaration.				
Type of product *	Monitor				
Commercial name *	ThinkVision T27h-10				
Model number *	MT: 61B6				
Issue date *	2016/12/20				
Intended market *	🗌 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🔀 Other <i>China</i>				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	61B6 Logo	,				
Issue date *		2017/02/20		Lenovo			
Produc	t environ	mental attributes - Legal requirements	R	equire		t met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)		\boxtimes			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximu ration values.					
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorina /l (PCT) in preparations (see legal reference).		\boxtimes			
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon at ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).		\boxtimes			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	cm²/week				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):						
P2	Batterie	S					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the dis Information on proper disposal is provided in user manual. (See legal reference)	posal			\square	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batterie	and accumulators are readily removable. (See legal reference)				\boxtimes	
P3	Confor	nity verification & Eco design (ErP)					
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal ref laration of Conformity can be requested at (add link or e-mail address):	erence).	\boxtimes			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes			
	Required information is; given in item P15 or added to this document,						
P5	Product	available at (add URL):					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cac	mium and	\square			
	hexaval	ent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🛛 🗌 🛄 used (see legal reference).						
P5.3*	Protoco	The product packaging material is free from ozone depleting substances as specified in the Montreal X . Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	61B6	Logo					
Issue date *		2017/02/20		Len	ovc	Тм		
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)					
	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.							
P7	Design Disasse	mbly, recycling						
P7.1*		It have to be treated separately are easily separable						
P7.2*	Plastic m	naterials in covers/housing have no surface coating.						
P7.3*								
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes				
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes				
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives						
P7.8*		ng can be done using commonly available tools		\square				
P7.9		arts are available after end of production for: 5 years						
P7.10		s available after end of production for: 5 years						
D7.44		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type: POM					
P7.12		n materials of external electrical cables are PVC free.			\boxtimes			
P7.13		n materials of internal electrical cables are PVC free.		H		H		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0,1%			H		
	weight (1	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants, and					
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) g more than 25% post-consumer recycled content.	chlorine in parts					
P7.15		ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square	are low halogen		\boxtimes			
		ed in IEC 61249-2-21. (See 1NOTE B2)] a. e . e a. e ge					
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes		
P7.17	Marking:	nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents).					
1 7.17		A (additive), TBBPA (reactive) (See NOTE B3), Other: <i>chemical name</i> , CA		\boxtimes				
		nemical specifications of flame retardants in printed circuit boards (without component				-		
		g ISO 1043-4:	ents) > 25 g		\bowtie			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in					
1 1.10		ations above 0,1%:			\bowtie			
		ical name: , CAS #: (See NOTE B4)						
		ical name: , CAS #: " ical name: , CAS #: "						
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	2 4.					
P7.19		parts > 25 g, flame retardant substances/preparations above $0,1\%$ are used which				<u> </u>		
17.15	•	I the following Risk phrases; and Hazard statements:	I have been					
	-		See note B5)					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	,	\square				
		t least and of the two alternatives below shall be answered.						
		t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten	t (calculated as					
		ercentage of total plastic by weight) is 38.5%.	、					
	or b) Tho	weight of recycled material is 002 01 a						
	b) The	weight of recycled material is 992.91 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	1 B 6			Logo		
	016/12/20				Lenovo	тн
Product environme	ntal attributes - Market	requirements (cont	inued)	•	Requirement	t met
Item		•			Yes No	n.a.
Material an	d substance requirement	s (continued)				
	lastic material content is use					
a) Of tota of tota or	east one of the two alternational plastic parts' weight > 25 I plastic by weight) is eight of the biobased plastic	g, the biobased plastic %.		ulated as a perce	ntage	
P7.22* Light source	es are free from mercury, i.e s used specify: Number of la	e. less than 0,1 mg/lamp). num mercury content pe	er lamp: mg		
P8 Batteries						
P8.1* Battery che	mical composition:					\boxtimes
	nsumption (See NOTE B8)					
	duct the following power lev					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Star modes and test	ndard for energy t method *	
Peak (On-max)	121.5W	121.8W	122.2W	Full load		
Category						
Short Idle State - WOL Enabled	21.5W	21.5W	21.3W	Use for ENERGY STAR V6 registration (P _{idle})		
Long Idle State - WOL Enabled	21.5W	21.5W	21.3W	Use for ENERGY STAR V6 registration (P _{idle})		
Sleep (S3) - WOL Enal	oled 0.6W	0.6W	0.6W	Use for ENERGY STAR V6 registration(P _{sleep})		
Sleep (S3) - WOL Disa	bled 0.6W	0.6W	0.6W	Reference		
Off (S5) - WOL Enable	d 0.23W	0.23W	0.24W	Use for ENER registration(P		
Off (S5) - WOL Disable	ed 0.23W	0.23W	0.24W	Use for ErP		
	W	W	W	Reference		
Category						
Short Idle State - WOL Enabled	W	W	W	Reference		
Long Idle State - WOL Enabled	W	W	W	Reference		
Sleep (S3) - WOL Enal	bled W	W	W	Reference		
Sleep (S3) - WOL Disa	bled W	W	W	Reference		
Off (S5) - WOL Enable	d W	W	W	Reference		
Off (S5) - WOL Disable	ed W	W	W	Reference		
	W	W	W	Reference		
Category						
Short Idle State - WOL Enabled	W	W	W	Reference		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Long Idle Enabled	e State - WOL	W	W	W	Reference
Sleep (S3) - WOL Enabled		W	W	W	Reference
Sleep (S3) - WOL Disabled		W	W	W	Reference
Off (S5) - WOL Enabled		W	W	W	Reference
Off (S5) -	WOL Disabled	W	W	W	Reference
		W	W	W	Reference
EPS No-le	oad	W	W	W	
	r supply / charger plugged in the lisconnected from the product.)				
PTEC *		26.97 W	26.38 W	27.23 W	
	nergy Consumption				
ETEC *		58.24 kWh/year	58.24 kWh/year	57.76 kWh/year	
	nergy Consumption				
			al Efficiency Marking P	rotocol) * : VI	
Display re	esolution * : 2560*14	40 megapixels			
Default tir	ne to enter energy s	ave mode: 0.25 minute	es		
P9.2*	Information about	the energy save funct	tion is provided with th	e product.	\boxtimes \Box \Box
P9.3	Energy efficiency	class (monitors only):	EPA7.0		
P10	Emissions				
			to ISO 9296 (See NOT	E B9)	
P10.1		Mode description		Statistical upper li	mit A-weighted sound power level, $L_{WA,c}$ (B)
		* HDD: Idle		*	
		* HDD: Operating		*	
			nd pressure level (dB) L_{pl}		position desktop – idle)
			nd pressure level (dB) L_{pl}		position desktop – operating)
	Measured accord	ing to: 🔀 ISO 7779 [Other	ECMA-74 (only if not covered b	y ECMA-74)	

Model nu	Imber *	61B6				Logo			
Issue date *		2017/02/20				Leno	VO	D _{TM}	
Product	environme	ental attribute	es - Market requirements ((continued)			Require	ment	me
Item							Yes	No	n.a
		agnetic emissio							
P10.4	Computer program(s		he requirement for low frequen	cy electromagnetic fi	elds of the follo	owing volun	tary		\geq
P12	Ergonomics for computing products								
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.								
P12.2*	The physic	cal input device	meets the requirements of ISC	9995 and ISO 9241	-410.				\ge
P13		g and documer							
P13.1*	Product pa Product pa	ackaging materia	al type(s): <i>Pulp</i> al type(s): <i>Paper(Cushion)</i> al type(s): <i>Paper(Carton)</i> al type(s): <i>HDPE/LDPE</i>	weight (kg): 0.82 weight (kg): 1.00 weight (kg): 1.70 weight (kg): 0.0	0 0				
P13.2*			ckaging is free from PVC.	/			\square		
P13.3*		ct primary corru recovered fiber	ugated fiberboard packaging, content: 0 %	specify the containe	ed percentage	of minimur	n post-		
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	User and p		s item if paper documentation un ntation on paper media is chlo						
		orine-free chlorine-free d chlorine-free							
P14		programs							
P14.1	The produ	ct meets the rec	quirements of the following volu	untary program(s):					
	ENERGY Eco-label: Eco-label:		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product o Product o Product o	ategory:			
P15			See NOTE B10)						
<u>P9</u>	NOTE: Su information knowledge	pplier makes no n contained in th e available at the nere is approxim	specific configuration may v representations, guarantees, his document. All information p e time of completion, and supp ate and provided for information	assurances or warra rovided by supplier ir lier shall have no obl	nties whether en this documen igation to upda	express or in it is provided ite such info	mplied, regardin d based on supp rmation. The int	olier's format	ion
P9	See Energ	y Star Qualified	Notebooks & Tablet Compute /index.cfm?fuseaction=find_a_	rs for the latest inforr product.showProduc	mation: ctGroup&pgw_	code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1