



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		ODOVO			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name *	ThinkVision T22V-10			
Model number *	61BB			
Issue date *	2017/09/27			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main bodyare not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

woder number		Error! Reference source not found.61BB	Logo	Long			
Issue date *		2017/09/27		Lend		<b>J</b> th	
Product environmental attributes - Legal requirements						t met	
Item				Yes	No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*		s do comply with current European RoHS Directive. (See legal reference andNOTE	B1)				
P1.2*	P1.2* Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.						
P1.3*							
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych vl (PCT)in preparations (see legal reference).	lorinated				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀			
P1.6*							
P1.7*							
P2	Batterie	-					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t nformation on proper disposal is provided in user manual. (See legal reference)	he disposal				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)				$\boxtimes$		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					$\boxtimes$	
P3	Conforn	nity verification& Eco design (ErP)					
P3.1*	The Dec	duct isCE-markedto show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address): <a href="https://www.lenovo.com/us/en/social_responsibility/EU_DoC_monitors">www.lenovo.com/us/en/social_responsibility/EU_DoC_monitors</a>	al reference).				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).						
	Required information is;  given in item P15 or added to this document,						
P5		packaging					
P5.1*							

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal

Madal sesses base

P5.2\*

P5.3\*

**P6** P6.1\*

used (see legal reference).

Treatment information

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Error! Reference source not found.61BB		Lonovo
Issue date *	2017/09/27		reliovo"

Product environmental attributes - Market requirements (See General NOTE GN below)									
- Enviro	Environmental conscious design Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.					
P7	Design Disassembly, recycling								
P7.1*	Parts that have to be treated separately are easily separable	$\square$	П						
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\mathbb{X}}$	$\overline{\Box}$	Ħ					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\overline{\mathbb{X}}$	Ħ	Ħ					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	$\overline{\Box}$					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$	Ħ	Ħ					
	Product lifetime								
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			$\square$					
P7.8*	Upgrading can be done using commonly available tools	$\overline{\Box}$	$\Box$	$\overline{\boxtimes}$					
P7.9	Spare parts are available after end of production for: 5 years								
P7.10	Service is available after end of production for: 5 years								
	Material and substance requirements								
P7.11*	Product cover/housing material type(e.g. plastics, metal, aluminum):								
<b>5</b> = 40	Material type: STEEL Material type:								
P7.12	Insulation materials of external electrical cables arePVC free.	<u> </u>							
P7.13	Insulation materials of internal electrical cables are PVC free.								
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	$\boxtimes$							
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts								
	containing more than 25% post-consumer recycled content.								
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low		$\boxtimes$						
D7.40	halogen as defined in IEC61249-2-21. (See 1NOTEB2)			<u> </u>					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: no flame retardant								
P7.17	Alt. 1:Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):								
	TBBPA (additive), TBBPA(reactive)(See NOTEB3), Other: brominated epoxy resin,, CAS #:	$\boxtimes$	Ш						
	68928-70-1	_							
	Alt. 2:Chemical specifications of flame retardants in printed circuit boards (without components)> 25 g	$\boxtimes$		Ш					
P7.18	according ISO 1043-4: FR16  Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in								
	concentrations above 0,1%:			$\boxtimes$					
	1. Chemical name: , CAS #: (See NOTE B4)			-					
	2. Chemical name: , CAS #: "								
	3. Chemical name: , CAS #: "								
	<u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:								
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$					
	assigned the following Risk phrases; and Hazard statements:								
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)								
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$	Ш						
	If YES; at least one of the two alternatives below shall be answered;								
	a) Of total plastic parts' weight > 25 g,the postconsumer recycled plastic material content (calculated as a								
	percentage of total plastic by weight) is 51.98%.								
	or b) The weight of recycled material is 928.2 g.								

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTEB2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei nun	nber "	61BB				Logo	Lan			
Issue date	*	2017/09/27			Lenovo.					
Product 6	Product environmental attributes - Market requirements (continued)  Requirement m								t met	
ltem Yes								No	n.a.	
	Material and substance requirements (continued)									
P7.21*				in the product (See N	OTEB7):			$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;									
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is</li> </ul>									
	or b) The weight of the biobased plastic material is g.									
P7.22*										
P8	Batteries		<u> </u>			<u></u>				
P8.1*	Battery ch	nemical c	omposition:						$\boxtimes$	
P9	Energy c	onsumpt	tion (See NOTEB8)							
P9.1				s or energy consumpti	ons are reported:					
Energy mo			Power level at 100 V AC	Power level at 115V AC	Power level at 230 V AC	Reference/Stand modes and test n		nergy		
ENERGY S	STAR® On		11.65W @ 50Hz			ENERGY STAR®				
Mode*(Sys			11.65W @ 60Hz	12.26W	12.64 W	Requirements for Monitors: Ver. 7.0				
ENERGY S		v Power	0.41W @ 50Hz	0.44 W	0.45 W	ENERGY STAR®				
Sieep Mode			0.42W @ 60Hz	J		Monitors: Ver. 7.0	) '			
ENERGY STAR® Off /		0.25W @ 50Hz	0.00.14/	0.00.14	ENERGY STAR®					
Apparent C	off Mode*		0.25W @ 60Hz	0.29 W	0.29 W	Requirements for Monitors: Ver. 7.0				
PTEC *		38.05W @ 50Hz	40.09W	41.32W	$E_{TEC} = 8.76 \times (P_{c})$	n x 0.35 +	Peleen			
Typical Energy Consumption		ımption	38.11W @ 60Hz			x 0.65)	<i>y</i>	. зіеер		
ETEC *	ray Canau	motion	50.59Wh/year @ 50Hz	50.59Wh/year	50.59Wh/year					
Annual Ene	ergy Consu	mption	50.59Wh/year @							
60Hz  External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:										
External Fo	ower Suppi	y Ellicien	cy Lever (Internationa	i Ellicieticy Marking Pi	otocoi) .	ENERGY OTAR	\ <u> </u>			
Display res	olution* :	<mark>2.1</mark> megaլ	oixels			ENERGY STAR® Requirements for Monitors: Ver. 7.0	Computer			
						ENERGY STAR				
Default time to enter energy save mode: 20 minutes  Requirements for Computer Monitors: Ver. 7.0										
P9.2*	P9.2* Information about the energy save function is provided with the product.									
P9.3*	P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: 7.0 Product category: Display.									
P10	P10 Emissions									
	Noise em			ISO 9296 (See NOTE						
P10.1					Statistical upper lim	it A-weighted sound	power leve	I, L <sub>WA,c</sub>		
	Idle	N	I/A		N/A					
	Operation	n N	I/A		N/A					
	Other mo	de N	I/A		N/A					
	Other mo		I/A		N/A					
	Measured	d accordin	ng to: 🛛 ISO 7779 🗌	ECMA-74						
	1		Other (on	v if not covered by EC	MA-74)					

NOTE B8A Guidance document on Energy Efficiency is available; see<a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

NOTE B7The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

P10.4 P12 P12.1*	nvironm Electron	2017/09/27 nental attribute	es - Market requiren					Lenc		
P10.4 P12 P12.1*	Electron	nental attribute	es - Market requiren							
P10.4 P12 P12.1*				ments (contir	nued)			Require	ment	met
P10.4 P12 P12.1*			•	-	•			Yes	No	n.a.
<b>P12</b> P12.1*		nagnetic emissio								
P12.1*	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): TCO7.0, TUV GS, Energy star7.0, MPRII, JEITA									
	Ergonomics for computing products  The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.									
P12.2*							gies.	$\boxtimes$		
	The phys	ical input device	meets the requirements	ts of ISO 9995 a	and ISO 9241-41	0.				$\boxtimes$
P13	Packagii	ng and documer	ntation							
	Product p	packaging materia	al type(s): <b>Carton</b> al type(s): <b>Cushion</b> al type(s): <b>EPE Bag</b>	weight (kg): ( weight (kg): ( weight (kg): (	0.348					
P13.2*	Product p	plastic primary pa	ckaging is free from PV	VC.				$\boxtimes$		
	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 %									
P13.4*	Specify media for user and product documentation (tick box):									
	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify:									
	Totally chlorine-free									
	Processe	ed chlorine-free						一百		
P14	Voluntar	y programs								
			quirements of the follow	ving voluntary p	orogram(s):					
		l: <b>TCO</b> l: <b>TCO edge</b>	Criteria version: 7.0 Criteria version: 7.0 Criteria version: 2.0	<b>0</b> D	Pate: 2017/7/31 Pate: 2017/8/17 Pate: 2017/8/22	Product of	category: <b>Monitor</b> category: <b>Display</b> : category: <b>Display</b> :	S		
		al information (								
			specific configuration							
	information knowledge provided information	on contained in the ge available at the here is approximon.	representations, guara nis document. All inform time of completion, ar ate and provided for inf	nation provided nd supplier sha formational pur	by supplier in that the last supplier in the last s	is documen tion to upda	t is provided base te such information	ed on suppon. The in	olier's format	ion
			Monitors & Displays fo v/products/office_equip							

NOTE B10Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)*  *These provisions shall not applywhere, for safety, performance, medical or data integrityreasons, continuity of power supply is necessary and requires apermanent connection between the appliance and the batteryor accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1