

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter		LEIIOVO		
	alcarter@lenovo.com				
Internet site *	http://www3.lenovo.com/us/en/social responsibility/environment				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	ThinkVision T23d-10				
Model number *	61C3				
Issue date *	2018/05/31				
Intended market *	🔀 Global 🔄 Europe 🔄 Asia, Pacific &Japan 🔄 Americas 🔄 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	Error! Reference source not found.61C3				
lssue da	te *	2018/05/31	Leno		Тн	
Produc	t enviror	mental attributes - Legal requirements	Require	men	t met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /I (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: Contact in the image:					
P2	Batterie					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)				\square	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conformity verification& Eco design (ErP)					
P3.1*	The pro The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): ww3.lenovo.com/us/en/social responsibility/EU DoC monitors				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).		\square			
	Required information is; given in item P15 or added to this document, available at (add URL): http://www3.lenovo.com/us/en/social_responsibility/datasheets_monitors/					
P5		t packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.	d 🔀			
P5.2*	The pac	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)				
P5.3*	Protoco	The product packaging material is free from ozone depleting substances as specified in the Montreal in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				
P6		ent information				
		ion for recyclers/treatment facilities is available (see legal reference).		_	_	

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		Error! Reference source not found.61C3	Logo				
Issue date *		2018/05/31		Len	OVC	Den	
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)				
		conscious design	,	Require	ment i	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design Disasse	mbly, recycling					
P7.1*	Parts tha	It have to be treated separately are easily separable					
P7.2*	Plastic m			H	Ħ		
P7.3*		arts > 100 g consist of one material or of easily separable materials.			H	⊢⊢	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	∺	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		⊢⊢	⊢⊢	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			╞	╞	
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives					
P7.8*		ing can be done using commonly available tools			H		
P7.9		arts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years				⊢⊢	
		and substance requirements					
P7.11*		cover/housing material type(e.g. plastics, metal, aluminum):					
		type: ABS Material type: STEEL Materia	al type:				
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes		
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low Are low halogen as defined in IEC61249-2-21. (See NOTE B2)						
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: <i>no flame retardant</i>					
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without co			_	_	
	TBBF 68928-7	PA (additive),	e sin , CAS #:	\bowtie			
	<u>Alt. 2:</u> Ch	emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR1</i> 6	ents)> 25 g	\boxtimes			
P7.18	<u>Alt. 1: </u> FI	ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations	in			
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)				\bowtie	
		ical name: , CAS #: "					
	3. Chemi	ical name: , CAS #: "					
	<u>Alt. 2:</u> Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043	8-4:			\boxtimes	
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			\boxtimes	
	assigned	I the following Risk phrases; and Hazard statements:					
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)						
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\bowtie			
	a) Of t perc or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten centage of total plastic by weight) is 39% . e weight of recycled material is 540 g.	t (calculated as	а			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	61C3				Logo				
Issue date * 2018/05/31						Lenovo			
Product environmental attributes - Market requirements (continued) Requirement n								t met	
Item			-	-		Yes	No	n.a.	
Material	Material and substance requirements (continued)								
P7.21* Biobase									
If YES; a	at least one	e of the two alternative	es below shall be answ	vered;					
or b) The	weight of	the biobased plastic	material is a						
			material is g. less than 0,1 mg/lam	0		\square			
				mercury content per la	mp: <mark>0</mark> mg				
P8 Batterie	S		•						
P8.1* Battery of	chemical c	omposition:						\bowtie	
		tion (See NOTEB8)							
	product the		ls or energy consump						
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stan modes and test		nergy		
ENERGY STAR® O	ı	13.88W @ 50Hz			ENERGY STAF	® Program			
Mode*(System Idle)		13.96W @ 60Hz	13.86W	13.96W	Requirements for Monitors: Ver. 7	.0			
ENERGY STAR® Lo	w Power	0.11W@ 50Hz			ENERGY STAF				
Sleep Mode*		0.11W 0.0Hz 0.11W 0.15W		Requirements for Monitors: Ver. 7	Requirements for Computer				
ENERGY STAR® Of	EF /	0.10W @ 50Hz		ENERGY STAR® Program					
Apparent Off Mode*	17	0.10W @ 50Hz	0.10W	0.12W	Requirements for				
					Monitors: Ver. 7	.0			
				40.0014					
PTEC * Typical Energy Cons	umption	43.18W @ 50Hz 43.43W @ 60Hz	43.12W	43.66W	$E_{TEC} = 8.76 x (1 x 0.65)$	$P_{on} \ge 0.35 + 1$	Psleep		
	umption	<u> </u>			x 0.03)				
ETEC * Annual Energy Cons	umption	43.18Wh/year	43.12Wh/year	43.66Wh/year					
		cy Level (Internationa	I Efficiency Marking P	rotocol) * :					
					ENERGY STAF	® Program			
Display resolution*	: 2.3 mega	pixels			Requirements for				
					Monitors: Ver. 7				
Default time to enter	oporavioa	wa mada: 60 agaanda			ENERGY STAR				
Default time to enter energy save mode: 60 seconds Requirements for Computer Monitors: Ver. 7.0									
P9.2* Information about the energy save function is provided with the product.									
P9.3* The product meets the energy requirements of the following voluntary program/s:						Ħ			
	ENERGY STAR® version: 7.1 Product category: Display.								
P10 Emissio		Dealers I and the st	- 100 0000 (0 NOT						
P10.1 Mode	Ioise emission – Declared according to ISO 9296 (See NOTE B9) Mode Mode description Statistical upper limit A-weighted sound power level, LwA,c(B)								
Idle				Statistical upper limit A-weighted sound power level, L _{WA,c} (B)					
	Operation N/A		N/A	_					
		I/A						\boxtimes	
Other me Other me		I/A I/A		N/A N/A					
		ng to: 🛛 ISO 7779 🗌							
weasure			ly if not covered by E0	CMA-74)					

NOTE B8A Guidance document on Energy Efficiency is available; see<u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nu	mber *	61C3				Logo			
Issue date *		2018/05/31					Lenc	OVO	тн
Product	environn	nental attributes	- Market requiremen	ts (continued)			Require	ment	me
ltem							Yes	No	n.a
		nagnetic emission							
P10.4	program(s): TCO7.0, Energ	y Star 7.1, TCO Edge2.0	uency electromagnetic fiel), IEC60950 CB Report	ds of the foll	owing volunta	ary 🔀		
P12		nics for computing							
P12.1*			•	O 9241-307 for visual disp	,	gies.			
P12.2*	The phys	ical input device m	eets the requirements of	ISO 9995 and ISO 9241-4	10.				\geq
P13	Packagi	ng and documenta	ation						
P13.1*	Product p	backaging material backaging material backaging material	type(s): Cushion we	eight (kg): <i>1.152</i> eight (kg): <i>0.400</i> eight (kg): <i>0.0245</i>					
P13.2*			aging is free from PVC.				\boxtimes		
P13.3*		uct primary corrug r recovered fiber co		ng, specify the contained	percentage	of minimum	post-		
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	-	nlorine-free al chlorine-free							
Processed chlorine-free									
P14		y programs							
P14.1			irements of the following	voluptony program(c):					
1 14.1	ine prou			voluntary program(3).					
	ENERGY	STAR®	Criteria version: 7.1	Date: 3/19/2018		tegory: Display			
		fied Displays	Criteria version: 7.0	Date: 4/11/2018		tegory: Display			
		fied Edge Displays	Criteria version: 2.0	Date: 4/12/2018		tegory: Display			
	CECP (Ch		Criteria version: /	Date: 4/20/2018		tegory: Display			
	Eye Comf		Criteria version: /	Date: 4/26/2018		tegory: Display			
P15	China CE	al information (Se	Criteria version: HJT2536-	-2014 Date: 5/31/2018	Product ca	tegory: Display	/		
P9				ay vary; description of th	a tastad are	duct config	uration:		
	NOTE: S information knowledge	upplier makes no re on contained in this ge available at the t here is approximat	epresentations, guarante document. All informatio ime of completion, and su	es, assurances or warrant in provided by supplier in t upplier shall have no oblig- ational purposes only. Se	ies whether e his documer ation to upda	express or im it is provided ite such inform	plied, regardir based on supp mation. The in	olier's format	ion
P9	See Ener	gy Star Qualified M	lonitors & Displays for the products/office_equipment						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1