



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Ryan Liu liuhq7@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	ThinkVision T25m-10			
Model number *	61DC			
Issue date *	2019/03/19			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number * 61DC		61DC	Logo	Land	W	
Issue date *		2019/03/19		Lend		D _{TM}
Product environmental attribu		mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych d (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 g/cm ² /week	(
P1.7*		Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)				\boxtimes	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					\boxtimes
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements): laration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/us/en/compliance/eu-doc	jal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
		d information is; given in item P15 or added to this document,				
DE	Duadust	available at (add URL): lenovo.com/us/en/compliance/ed	o-aeciaration			
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercur	, codmium on	d M		
	hexavale	ent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature is legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoc (see legal reference). Comment: Legal reference has no maximum concentration values.		ol 🔀			
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	61DC	Logo	Lanava
Issue date *	2019/03/19		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment r	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square		П
P7.2*	Plastic materials in covers/housing have no surface coating.			H
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\vdash
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\pm	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	H
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		+	\vdash
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	П
P7.8*	Upgrading can be done using commonly available tools			Ħ
P7.9	Spare parts are available after end of production for: 2 years			Ħ
P7.10	Service is available after end of production for: 2 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d C		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)	1		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	1 🔲		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		\boxtimes	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 45.6%. (EPEAT calculation) / 85% (TCO calculation) or b) The weight of recycled material is 857.0 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	61DC	Logo	Longvo	
Issue date *	2019/03/19		Lei Iovo.	

Product environmental attributes - Market requirements (continued)			nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)					
P7.21*		•	ed in the product (See N	IOTE B7):				
		If YES; at least one of the two alternatives below shall be answered;						
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. 							
	or b) The weight of the biobased plastic material is ϱ g.							
P7.22*			. less than 0,1 mg/lamp).	\boxtimes \square \square			
		specify: Number of la		num mercury content pe				
P8	Batteries							
P8.1*	Battery chemical	•			\boxtimes			
P9		otion (See NOTE B8)						
P9.1			els or energy consumpt		1=			
Energy me	ode *	Power level at	Power level at	Power level at	Reference/Standard for energy			
=>=====	27.7 0.0	100 V AC 16.57W	115 V AC 16.48W	230 V AC 16.48W	modes and test method * ENERGY STAR® Program			
(System Id	STAR® On Mode* dle)	76.57W	10.46VV	10.46VV	Requirements for Computer Monitors: Ver. 7.1			
ENERGY Sleep Mod	STAR® Low Power de*	0.19W	0.2W	0.27W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1			
ENERGY STAR® Off / Apparent Off Mode*		0.17W	0.17W	0.25W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1			
PTEC *		51.87 W	51.66W	52.06W				
	nergy Consumption	44.00.110.1	44.00.1111	44.071111111				
ETEC * Annual Er	nergy Consumption	44.60 kWh/year	44.35 kWh/year	44.85 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$			
		ncy Level (Internation	al Efficiency Marking Pr	otocol) * :	× 5.50p = 5 = 5 = 5 = 5 = 5 = 5 = 5			
Display re	esolution* : 1920X1	200 maganiyals			ENERGY STAR® Program Requirements for Computer			
Display 10	. 1020011	The gapixers			Monitors: Ver. 7.1			
Defects tim	no to ontor onormico	ava mada. 15 aasaad			ENERGY STAR® Program			
Default tin	ne to enter energy s	ave mode: 15 seconds	5		Requirements for Computer Monitors: Ver. 7.1			
P9.2*	Information about	the energy save func	tion is provided with the	product.	Normalia Valleria			
P9.3*		s the energy requirem version: 7.1 Product	ents of the following vo	luntary program/s:				
P10	Emissions	VCISION. TITT TOUGOT	odicgory. Display.					
		- Declared according	to ISO 9296 (See NOTI	E B9)				
P10.1		Mode description	,		it A-weighted sound power level, L _{WA,c} (B)			
	Idle	* HDD: Idle		*				
	Operation	* HDD: Operating		*				
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{p{\sf A}}$	n (operator po	esition desktop – idle)			
			nd pressure level (dB) L_{pA}					
	Measured accord	ing to: 🔀 ISO 7779 [ECMA-74					
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

woder nu	mber	61DC				Logo	Long	1/0	
Issue date *		2019/03/19					Leno	VO,	М
Product	environr	nental attributes	- Market requirem	nents (cor	ntinued)		Require	ment	met
Item			-		•		Yes	No	n.a.
		magnetic emission							
P10.4	program	(s):	•	frequency e	electromagnetic fields	s of the following voluntary			
P12	Ergono	mics for computing	g products						
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.								
P12.2*	The phys	sical input device me	eets the requirements	s of ISO 999	95 and ISO 9241-410	0.			\boxtimes
P13		ing and documenta							
P13.1*	Product Product	packaging material to packaging material to packaging material to	type(s): Cushion type(s): Bag	weight (kg weight (kg weight (kg	g): 0.38				
P13.2*			aging is free from PV				\boxtimes		
P13.3*	consume	er recovered fiber co	ontent: 80 %	0 0, 1		ercentage of minimum po	ost-		
P13.4*			product documentatio Other	n (tick box)	:				
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:								
	•	chlorine-free al chlorine-free							
	Process	ed chlorine-free					П		
P14		ry programs							
P14.1	The prod	duct meets the requi	rements of the follow	ing voluntar	ry program(s):				
	ENERG	Y STAR®	Criteria version: 7.1	1	Date: Feb- 27,2019	Product category: Displa	ays		
	Eco-labe Eco-labe		Criteria version: 7.0 Criteria version:)	Date: <i>Mar-5,2019</i> Date:	Product category: Displa Product category:	ays		
P15		nal information (Se							
P9						tested product configura			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							ion	
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1