



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	ThinkVision T27p-10				
Model number *	61DA				
Issue date *	2019/03/11				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	I number * 61DA Logo				<b>W</b>	
Issue date *		2019/03/11		Lend		<b>)</b> ,,
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; $0,005\%$ polychlorinated biphenyl (PCB), $0,005\%$ polych $\ell$ (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail own.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			X
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	I		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legelaration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc	jal reference).			
P3.2*		The product complies with the Eco design requirements for energy-related products, (see legal reference).		$\boxtimes$		
	Required	d information is; given in item P15 or added to this document,  available at (add URL): lenovo.com/us/en/compliance/ecc	o-declaration			
P5	Product	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium an	d 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature on the legal reference).	of the material(s	s) 🔀		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In the standard of the standard is free from the National III and the National III and the National III and the National III are the National III and the National III and the National III are the Nationa	nontreal Protoco	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	61DA	Logo	Lanava
Issue date *	2019/03/11		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	me <u>nt</u>	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			+
P7.2*			$\stackrel{\triangle}{\vdash}$	-
	Plastic parts > 100 g consist of one material or of easily separable materials.		<del>  </del>	-
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ.	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Щ.	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime	N 1	_	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ.	Ц.
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7 40	Material type: ABS Material type: PC Material type: POM			
P7.12	Insulation materials of external electrical cables are PVC free.	_ <u>_</u> _		<u> </u>
P7.13	Insulation materials of internal electrical cables are PVC free.	_ <u></u> _		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
57.45	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\boxtimes$	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 42.8%. (EPEAT calculation) / 85% (TCO calculation) or  b) The weight of recycled material is 1150.8g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	61DA	Logo	Longva	
Issue date *	2019/03/11		Lei Iovo.	

Product environmental attributes - Market requirements (continued)	Requirement met		
Item	Yes	No	n.a.

	Material and substance requirements (continued)								
P7.21*	Biobased plastic m	naterial content is use	d in the product (See No	OTE B7):					
	If YES: at least one	f YES; at least one of the two alternatives below shall be answered;							
	·	otal plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic b	c by weight) is 0%.							
	or								
D7 00*	b) The weight of the biobased plastic material is <i>0</i> g.								
P7.22*		ht sources are free from mercury, i.e. less than 0,1 mg/lamp.    Interpretation of the state of							
P8	Batteries	r is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8.1*	Battery chemical c	omposition:				1			
P9		tion (See NOTE B8)							
P9.1			els or energy consumption	ons are renorted:					
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy				
		100 V AC	115 V AC	230 V AC	modes and test method *				
ENERGY S	STAR® On Mode*	27.18W	26.99W	26.52W	ENERGY STAR® Program				
(System Id					Requirements for Computer				
` •	•				Monitors: Ver. 7.1				
	STAR® Low Power	0.45W	0.46W	0.47W	ENERGY STAR® Program				
Sleep Mod	e*				Requirements for Computer Monitors: Ver. 7.1				
		0.18W	0.19W	0.21W	ENERGY STAR® Program				
	STAR® Off /	0.7044	0.7317	0.27	Requirements for Computer				
Apparent C	Off Mode*				Monitors: Ver. 7.1				
PTEC *		l w	W	W		1			
	ergy Consumption	V V	***	V V		ı			
ETEC *		72.77kWh/year	<b>72.33</b> kWh/year	<b>72.21</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 +$				
Annual Energy Consumption		·	_	·	$P_{sleep} \times 0.1 + P_{idle} \times 0.3$	•			
External Po	ower Supply Efficien	cy Level (Internationa	al Efficiency Marking Pro	tocol) * :					
					ENERGY STAR® Program				
Display res	solution* : 3840*216	60 megapixels			Requirements for Computer				
					Monitors: Ver. 7.1				
Dofault tim	o to optor oporav sa	ve mode: 15 seconds			ENERGY STAR® Program Requirements for Computer				
Delault tilli	e to enter energy sa	ive mode. 15 seconds	•		Monitors: Ver. 7.1				
P9.2*	Information about	the energy save funct	ion is provided with the	product.		1			
P9.3*			ents of the following vol			_			
1 0.0		version: 7.1 Product of		antary program/s.		_			
P10	Emissions		, , , , , , , , , , , , , , , , , , ,						
	Noise emission -	Declared according t	to ISO 9296 (See NOTE						
P10.1	Mode N	Mode description		Statistical upper lim	it A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle *	HDD: Idle		*					
		HDD: Operating		*					
			nd pressure level (dB) $L_{p{ m Am}}$		osition desktop – idle)	_			
			nd pressure level (dB) $L_{p{ m Am}}$						
İ		ng to: X ISO 7779		I		$\dashv$			
	Other (only if not covered by ECMA 74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		61DA				Logo	Leno	V/0	
Issue date *		2019/03/11					Leno	VO.	
Product	environn	nental attributes	- Market requirem	ents (cor	ntinued)		Require	ment	met
Item							Yes	No	n.a.
	Electron	nagnetic emission	S						
P10.4	program	(s):	•	requency e	lectromagnetic fields	of the following voluntary	у 🔲		
P12	Ergonor	nics for computing	products						
P12.1*	The disp	lay meets the ergon	omic requirements of	ISO 9241-	307 for visual display	technologies.	$\boxtimes$		
P12.2*	The phys	sical input device me	eets the requirements	of ISO 999	95 and ISO 9241-410	).			$\boxtimes$
P13	Packagi	ng and documenta	tion						
P13.1*	Product	packaging material t packaging material t packaging material t		weight (kg weight (kg weight (kg	g): <b>0.62</b>				
P13.2*	Product	plastic primary pack	aging is free from PV	C.			$\square$		
P13.3*		luct primary corrugater recovered fiber co		aging, spec	cify the contained p	ercentage of minimum p			
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	Ùser and		em if paper document ation on paper media						
	Totally c	hlorine-free							
	Element	al chlorine-free							
	Processe	ed chlorine-free					Ħ		
P14	Volunta	ry programs							
P14.1	The prod	luct meets the requi	rements of the followi	ng voluntar	y program(s):				
	Eco-labe	el:	Criteria version: <b>7.1</b> Criteria version: <b>8.0</b> Criteria version:		Date: 2019/03/11 Date: 2019/03/25 Date:	Product category: <b>Displ</b> Product category: <b>Displ</b> Product category:			
P15	Addition	nal information (Se	e NOTE B10)						
P9					•	tested product configui			
	informati knowled provided informati	on contained in this ge available at the till here is approximate on.	document. All information of completion, and and provided for info	ation provid d supplier s ormational p	led by supplier in this shall have no obligati purposes only. See a	s whether express or imp s document is provided b on to update such inform a Lenovo Account Repres	ased on suppation. The inf	olier's formati	on
P9			onitors & Displays for products/office_equip						
1									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1