



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LCI IOVO,
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Desktop
Commercial name *	IdeaCentre 5 14IRB8
Model number *	90VJ,90VK
Issue date *	2022/11/9
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	Machine Type 90VJ is ENERGY STAR certified

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/ecodeclaration P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	Model nu	mber *	90VJ,90VK	Logo	Land	WC	
Item	Issue dat	e *	2022/11/9		Len		тн
Item	Product	environ	mental attributes - Legal requirements		Require	ment	met
P1.1° Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2° Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3° Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochlorocarbons (HDFC), Hadroshorofluorocarbons (HDFC), Hadroshoroshorocarbons (HDFC), hydrochlorofluorocarbons, CHPC), hydrochlorocarbons, carbontetrachloride, 1,1,1-trichlorocthane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4° Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5° Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7° REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1° If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2° Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1° The product is Charaked to show conformance with applicable legal requirements (see legal reference). P4.2° The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/uc-doc for UK P5.2° Th					Yes	No	n.a.
P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HGFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en1/Lenovo-REACH-SVHC-Disclosure P2.4* Batteries F2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators are readily removable. (See legal reference) P3.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/us-doc for LU K The product power of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for LU K Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.4* The packaging materials a							
P1.3° Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (MBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4° Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5° Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.6° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7° REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.1° Batteries P2.1° If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2° Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3° Batteries and accumulators are readily removable. (See legal reference) P3.1° The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/eco-declaration P5.1° Product packaging P5.1° Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmi			, , ,	EB1)	\boxtimes		
Pf.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. Pf.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Pf.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Pf.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. Pf.7* REACH Article 31 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/us-doc for EU and https://www.lenovo.com/us/en/compliance/us-doc for EU and https://www.lenovo.com/us/en/compliance/us-doc for UK P3.2* The product packaging P5.1* Product packaging P6.1* Product packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P6.2* The packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal refe	P1.2*						
hydrobromofluorocarbons (HBFC), hydrochlorofluororarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated biphenyl (PCB) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/eu-doc for UK P3.2* The product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P6. Product packaging are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). Comment: Legal reference has no maximum	P1.3*				\square		
terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 43% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2. Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (EFP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/uk-doc for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/uk-doc for UK P6. Product packaging P6.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). Comment: Legal reference has no maximum concentration values. P6. Treatment information		hydrobro trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2. Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.	P1.4*	terpheny	(PCT) in preparations (see legal reference).				
(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco- declaration P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.1* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P1.5*			oon atoms in th	ne 🔀		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P3.	P1.6*	(see lega	al reference).	,5 μg/cm²/wee	ek 🔀		
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/us-doc for EU and https://www.lenovo.com/us/en/compliance/us-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.		REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):			
Symbol. Information on proper disposal is provided in user manual. (See legal reference) Satteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) Satteries and accumulators are readily removable. (See legal reference) Satteries and accumulators are readily removable. (See legal reference) Satteries and accumulators are readily removable. (See legal reference) Satteries and accumulators are readily removable. (See legal reference) Satteries and accumulators are readily removable. (See legal reference) Satteries and accumulators are readily removable. (See legal reference) Satteries and accumulators are readily removable. (See legal reference). Satteries and accumulators are readily removable. (See legal reference). Satteries and accumulators are readily removable. (See legal reference). Satteries and accumulators are readily removable. (See legal reference). Satteries are removed at the product complete are removed at the product of the see legal reference). Satteries are removed at the product packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Satteries are reference). Satteries are removed and numbers indicating the nature of the material(s) Satteries are reference). Satteries are reference). Satteries are reference as specified in the Montreal Protocol (see legal reference). Satteries are reference as no maximum concentration values. P6. Treatment information Treatment infor	P2						
P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at:	P2.1*			he disposal			
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P2.2*			nium. (See lega	al 🔀		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc for UK P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
The Declaration of Conformity can be requested at: <a (see="" <a="" added="" at:="" available="" complies="" design="" document,="" eco="" energy-related="" for="" given="" href="https://www.lenovo.com/us/en/compliance/eco-declaration" in="" information="" is;="" item="" legal="" or="" p15="" p3.2*="" product="" products,="" reference).="" required="" requirements="" the="" this="" to="" with="">https://www.lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P3	Conforn	nity verification & Eco design (ErP)				
(see legal reference). Required information is;		The prod The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at: www.lenovo.com/us/en/compliance/eu-doc for EU and	gal reference).			
Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco- declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P3.2*						
Product packaging Ps.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Ps.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		Required	d information is;	ce/eco-			
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	D5						
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		Packagii	ng and packaging components do not contain more than 0,01% lead, mercury	/, cadmium a	nd 🔀		
used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P5.2*			of the material	(s) 🔽		
(see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		used (se	e legal reference).		. , 🔼		
P6 Treatment information	P5.3*	(see lega	al reference).	nontreal Proto	col 🔀		
	P6						
	P6.1*						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	90VJ,90VK	Logo	Long	N/0	
Issue dat	te *	2022/11/9		Lend		тн
Product	environ	mental attributes - Market requirements (See General NOTE GN b	pelow)			
		onmental conscious design		Requirer	nent r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable			<u>Ц</u>	Щ
P7.2*		naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	•	arts > 100 g consist of one material or of easily separable materials.		\boxtimes		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	/ailable tools.	\boxtimes		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10		s available after end of production for: 3 years				
		and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>PC+ABS</i> Material	type:			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brown 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 125% post-consumer recycled content.	retardants, and	d 🗂		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔲 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloger	n 🗌		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without control (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	mponents):			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	nts) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations ir			
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043				
P7.19	-	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			\boxtimes
	Ū	I the following Risk phrases; and Hazard statements:				
D7.00±			ee note B5)		_	
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			Ш	
	a) Of t a pe	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 85%. • weight of recycled material is 352.7 g.	(calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	90VJ,90VK 2022/11/9	Logo	Lenovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No na

	Material and cube	tance requirements	(continued)		
P7.21*			in the product (See N	OTE B7):	
	 a) Of total plastic by total plastic by 	parts' weight > 25 g,	es below shall be answ the biobased plastic m	ered; naterial content (calcula	ted as a percentage of
	or b) The weight of	the biobased plastic r	naterial is g.		
P7.22*	Light sources are f		less than 0,1 mg/lamp	ium mercury content pe	r lamp: mg
P8	Batteries	specify. Italiael of lar	inpo. una maxim	idin moreary contone po	riamp. mg
P8.1*	Battery chemical co	omposition: Lithium I	Manganese Dioxide		
P9	Energy consumpt	tion (See NOTE B8)			
P9.1			s or energy consumpti	ons are reported:	
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-r	nax)	W	W	W	Full load
Category	<u>/ -I2-</u>				
Short Idle	State - WOL	11.37W	13.23 W	12.38W	ENERGY STAR Computers V8 (P _{idle})
Long Idle S Enabled	State - WOL	9.64W	11.23W	10.71W	ENERGY STAR Computers V8 (P _{idle})
Sleep (S3)	- WOL Enabled	0.81W	0.81W	0.81W	ENERGY STAR Computers V8 (P _{sleep})
Off (S5) - V	VOL Enabled	0.68W	0.68W	0.68W	ENERGY STAR Computers V8 (P _{off})
Category	<u>/ -D2-</u>				
Short Idle : Enabled	State - WOL	21.42W	22.47W	22.92W	ENERGY STAR Computers V8 (P _{idle})
Long Idle S Enabled	State - WOL	15.3W	15.63 W	15.16W	ENERGY STAR Computers V8 (P _{idle})
Sleep (S3)	- WOL Enabled	0.77W	0.77 W	0.78 W	ENERGY STAR Computers V8 (P _{idle})
Sleep (S3)	- WOL Disabled	0.62W	0.62W	0.62W	ENERGY STAR Computers V8(P _{off})
Off (S5) - V	VOL Enabled	W	W	0.68W	Use for ENERGY STAR V8 registration (Poff)
EPS No-loa		W	W	W	
(External power si wall outlet but disc	upply / charger plugged in the connected from the product.)				_
PTEC *	ergy Consumption	W	W	W	
ETEC *	ergy Consumption	/2 42.4 kWh/year D2 73.5 kWh/year	/2 48.7 kWh/year D2 76.6 kWh/year	12 46kWh/year D2 77.4kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_idle} x 0.15+ P _{short_idle} x 0.35)
External Da	wor Supply Efficien				Enabled; Pidle: Idle State - WOL Enabled
		· ` ` ` · · · · · · · · · · · · · · · ·	Efficiency Marking Pro	UIUUUI) .	
Display res		egapixels			
		ve mode: 25 minutes			
P9.2*			on is provided with the	product.	
P9.3	Energy efficiency of	lass (monitors only): /	W A		1

NOTE B8 A Guidance document on Energy Efficiency is available;

 $see \hspace{0.2cm} \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm} \\$

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions		
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	* HDD:Idle	* 3.0
1	Operation	* HDD: Operating	* 3.2
1	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	23 (operator position desktop – operating)
	Measured acco	ording to: SO 7779 ECMA-74	
		Other (only if not covered by E	ECMA-74)

Model nur	nber *	90VJ,	90VK						Logo	Long	V/0	
Issue date	*	2022/1	11/9							Leno	VO.	ei .
Product	environ	mental	attributes	- Market	requireme	nts (cor	ntinued)			Require	ment	met
Item					•		•			Yes	No	n.a.
	Electro	omagneti	ic emissions									
P10.4	Compu prograr		y meets the	requiremer	nt for low fred	quency e	lectromagnet	ic fields of the foll	owing volunta	ry 🗌		
P12			r computing									
P12.1*			-	-				l display technolo	gies.			\boxtimes
P12.2*	The ph	ysical inp	ut device me	ets the rec	uirements of	f ISO 999	95 and ISO 9	241-410.		\boxtimes		
P13			documentat									
P13.1*	Produc Produc Produc	t packagi t packagi t packagi	ng material t ng material t ng material t ng material t	ype(s): LE ype(s): Co ype(s): PS	PE rrugated sin	igle wall	We We	eight (kg): 0.96 eight (kg): 0.32 eight (kg): 0.11 eight (kg): 0.01				
P13.2*	Produc	t plastic p	orimary packa	aging is fre	e from PVC.							
P13.3*			nary corruga ered fiber co			ing, spec	cify the conta	ained percentage	of minimum	post-		
P13.4*			or user and p		umentation (tick box):	:					
P13.5	(Please User a	e only cor	nplete this ite	m if paper								
	Elemer	chlorine- ntal chlori sed chlor	ne-free									
D4.4												
P14 P14.1		ary prog	rams ets the requir		the fellowine		n / m m n m n m / n /					
P 14. I	THE PIC	Jauct me	ets trie requir	ements of	trie following	voiuntai	y program(s)	l .				
	ENERG	GY STAR	®	Criteria ve	ersion: 8.0		Date: 2022	.10.17 Product	category: Des	ktop		
	Eco-lab	oel:		Criteria ve	ersion:		Date:	Product	category:	•		
	Eco-lat			Criteria ve			Date:	Product	category:			
P15			rmation (See									
P9	Energy Test	/ CONSUN Category	nption of sp	ecific cont	figuration m	ay vary;	description Graphics	of the tested pro		iration: mode	_	
	item	Category	CPU	Welliory	טטח	330	Grapines	power suppry	Sieep	mode		
	ES	I2 D2	17-13700	32GB	2TB 3.5"HDD	1T/M.2	onboard	260W	<i>S3</i>			
P9	the info supplice inform Account	ormation er's knov ation. Th nt Repre	n contained i wledge avail ne information sentative fo	n this doo able at the on provide r more info	cument. All i e time of con ed here is ap ormation.	nformati npletion proxima	ion provided , and suppli nte and provi	or warranties what by supplier in the supplier in the stall have no ided for information:	his document obligation to	t is provided l update such	based	on
1.9	http://v	rergy sta www.ene	ravstər.aov/	index.cfm	?fuseaction	omputer =find a	product.sh	est information: owProductGroup	n&paw_code	=CO		
			. gjotarigov			u_a_	_p. oaaoaan		- Lpgcode			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

l	Commercial name	IdeaCentre 5 14IRB8	Logo	
	Model Number	90VJ,90VK	Lenovo	
	Issue Date	2022/11/9	Lenovo.	
	Additional information			

d)	year of manufacture:				2021
)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	III discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3
	Memory over base [GB]	((=====================================	(======================================	32
ents	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
caps	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: (Yes / No)
	Category of discrete graphics Card(s)				G3
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Testr	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				94.31
1)	Idle state power demand (Watts);	•		•	D:25.84
1)	Sleep mode power demand (Watts);				D:0.82
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		D:0.84
)	Off mode power demand (Watts);				D:0.68
:)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		D:0.71
)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	D:10% 87.01% 20% 89.43% 50% 9	1.34% 100% 88.79%	Average 89.14%		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: N/A	r			
o)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	NA
)-1)	Measurement methodology used to dete		itioned in points (I) – ir		:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:	
(A)		
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual-Set power button behaviors	
	Set power button behaviors	
	You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.	
	To change what the power button does:	
	1. Go to Control Panel and view by large icons or small icons.	
	Click Power Options → Choose what the power buttons do.	
	3. Change the settings as you prefer.	
s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
(t)	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan Duration of idle state condition before the computer automatically reaches sleep mode, or another	25
(u)	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	
u,		
,	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA NA
v)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	
v)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality:	NA
v) w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA	NA
v) w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality:	NA
v) w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA	NA
(v) (w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA User information on how to enable the power management functionality:	NA
(v) (w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA User information on how to enable the power management functionality: Based on user manual-Set the power plan	NA
v) w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA User information on how to enable the power management functionality: Based on user manual-Set the power plan Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have	NA
v) w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA User information on how to enable the power management functionality: Based on user manual-Set the power plan Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: Table 1. Default power plan (when plugged into ac power)	NA
v) w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA User information on how to enable the power management functionality: Based on user manual-Set the power plan Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	NA
v) w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA User information on how to enable the power management functionality: Based on user manual-Set the power plan Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: Table 1. Default power plan (when plugged into ac power) Turn off the display: After 10 minutes	NA
(v) (w)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA User information on how to enable the power management functionality: Based on user manual-Set the power plan Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: Table 1. Default power plan (when plugged into ac power) • Turn off the display: After 10 minutes • Put the computer to sleep: After 25 minutes	NA
(v) (w) (x)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: NA User information on how to enable the power management functionality: Based on user manual-Set the power plan For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration: Table 1. Default power plan (when plugged into ac power) Turn off the display: After 10 minutes Put the computer to sleep: After 25 minutes To awaken the computer from Sleep mode, press any key on your keyboard.	NA

the elect		system, — inform			Hz, — total harmonic distortion of strumentation, set-up and circuits	
		Test volta	age in V and frequen	cy in Hz: 23	0V/50Hz	
Total harmonic distortion of the electricity supply system: ≦2%						
Instrument		Instrument Range Used		Make and Model **		i
B63		Digital Watch	Full range	CASIO; HS-70W; SN:301Q02R		
B1	100	power Meter	0~600V;0~20A	YOKOGA V	/OKOGAWA;WT310;SN:C2RD07008 /	
C1	18	Ambient Monitor	-10~60 °C /0~100%RH	Testo;622;SN:39504298/305		
Additional Noteb	ook Batte	ry Information:				•
		Battery[ies] <u>not</u> user replaceable		ole	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easil replaced by users themselves. 1)		ot be easily		
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional informat	tion					
as baterías de este produc ýměnu baterie/baterií v tor rugeren kan ikke uden vide er Akku/die Akkus dieses asutajad ei saa selle toote µmrarpoi(-£c) στο προϊόν a/les batterie(s présente(s) orisnik ne može lako zamij a batteria/le batterie in que letotăji paši nevar nomainī io gaminio baterijos [bateri termék akkumulátorát/akk -batterija/batteriji f'dan il-pratteriet [ene] i dette product 2 batterij(en) in dit product 2 bytkownik nie može sam v ou as baterias deste prod ateria (bateriile) din acest atériu(-ie) v tomto výrobku aterij/baterije v tem izdelk. ämän tuotteen akku [akut] et är inte enkelt för kunder	рия[и] в този п tot no pueden s mto výrobku by ere udskífte bal Produkts kann/ a akut/akusid ise αυτό δεν μπορ) dans ce produ entil si aražojuma a ijigl pats vartoto kumulátorait a frodott ma tistax ktet kan ikke let ti s (zijn) door d v latwy sposób uto não podem produs nu poat nemôže vymie u uporabniki sau ei[văt] ole help n att själv byta i	podykt не може да се ser sustituidas fácilmer neměli provádět sami tteriet/batterierne i dett können nicht ohne wei e hölpsasti asendada. poúv να αντικατασταθο μit ne peuvent ětre facil am u ovom proizvodu. pn può/possono essere akumulatoru(-us). jas negali lengvai pake elhasználó nem tudja e /jistghux tigi/jigu sostiti tt erstattes av brukerne le gebruiker niet gemal wymienić baterii w tyrr a ser facilmente substitu e (pot) fi uşor înlocuită en proizvodu. mi ne morejo zlahka za osti käyttäjän vaihdette su deser substaty a substitute niet gemal wymienić baterii w tyrr a ser facilmente substitute (pot) fi uşor înlocuită mar youzívateľ. mi ne morejo zlahka za osti käyttäjän vaihdette.	amenµ[st] лесно от сам te por los propios usuarios te e produkt. teres vom Benutzer selbst úv εύκολα από τους ίδιους lement remplacée(s) par le e facilmente sostituita/e dal eisti. agyedül egyszerűen kicsere wita/i mill-utenti stess. a selv. a produkcie. uldas pelos próprios utiliza (înlocuite) de utilizatorii în amenjati. avissa.	ausgetauscht w τους χρήστες s utilisateurs eu l'utente. élni.	verden.	