



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0		
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		ODOVO		
e-mail address	Alvin L Carter		Lenovo		
	<u>alcarter@lenovo.com</u>				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Notebook			
Commercial name *	IP Flex 5 Chrome 14IAU7 / Lenovo Flex 5 Chrome 14IAU			
Model number *	82T5, 83AJ,83AK			
Issue date *	2022-4-30, Updated 2022-07-20			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * Issue date *	82T5, 83AJ,83AK 2022-4-30, Updated 2022-07-20	Logo	Len	ovo	<b>D</b> <sub>tM</sub>
Product environ	mental attributes - Legal requirements		Require	emen	t met
Item			Yes	No	n.a.

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$		
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	$\boxtimes$		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 $\mu g/cm^2/week$	$\boxtimes$		
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$	
Г 1.1	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure		Ш	ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
	symbol. Information on proper disposal is provided in user manual. (See legal reference)		ш	ш
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	$\boxtimes$		
	reference)		_	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		Ш	
P3	Conformity verification & Eco design (ErP)		_	
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		Ш
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU and			
	·			
	https://www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$	П	
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	$\boxtimes$		
	🔀 available at (add URL):			
	https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol	$\boxtimes$		
	(see legal reference).		_	_
Do	Comment: Legal reference has no maximum concentration values.			
P6 1*	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82T5, 83AJ,83AK	Logo	Lan		
Issue da	te *	2022-4-30, Updated 2022-07-20		Len	OVC	) <sub>TM</sub>
Product		mental attributes - Market requirements (See General NOTE GN b onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling			•	
P7.1*	Parts tha	t have to be treated separately are easily separable		$\boxtimes$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	$\boxtimes$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
	Product	lifetime				
P7.7*	Upgradin	ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: PC+ABC+15% tac				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) brown 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	retardants, an	d 🔼		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔲 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>DOPO</b> , CAS #: <b>35948</b>				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	nts) > 25 g			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances, ations above 0.1%:	/preparations i	n 🔀		
	2. Chemi 3. Chemi 4. Chemi Alt. 2	ical name: halogen-free organic phosphorus compound CAS #: confidential ical name: CAS #:		<b>5</b> 7		
P7.19	In plactic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have heen		$\vdash$	
1 1.10	ווו אומטנונ	, parto - 20 g, name retardant substances/preparations above 0, i /0 are used willon	HAVE DEELI	1 1	1 1	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

and Hazard statements:

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as

(See note B5)

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

The source(s) for these classifications is/are found at (add URL(s)):

If YES; at least one of the two alternatives below shall be answered;

a percentage of total plastic by weight) is 3.46%.

The weight of recycled material is 14.6 g.

Postconsumer recycled plastic material content is used in the product (See Note B6):

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

assigned the following Risk phrases;

P7.20

a)

or b)

Model number *	82T5, 83AJ,83AK	Logo	Lanava
Issue date *	2022-4-30, Updated 2022-07-20		rei iovo"

Product environmental attributes - Market requirements (continued)	Requi	remen	t met
Item	Yes	No	n.a.

		tance requirements				
P7.21*	Biobased plastic m	aterial content is used	d in the product (See No	OTE B7):		
			es below shall be answe			
				aterial content (cal	culated as a percentage of	
		weight) is 0 %.				
	or b) The weight of	the biobased plastic r	material is g.			
P7.22*			less than 0,1 mg/lamp.		$\square$	$\overline{\Box}$
		specify: Number of lar		um mercury conten		ш
P8	Batteries		•	•		
P8.1*	Battery chemical co	omposition: LI-ION Po	olymer			
P9	Energy consumpt	tion (See NOTE B8)				
P9.1			s or energy consumption			
Energy mod	le *	Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Category	<u>′ 1</u>					
Short Idle S	State - WOL	5.41 W	5.17 W	5.56 W	ENERGY STAR Computers V8.0	
Enabled					(P <sub>idle</sub> )	
Long Idlo C	State - WOL	0.46 W	0.40 W	0.49 W	ENERGY STAR Computers V8.0	
Enabled	tate - WOL	0.46 VV	0.40 VV	0.49 VV	(P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	<b>0.46</b> W	<b>0.40</b> W	<b>0.49</b> W	ENERGY STAR Computers V8.0	
Off (Of) 14	/OL Enabled	0.0014/	0.0014/	0.29 W	(P <sub>sleep</sub> ) ENERGY STAR Computers V8.0	
OH (35) - W	OL Enabled	0.26 W	<b>0.26</b> W	0.29 VV	(P <sub>off</sub> ) Use for ErP	
Category	12				(1 on) Oscilor Eli	
Outegory						
	State - WOL	3.69 W	3.58 W	3.61 W	ENERGY STAR Computers V8.0	
Enabled					(P <sub>idle</sub> )	
Long Idle S	State - WOL	0.63 W	0.63 W	0.60 W	ENERGY STAR Computers V8.0	
Enabled					(P <sub>idle</sub> )	
Sleen (S3)	- WOL Enabled	0.63 W	0.63 W	0.60 W	ENERGY STAR Computers V8.0	
Greep (GG)	WOL Lindbied	0.00 **	0.00 **	0.00 ***	(P <sub>sleep</sub> )	
					· "	
Off (S5) - W	/OL Enabled	0.29 W	<b>0.29</b> W	0.33 W	ENERGY STAR Computers V8.0	
					(P <sub>off</sub> )	
EPS No-loa		0.06 W	0.06 W	0.06 W		
(External power su wall outlet but disco	apply / charger plugged in the connected from the product.)					
PTEC *	1 /	W	W	W		$\boxtimes$
	rgy Consumption					
ETEC *		16.60(Cat1);	15.73(Cat1);	17.18(Cat1);	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 +$	
Annual Ene	rgy Consumption	12.57(Cat2)	12.53(Cat2)	12.82(Cat2)	P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+	
		kWh/year	kWh/year	kWh/year	P <sub>short_Idle</sub> x 0.30)   abled; P <sub>idle</sub> : Idle State - WOL Enabled	
External Po	wer Supply Efficien		Efficiency Marking Pro		and the state of t	
	olution * : 2.07 meg	, ,		,	1920*1200	$\dashv$
		ve mode: 8.5 minutes			1010 1130	$\dashv$
P9.2*			on is provided with the	product	$\square$	<del>   </del>
P0 3		lass (monitors only):	on to provided with the	p.oddot.		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

P10	Emissions		
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)
	Idle	* SSD:Idle	* 2.4
	Operation	* SSD: Operating	* 2.9
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p { m Am}}$	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p {\rm Am}}$	(operator position desktop – operatingSSD) 30 (operator position desktop – operatingCPU)
	Measured acco	ording to: X ISO 7779 X ECMA-74	
		Other (only if not covered by	ECMA-74)

Model nur	nber *	8215, 83AJ,83AK					Logo	Long	1/0	
Issue date	*	2022-4-30, Update	ed 2022-07-20					Leno	VO,	н
Product	environn	nental attributes	- Market requirem	nents (cor	itinued)			Require	ment	met
Item			•		•			Yes	No	n.a.
	Electron	nagnetic emission	S					*		
P10.4	Compute		requirement for low f	requency e	ectromagnetic field	s of the foll	owing voluntary	$\boxtimes$		
P12		nics for computing								
P12.1*	The disp	lay meets the ergor	nomic requirements of	ISO 9241-	307 for visual displa	y technolo	gies.	$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements	of ISO 999	5 and ISO 9241-41	0.		$\boxtimes$		
P13	Packagi	ng and documenta	ation							
P13.1*	Product Product Product	packaging material packaging material	type(s): <i>EPE</i> type(s): <i>PP Handle</i>	weight (kg weight (kg weight (kg weight (kg weight (kg	):					
P13.2*			aging is free from PV	C.	•			X		
P13.3*		luct primary corruger recovered fiber co	ated fiberboard pack	aging, spec	cify the contained p	percentage	of minimum po	ost-		
P13.4*	Electroni	ic 🔀, Paper 🔀, C		, ,						
P13.5	Ùser and		tem if paper documen ation on paper media							
	Totally c	hlorine-free								
	Elementa	al chlorine-free								
	Processe	ed chlorine-free								
P14		ry programs								
P14.1	The proc	luct meets the requ	irements of the followi	ing voluntar	y program(s):					
	Eco-labe Eco-labe	el:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	)	Date: <b>2021/4/30</b> Date: Date:	Product (	category: 1/2 category: category:			
P15		nal information (Se								
P9			ecific configuration							
	informati knowledo provided informati	on contained in this ge available at the t here is approximat on.	epresentations, guara document. All informations ime of completion, and e and provided for info	ation provid d supplier s ormational p	ed by supplier in th hall have no obligat ourposes only. See	is documer tion to upda a Lenovo A	nt is provided ba ate such informa	sed on supp tion. The inf	olier's formati	ion
P9			lotebooks & Tablet Condex.cfm?fuseaction=				code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IP Flex 5 Chrome 14IAU7 / Lenovo Flex 5 Chrome 14IAU	Logo
Model number *	82T5, 83AJ,83AK	Lopovo
Issue date *	2022-4-30, Updated 2022-07-20	Lenovo
Additional information		

d)	Year of manufacture:				2022		
(e) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cadisabled and if the system is tested with switchable graphics mode with UMA driving the display.  (f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca							
,	enable	y and capability adjust	ancina applica when a	an discrete grapinos	cards (doix) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
capability adjustments applied during testing	Memory over base [GB]	8		, , , , ,			
	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	9.43					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
)	Idle state power demand (Watts);			ı	A : 2.36		
)	Sleep mode power demand (Watts);						
1	Sleep mode with WOL enabled power demand (Watts) (where enabled);						
	Off mode power demand (Watts);						
()	Off mode with WOL enabled power demand (Watts) (where enabled);						
(I) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10% 20% 50%	100% Avera	age				
n)	External power supply efficiency (if applicable)*:						
	Average active efficiency: 87,98%,88,6	3%,88,83%					
,	*internal note: show values for all available external p						
)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300CYCLE.						
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						
o-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						

(p-3)	(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 61960 measurement methodology								
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	EN 62623:2013 measurement methodology								
(q)	Sequence of steps for achieving a stable condition with respect to power demand::								
	EN 62623:2013 measurement methodology								
(r)	Description of how sl	now sleep and/or off mode was selected or programmed:							
	EN 62623:2013 measurement methodology								
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
refer to power management, 30mins automatically reaches sleep mode									
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  8.								
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):								
(v)		re the display sleep mode is set to activate after		7.5					
(w)									
refer to user manual									
(x) User information on how to enable the power management functionality:									
refer to user manual									
(z)	z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
230V, 50GHz, Total Harmonic Distortion <2 %									
Additional Notebook Battery Information:									
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)							
Internal/built-in Battery									
External/detachable Battery									
Bios Backup Battery									
Other:									
Additional information									
)									

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.