



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	nal information The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	IdeaPad Pro 5 14IRH8					
Model number *	83AL					
Issue date *	2022/12/15					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		er* 83AL Log		Long	Lenovo.		
Issue date	e *	2022/12/15		Len	JVU) _{TH}	
Product	environ	mental attributes - Legal requirements		Require		met	
Item				Yes	No	n.a.	
P1		us substances and preparations					
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)				
P1.2*		do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.			Ш		
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square	$\overline{}$		
1 1.0		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride. 1.1.1-		ш		
	trichloroe	ethane, methyl bromide (see legal reference). Comment: Legal reference has no m					
		ation values.					
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in t	he 🔀			
	chain co	ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/we	ek 🔀			
		al reference).					
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):				
F 1.7		rww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).		Ш		
P2	Batterie	S					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal				
P2.2*							
	reference	,					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)					
P3		nity verification & Eco design (ErP)					
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).				
		laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and					
		vww.lenovo.com/us/en/compliance/eu-doc for EO and vww.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products,					
	(see lega	al reference).			_		
	Required	l information is; Siven in item P15 or added to this document,				\sqcup	
		available at (add URL):					
		www.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.					
P5.2*		caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the materia	(s) 🔀			
P5.3*		luct packaging material is free from ozone depleting substances as specified in the Nal reference).	nontreal Proto	col 🔀			
		at reference). It: Legal reference has no maximum concentration values.					
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		83AL	Logo	on	01/0	
Issue dat	te *	2022/12/15		Len		TH.
Product	environ	mental attributes - Market requirements (See General NOTE GN I	nelow)			
1 Todaci		onmental conscious design		equire	ment r	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable		\boxtimes		
P7.2*		aterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.				\boxtimes
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a re easily separable. (This requirement does not apply to safety/regulatory labels).	vailable tools.			
P7.6*			\boxtimes			
D7 7*	Product					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					Щ.
P7.8*		g can be done using commonly available tools				Щ.
P7.9		rts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
D= 44*		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS+15% Talc Material type: PC+ABS Materia	ıl type: Nylon+GF	-		
	Material		r type. Nylon+Gr	-		
P7.12		n materials of external electrical cables are PVC free.		\boxtimes		\Box
P7.13		n materials of internal electrical cables are PVC free.		$\overline{\mathbb{X}}$	Ħ	∺
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br	omine and 0,1%	X	Ħ	Ħ
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	retardants, and		ш	
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	parts containing			
P7.15		n 25% post-consumer recycled content. ircuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g ⊠	are low belogen	\boxtimes		$\overline{}$
	as define	ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen		<u> </u>	
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS+15%Talc<				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co				
	TBBF	'A (additive), \square TBBPA (reactive) (See NOTE B3), $ ot\boxtimes$ Other: <code>DOPO</code> CAS #: 35948	· 25-5	\bowtie		
	Alt. 2: Ch	nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25 g			
	accordin	g ISO 1043-4: <i>FR(16)</i>	, -	\boxtimes		
P7.18	<u>Alt. 1: </u> Fl	ame retarded plastic parts > 25 g contain the following flame retardant substance:	s/preparations in			
		ations above 0,1%:		\boxtimes		
		ical name: BPADP , CAS #: 181028-79-5 (See NOTE B4)				
		ical name: , CAS #: " ical name: , CAS #: "				
			0.4.ED(40)			
P7.19		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043 parts > 25 g, flame retardant substances/preparations above 0,1% are used which			+	₩
F1.19		the following Risk phrases; <i>P273,P391,P501</i> and Hazard statements: <i>H411</i>	nave been		Ш	Ш
		ce(s) for these classifications is/are found at (add URL(s)):				
		https://china.guidechem.com/31822/detail.html, (See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	If YES; a	t least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 24.29%.	(calculated as			
	or					
1	b) The weight of recycled material is 63.87 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	83AL	Logo	Lenov			
Issue date *	2022/12/15		Len) _{TH}	
Product environr	nental attributes - Market requirements (continued)		Requir	emen	t met	
Item			Yes	No	n.a.	

P7.21*		ostance requirements material content is use		NOTE B7):					
F1.21	•			•		Ш			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
		total plastic by weight) is %.							
	or								
P7.22*		of the biobased plastic				_			
P1.22		free from mercury, i.e. I specify: Number of la		າ. num mercury content p	per lamp: mg	Ш			
P8	Batteries			······					
P8.1*	Battery chemical	composition: Lithium i	on						
P9	Energy consumption (See NOTE B8)								
P9.1		ne following power leve							
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	Ш			
Peak (On-i	nax)	140 W	140 W	140 W	Full load				
Catogor	, 2								
Categor	<u> </u>								
	State - WOL	4.78 W	4.81 W	4.97 W	ENERGY STAR Computers V8				
Enabled					(P _{idle})				
	State - WOL	0.45 W	0.45 W	0.53 W	ENERGY STAR Computers V8				
Enabled					(P _{idle})				
Sleep (S3)	- WOL Disabled	0.45 W	0.45 W	0.53 W	ENERGY STAR Computers V8				
Off (S5) - V	VOL Disabled	0.24 W	0.24 W	0.28 W	ENERGY STAR Computers V8				
EPS No-loa	nd.	0.04 W	0.04 W	0.04 W					
	upply / charger plugged in the connected from the product.)		0.04 11	0.04 1.1					
PTEC *	connected from the product.)	W	W	W	-				
	ergy Consumption		"	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
ETEC *		14.86 kWh/year	14.94 kWh/year	15.76 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$				
Annual Ene	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_ldle} x 0.10+				
		P _{off} : Off Mode(S5) - W	OL Enabled; P _{sleep} : Slee	ep Mode(S3) - WOL Enabl	P _{short_Idle} x 0.30) led; P _{idle} : Idle State - WOL Enabled				
External Po	wer Supply Efficie	ncy Level (Internationa							
Display res	olution * : 2880*18	800 megapixels				Ħ			
Default time	e to enter energy s	ave mode: 10 minutes				T			
P9.2*		the energy save funct	ion is provided with the	e product.		一			
P9.3	Energy efficiency	class (monitors only):	·			X			
P10	Emissions	, ,,							
		 Declared according t 	o ISO 9296 (See NOT						
P10.1		Mode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B					
	Idle	* System Idle		* 2.13					
	Operation	* CPU;Operation		* 3.75		\boxtimes			
	Other mode	Declared A-weighted sour $L_{p \text{Am}}$	nd pressure level (dB)	21.41 (operator po	osition desktop – idle)				
	Other mode	Declared A-weighted sour	nd pressure level (dB)	38.69 (operator po	osition desktop – operating)				
		L_{pAm}							
	Measured accord	ing to: 🔀 ISO 7779	ECMA-74	•					
		Other	(only if not covered b	y ECMA-74)					

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *	83AL Logo	ono	V/0		
Issue date *	2023/12/15	.eno	VO.	•	
Product environ	nmental attributes - Market requirements (continued)	Requirer	ment	met	
Item		Yes	No	n.a.	
Electro	omagnetic emissions				
	uter display meets the requirement for low frequency electromagnetic fields of the following voluntary m(s): MPR-II(3 pin AC adapter only)	\boxtimes			
	omics for computing products				
P12.1* The dis	splay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes			
	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
	ging and documentation				
Produc Produc Produc	ct packaging material type(s): double wall corrugated board ct packaging material type(s): Single layer corrugated board ct packaging material type(s): PIC Black EPE ct packaging material type(s): LDPE ct packaging material type(s): LDPE ct packaging material type(s): Tracing paper ct packaging material type(s): Tracing paper ct packaging material type(s): 0.004 ct packaging material type(s): 0.004				
P13.2* Produc	et plastic primary packaging is free from PVC.	\boxtimes			
P13.3* For pro	oduct primary corrugated fiberboard packaging, specify the contained percentage of minimum post- mer recovered fiber content: 84 %				
Elec	y media for user and product documentation (tick box): ctronic, ⊠Paper, ⊡Other				
Ùser a	e only complete this item if paper documentation used) nd product documentation on paper media is chlorine-free: please specify:				
Elemer	chlorine-free ntal chlorine-free ssed chlorine-free				
P14 Volunt	tary programs				
	oduct meets the requirements of the following voluntary program(s):				
Eco-lat Eco-lat	<u> </u>				
	onal information (See NOTE B10)				
	y consumption of specific configuration may vary; description of the tested product configuration				
the inf suppli inform Accou	Supplier makes no representations, guarantees, assurances or warranties whether express or information contained in this document. All information provided by supplier in this document is payer's knowledge available at the time of completion, and supplier shall have no obligation to updatation. The information provided here is approximate and provided for informational purposes or an expression of the provided for informational purposes or an expression of the provided for information of the provided for more information.	rovided l te such	based	on	
	nergy Star Qualified Notebooks & Tablet Computers for the latest information: www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Pro 5 14IRH8	Logo	
Model Number	83AL		Lenovo
Issue Date	2022/12/15		reliovo.
Additional information			

d)	Year of manufacture:				
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	n switchable graphics n	node with UMA driving	the display.	, ,
f)	enable	Category A	Category B	Category C	Category D
	Memory over base [GB]	(according to ErP Lot 3) 32	(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3)
ents ting	Additional internal storage	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
djustm ing tes	Discrete television tuner	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NO	G4		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	3.57			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		3.53		
g)	Idle state power demand (Watts);	•	•	•	0.643
n)	Sleep mode power demand (Watts);				0.643
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		NA
)	Off mode power demand (Watts);				0.251
۲)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA
l)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 85.76%, 85.	27%, 84.09%, 83.45	%, 84.64%		
	*internal note: show values for all available external p	ower supplies			
o)	Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300 cycles
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – ir	nternal PSU efficiency:	:

(p-2)	p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
		IEC 62623					
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		Power on -> Wait 5 minutes -> Stable col	ndition				
(r)	Description of how s	leep and/or off mode was selected or programmed:					
		Begin menu -> Power -> Select sleep or o	ff mode				
(s)	Sequence of events off mode: Refer to U	required to reach the mode where the equipment au ser Guide	tomatically changes to sleep and/or				
(t)		te condition before the computer automatically researched the applicable power demand requirement		10min			
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA			
(v)		re the display sleep mode is set to activate after		10min			
(w)		nergy-saving potential of power management function					
		Refer to User Guide					
(x)	User information on	how to enable the power management functionality:					
		Refer to User Guide					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:					
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	1, IEC62301				
Addition	al Notebook Batter	v Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Battery							
External/	detachable Battery						
Bios Backup Battery							
Other:	Other:						
Additiona	Additional information						
)							

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskífte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

The battervijes in this product cannot be easily replaced by users themselves.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

4