

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook PC					
Commercial name *	IdeaPad Slim 5 16IRL8					
Model number *	82XF					
Issue date *	2023.01.16					
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82XF Logo			
Issue dat	e *	2023.01.16	Len	JVC	Тн.
Product	environ	mental attributes - Legal requirements	Require		t met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			
P1.3*	hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Product terphen	\boxtimes			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ie 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\square		
P2	Batterie				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square		
P2.2*	Batterie referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega e)	al 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\square		
P3	Confor	nity verification & Eco design (ErP)			
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products,	\square		
		al reference).			
	•	d information is; given in item P15 or added to this document,	\square		
	•	available at (add URL):			
	https://	www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.			
P5.2*	The pac used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material ee legal reference).			
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference).	ol 🔀		
DA		nt: Legal reference has no maximum concentration values.			
P6.1*		nt information		_	
P0.1	mormat	ion for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82XF	Logo	Lon		
Issue da	te *	2023.01.16		Len		тн
Product		mental attributes - Market requirements (See General NOTE GN	· · ·			
11		onmental conscious design		Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			- -	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	
P7.0						
P7.7*	Product	ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			+	
P7.9		arts are available after end of production for: 3 years				
P7.10		is available after end of production for: 3 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
1 7.11			al type: PC+ABS	+TPU		
P7.12		n materials of external electrical cables are PVC free.	71			
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			H	
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1%		H	
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants, and	d 🔼		
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	n parts containing	g		
P7.15		an 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌			\square	
F7.15	as define	ed in IEC 61249-2-21. (See 1NOTE B2)	-	n 🛄		
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17	Alt 1. Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents).			
		PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without component	ents) > 25 g		_	
	accordin	g ISO 1043-4: <i>FR(16)</i>		\boxtimes		
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	c/proporations i			<u> </u>
F 7.10		ations above 0,1%:				
		ical name: Oligomeric phosphorous compound, CAS #: Confidential (See NOT	E B4)			
		ical name: , CAS #: "				
		ical name: , CAS #: "				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104		\square		
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			
	assigned	I the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): European Council	Directive			
	67/548/E					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		\square		
	If YES: a	at least one of the two alternatives below shall be answered;				
		total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten	t (calculated as			
		ercentage of total plastic by weight) is 4.42% %.	,			
	or	weight of requeled material is 10.27m a				
L	b) The	e weight of recycled material is 10.37g g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	82XF 2023.01.16	Logo	Lenovo
Product environ	nental attributes - Market requirements (continued)		Requirement met

Item

Yes No n.a.

	Material and sub	stance requirements	(continued)				
P7.21*			d in the product (See N	DTE B7):			
	If YES; at least one of the two alternatives below shall be answered;						
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
	total plastic b	y weight) is %.					
	or b) The weight of	f the highered plactic	motorial ia a				
P7.22*		f the biobased plastic	material is g. less than 0,1 mg/lamp.				
F 7.22		specify: Number of la		um mercury content pe			
P8	Batteries		1	· · · · ·			
P8.1*	Battery chemical composition: Lithium ion						
P9	Energy consump	tion (See NOTE B8)					
P9.1	For the product th	e following power leve	ls or energy consumption	ons are reported:			
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard for energy		
D 1 (0)		100 V AC	115 V AC	230 V AC	modes and test method *		
Peak (On-	max)	100 W	100 W	100 W	Full load		
Categor	<u>y 2</u>						
Short Idle	State - WOL	5.73 W	5.26 W	6.06 W	ENERGY STAR Computers V8		
Enabled					(P _{idle})		
Long Idle	State - WOL	0.69 W	0.69 W	0.68 W	ENERGY STAR Computers V8		
Enabled		0.00 11	0.00 11	0.00 11	(P _{idle})		
Sleep (S3)	- WOL Enabled	0.69 W	0.69 W	0.68 W	ENERGY STAR Computers V8		
					(P _{sleep})		
Off (S5) - I	WOL Enabled	0.31 W	0.31 W	0.32 W	ENERGY STAR Computers V8 (Poff)		
EPS No-lo	ad	0.033 W	0.036 W	0.073 W			
(External power	supply / charger plugged in the sconnected from the product.)						
PTEC *	connected from the product.)	W	W	W			
-	ergy Consumption						
ETEC *		Cat2: 16.25	Cat2: 15.22	Cat2: 16.95	E _{TEC} = (8760/1000) x (P _{off} x 0.25		
Annual En	ergy Consumption	kWh/year	kWh/year	kWh/year	+ P _{sleep} x 0.35 + P _{long_ldle} x 0.10+ P _{short Idle} x 0.30)		
	0 1 577 1				ed; P _{idle} : Idle State - WOL Enabled		
			I Efficiency Marking Pro				
	solution * : 2560*16	÷ .					
	0,	ave mode: 5 minutes					
P9.2*	Information about	the energy save funct	on is provided with the	product.			
P9.3	Energy efficiency	class (monitors only):					
P10	Emissions						
			o ISO 9296 (See NOTE				
P10.1		Mode Mode description			it A-weighted sound power level, $L_{WA,c}$ (B)		
	Idle '	' idle		* 2.7			
		CPU operation		* 3.8			
			d pressure level (dB) _{L pAm}	19.4 (operator posi	ition desktop – idle)		
	Other mode	Declared A-weighted sour	d pressure level (dB) L _{pAm}	29.4 (operator posi	ition desktop – operating)		
	Measured accord	ng to: 🔀 ISO 7779 Other	ECMA-74 (only if not covered by				
	I		(only if not covered by	LOWA-14			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	82XF				Logo	Long		
lssue dat	te *	2023.01.16					Leno	VO _m	
Product	t environr	nental attributes - Ma	arket requirements (co	ntinued)			Require		net
ltem							Yes	No	n.a
		nagnetic emissions							
P10.4	program	(s): EMC Directive 2014		electromagnetic field	s of the follo	wing volun	tary 🔀		
P12		mics for computing pro							_
P12.1*		• •	requirements of ISO 9241			jies.		\bowtie	
P12.2*	The phy	sical input device meets	the requirements of ISO 99	95 and ISO 9241-41	0.			\boxtimes	
P13	Packagi	ng and documentation							
P13.1*	Product packaging material type(s): <i>single layer corrugated carboard(B Flute)</i> weight (kg): <i>0.358</i> Product packaging material type(s): <i>single layer corrugated carboard(E Flute)</i> weight (kg): <i>0.035</i> Product packaging material type(s): <i>Tracing paper</i> weight (kg): <i>0.052</i> Product packaging material type(s): <i>Ocean-bound plastic bag</i> weight (kg): <i>0.015</i> Product packaging material type(s): <i>Coated Paper</i> weight (kg): <i>0.015</i>								
P13.2*	Product	plastic primary packagin	g is free from PVC.				\boxtimes		\square
P13.3*		duct primary corrugated er recovered fiber conten	fiberboard packaging, spe t: 85 %	cify the contained p	percentage	of minimur	n post-		
P13.4*		media for user and produ ronic, ⊠Paper, ⊡Othe	ict documentation (tick box)):					
P13.5	Ùser and		f paper documentation used on paper media is chlorine						
		hlorine-free al chlorine-free							
	Process	ed chlorine-free					Ē		
P14	Volunta	ry programs							
P14.1			ents of the following volunta	ry program(s):					
		el: ENERGY STAR® el: EPEAT 2018 el:	Criteria version: 8.0 Criteria version: 2018 Criteria version:	Date: 2023/1/16 Date: 2023/1/16 Date:		ategory: Ca ategory: No ategory:			
P15		nal information (See NC							
<u>P9</u>	NOTE: \$ the info supplied informa Accoun	Supplier makes no repr rmation contained in th r's knowledge available tion. The information p t Representative for mo		assurances or warn tion provided by su n, and supplier shal ate and provided fo	ranties whe Ipplier in th Il have no c or informati	ether expre is docume obligation t	ess or implied, i ent is provided to update such	based o	on
P9			ebooks & Tablet Compute ex.cfm?fuseaction=find_a			&pgw_cod	le=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Slim 5 16IRL8	Logo
Model Number	82XF	
Issue Date	2023.01.16	Lenovo
Additional information		

P7.1.1	Product environmental attributes							
(d)	Year of manufacture:				2023			
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) an enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	16						
lents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capa app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)	Νο						
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.13						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	No						
g)	Idle state power demand (Watts);	1	I	1	CatA: 3.24			
h)	Sleep mode power demand (Watts);				CatA: 0.75			
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA			
j)	Off mode power demand (Watts);				CatA: 0.38			
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA			
1)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: Liteon: 90.12	2% ;Chicony: 90.25%	;Delta: 90.68% ;Acel	bel: 90.81%				
	*internal note: show values for all available external p							
0)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	300			
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA							
(p-2)	Measurement methodology used to dete EN 5050	rmine information mer 53:2011 measuremen		external PSU efficiend	cy:			

(p-3) Measurement me	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology							
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	EN 61960 measurement methodolo	<i>ygy</i>						
(q) Sequence of step	s for achieving a stable condition with respect to power	demand::						
	EN 61960 measurement methodolo	<i>ygy</i>						
(r) Description of how	v sleep and/or off mode was selected or programmed:							
	Begin menu -> Power -> Select sleep or	off mode						
(s) Sequence of ever off mode: base or	ts required to reach the mode where the equipment at <i>User Guide</i>	itomatically changes to sleep and/or						
	state condition before the computer automatically not exceed the applicable power demand requirem		5 min					
u) Length of time a	iter a period of user inactivity in which the computer lower power demand requirement than sleep mode (ii	er automatically reaches a power	NA					
(v) Length of time b	efore the display sleep mode is set to activate after	user inactivity (in minutes):	5 min					
w) Information on the	energy-saving potential of power management function	onality:						
	Refer to User Guide							
x) User information	on how to enable the power management functionality:							
	Refer to User Guide							
	-	nstrumentation, set-up and circuits						
	230V, 50Hz, Total Haemonic Distortion	n <2%						
Additional Notebook Bat	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a					
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		n/u					
Internal/built-in Battery								
External/detachable Batter	у 🗋							
Bios Backup Battery								
Other:								
Additional information								
	e easily replaced by users themselves. и продукт не може да се замени[ят] лесно от самите потребите	ли.						
	en ser sustituidas fácilmente por los propios usuarios.							
geren kan ikke uden videre udskifte Akku/die Akkus dieses Produkts ka	batteriet/batterierne i dette produkt. nn/können nicht ohne weiteres vom Benutzer selbst ausgetauscht	werden.						
sutajad ei saa selle toote akut/akusio ιπαταρία[-ες] στο προϊόν αυτό δεν μ	ise hõlpsasti asendada. τορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες							
	oduit ne peuvent être facilement remplacée(s) par les utilisateurs e	ux-mêmes.						
	non può/possono essere facilmente sostituita/e dall'utente.							
gaminio baterijos [baterijų] pats var								
atterija/batteriji f'dan il-prodott ma tis	tax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.							
	or de gebruiker niet gemakkelijk vervangbaar.							
	ób wymienić baterii w tym produkcie. em ser facilmente substituídas pelos próprios utilizadores.							

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Támán tuotteen akku [akut] el[Vát] ole helposti käyttäján vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.