

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | | | | |
|------------------------|--|--------|--|--|--|--|
| Company name * | Lenovo | | | | | |
| Contact information * | ontact information * Lenovo Global Environmental Affairs | | | | | |
| e-mail address | Alvin L Carter | Lenovo | | | | |
| | alcarter@lenovo.com | | | | | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment.html | | | | | |
| Additional information | The latest version of this document can be found at: | | | | | |
| | http://www.lenovo.com/ecodeclaration | | | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | | |
|--|--|--|--|--|--|--|
| conforms to the statement | conforms to the statements given in this declaration. | | | | | |
| Type of product * | Display | | | | | |
| Commercial name * | Lenovo Legion Y27q-30 | | | | | |
| Model number * | 66F7 | | | | | |
| Issue date * | 2022/5/28 | | | | | |
| Intended market * | 🛛 Global 🗌 🗆 Europe 📄 Asia, Pacific & Japan 📄 Americas 🗌 Other | | | | | |
| Additional information | | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model n | umber * | 66F7 Logo | | | |
|---------------------|---|--|-------------|-------------------|-----------|
| Issue date * | | 2022/5/28 | Leng | DVC | |
| Product | t environ | mental attributes - Legal requirements | Require | ment | met |
| Item | | | Yes | No | n.a. |
| P1 | Hazardo | ous substances and preparations | | | |
| P1.1* | Product | s do comply with current European RoHS Directive. (See legal reference and NOTE B1) | \square | | |
| P1.2* | Product | s do not contain Asbestos (see legal reference). | | $\overline{\neg}$ | |
| | Comme | nt: Legal reference has no maximum concentration value. | | | |
| P1.3* | hydrobro trichloro | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values. | | | |
| P1.4* | | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference). | \boxtimes | | |
| P1.5* | | s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th | e 🔀 | | |
| | | ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | | | |
| P1.6* | Parts wi | th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ g/cm ² /wee | k 🛛 | | |
| | · · · | al reference). | | | |
| D / D | | nt: Max limit in legal reference when tested according to EN1811:2011-5. | | | |
| P1.7* | | Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | \boxtimes | | |
| | | | | | |
| P2 | Batterie | | | | |
| P2.1* | • | oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal | | | \bowtie |
| P2.2* | | symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal | | | |
| 12.2 | reference) | | | | |
| P2.3* | | Batteries and accumulators are readily removable. (See legal reference) | | | |
| P3 | Conformity verification & Eco design (ErP) | | | | |
| P3.1* | The pro The Dec https:// | duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK | | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, | \boxtimes | | |
| | (see leg | al reference). | | | _ |
| | Require | d information is; given in item P15 or added to this document, | \square | | |
| | | 🔀 available at (add URL): | | | |
| | https:// | www.lenovo.com/us/en/compliance/eco-declaration | | | |
| P5 | | t packaging | | | |
| P5.1* | | ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together. | nd 🔀 | | |
| P5.2* | | kaging materials are marked with abbreviations and numbers indicating the nature of the material(ee legal reference). | s) 🔀 | | |
| P5.3* | | duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). | ol 🔀 | | |
| | Comment: Legal reference has no maximum concentration values. | | | | |
| P6 | | ent information | | | |
| P6.1* | Informat | ion for recyclers/treatment facilities is available (see legal reference). | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model nu | umber * | 66F7 | Logo | | ~~~~ | | | | |
|--|--|---|------------------|-------------|-------------|------------------------|--|--|--|
| Issue date * | | 2022/5/28 | | Len | ovo |) ₇₄ | | | |
| Product environmental attributes - Market requirements (See General NOTE GN below) | | | | | | | | | |
| | - Environmental conscious design Requirement met | | | | | | | | |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. | | | | | | | | |
| P7 | Design Disassembly, recycling | | | | | | | | |
| P7.1* | | at have to be treated separately are easily separable | | | | | | | |
| P7.2* | Plastic m | naterials in covers/housing have no surface coating. | | <u> </u> | | Ē | | | |
| P7.3* | Plastic p | arts > 100 g consist of one material or of easily separable materials. | | | Π | | | | |
| P7.4* | Plastic p | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | | | | | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly a | available tools. | \square | | | | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | | \boxtimes | | | | | |
| | Product | | | | | | | | |
| P7.7* | | ng can be done e.g. with processor, memory, cards or drives | | | \square | | | | |
| P7.8* | | ng can be done using commonly available tools | | | \boxtimes | | | | |
| P7.9 | | arts are available after end of production for: 7 years | | | | | | | |
| P7.10 | | is available after end of production for: 7 years | | | | | | | |
| D7.44* | | and substance requirements | | | | | | | |
| P7.11* | | cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: SGCC Materia | al type: Al | | | | | | |
| P7.12 | | n materials of external electrical cables are PVC free. | | | \square | | | | |
| P7.13 | Insulatio | n materials of internal electrical cables are PVC free. | | | | H | | | |
| P7.14 | | | | | | | | | |
| P7.15 | Printed of | circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2) | are low halog | en 🗌 | | | | | |
| P7.16 | Flame re Marking: | etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | \boxtimes | | | | |
| P7.17 | | nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), XBBPA (reactive) (See NOTE B3), Other: , CAS #: | omponents): | \boxtimes | | | | | |
| | accordin | nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: | | | | | | | |
| P7.18 | | ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: | es/preparations | in | | \boxtimes | | | |
| | | ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " | | | | | | | |
| | 3. Chem | ical name: , CAS #: " | | | | | | | |
| | <u>Alt. 2: </u> Cl | nemical specifications of flame retardants in plastic parts > 25 g according ISO 104 | 3-4: | | | | | | |
| P7.19 | • | parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: | n have been | | | \boxtimes | | | |
| | The source(a) for these classifications is/are found at (add LIPL(a)); (See note PE) | | | | | | | | |
| P7.20* | | sumer recycled plastic material content is used in the product (See Note B6): | | | | | | | |
| | a) Of t a p or | at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 82.8%.(EPEAT Calculation)/85%(TCO Calc e weight of recycled material is 974.61 g. | | |] | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * Issue date * | 66F7 2022/5/28 | Logo | Lenovo. |
|-----------------------------|---|------|-----------------|
| Product environm | nental attributes - Market requirements (continued) | | Requirement met |

Item

Requirement metYesNon.a.

| | Material and su | ubstance requirements | (continued) | | | | | |
|--|--|--|-----------------------------|-----------------------|--|--|--|--|
| P7.21* | Biobased plasti | c material content is use | d in the product (See | NOTE B7): | | | | |
| | If YES; at least one of the two alternatives below shall be answered; | | | | | | | |
| | , | | | , | ated as a percentage of | | | |
| | Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. | | | | | | | |
| or | | | | | | | | |
| | , , | t of the biobased plastic | | | | | | |
| P7.22* | 0 | re free from mercury, i.e | , 0 | | | | | |
| P8 | Batteries | ed specify: Number of la | mps: and maxi | mum mercury content p | er lamp: mg | | | |
| P8.1* | | tteries ttery chemical composition: | | | | | | |
| - | | • | | | | | | |
| P9 P9.1 | | mption (See NOTE B8) the following power leve | | tiona ara rapartadi | | | | |
| Energy m | | Power level at | Power level at | Power level at | Reference/Standard for energy | | | |
| Energy In | oue | 100 V AC | 115 V AC | 230 V AC | modes and test method * | | | |
| Peak (On | -max) | W | W | W | | | | |
| | - | | | | | | | |
| Catego | <u>ry</u> | | | | | | | |
| On Mode | | 25.03 W | 24.90 W | 24.92 W | ENERGY STAR Program | | | |
| onmoue | | 20.00 11 | 24.00 11 | 24.02 | Requirements for Displays | | | |
| | | | | | Version 8.0 | | | |
| | 01 | 0.0010/ | 0.07.14/ | 0.00.10/ | | | | |
| Low Ener | rgy Sleep Mode | 0.26 W | 0.27 W | 0.28 W | ENERGY STAR Program Requirements for Displays | | | |
| | | | | | Version 8.0(P _{sleep}) | | | |
| | | | | | | | | |
| Off Mode | | 0.17 W | 0.18 W | 0.23 W | ENERGY STAR Program | | | |
| | | | | | Requirements for Displays | | | |
| | | | | | Version 8.0(P _{off}) | | | |
| PTEC * | | W | W | W | | | | |
| | nergy Consumptio | | | | | | | |
| ETEC * | | 78.22 kWh/year | 77.87 kWh/year | 78.01 kWh/year | ENERGY STAR Program | | | |
| Annual Er | nergy Consumption | n | | | Requirements for Displays Version 8.0 | | | |
| | | | | | Version 6.0 | | | |
| External F | Power Supply Effic | l iency Level (Internationa | al Efficiency Marking P | rotocol) * · | | | | |
| | solution * : 2560* | | | | | | | |
| | | | | | | | | |
| | | save mode: 0.33 minute | | | | | | |
| P9.2* | Information abo | out the energy save funct | tion is provided with th | e product. | | | | |
| P9.3 | The product meets the energy requirements of the following voluntary/s: | | | | | | | |
| B 40 | ENERGY STAR version:8.0 Product category: Display . | | | | | | | |
| P10 | Emissions | | | | | | | |
| Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power | | hit A-weighted sound power level, $L_{WA,c}$ (B) | | | | | | |
| 1 10.1 | Idle | * | | | In A-weighted sound power level, $L_{WA,c}$ (B) | | | |
| | | * | | * | | | | |
| | Operation | | | | | | | |
| | Other mode | Other mode Declared A-weighted sound pressure level (dB) L _{pAm} | | | | | | |
| | Other mode | Declared A-weighted sour | nd muse source lough (dD) - | | osition desktop – operating) | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

| Measured according to: 🗌 ISO 7779 | ECMA-74 |
|-----------------------------------|----------------------------------|
| Other | (only if not covered by ECMA-74) |

| Model nu | mber * | 66F7 | | | | Logo | | | |
|--------------|--|--|---|---|---|-----------------------------|-----------------------------------|-------|------|
| Issue date * | | 2022/5/28 | | - | Leno | VO | ти | | |
| Product | environ | mental attribut | tes - Market requireme | nts (continued) | | | Require | ment | me |
| Item | | | | | | | Yes | No | n.a |
| | | magnetic emiss | | | | | | | |
| P10.4 | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary | | | | | | | | |
| P12 | Ergono | mics for compu | ting products | | | | | | |
| P12.1* | The dis | play meets the er | gonomic requirements of IS | SO 9241-307 for visu | al display technolo | ogies. | \square | | |
| P12.2* | The phy | sical input device | e meets the requirements o | f ISO 9995 and ISO | 9241-410. | | | | X |
| P13 | Packag | ing and docume | entation | | | | | | |
| P13.1* | Product | packaging mate | rial type(s): <i>Paper-Corruga</i> rial type(s): <i>Cushion-Corr</i> rial type(s): <i>Plastic-LDPE</i> | | t (kg): 1.475 | | | | |
| P13.2* | | | ackaging is free from PVC. | 0 (0) | | | \boxtimes | | |
| P13.3* | | duct primary cor er recovered fibe | rugated fiberboard packag r content: 90 % | ing, specify the cor | ntained percentage | e of minimun | | | |
| P13.4* | Specify media for user and product documentation (tick box): | | | | | | | | |
| P13.5 | (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: | | | | | | | | |
| | Totally of | hlorine-free | | | | | | | |
| | Elemen | tal chlorine-free | | | | | Ē | | |
| | Process | ed chlorine-free | | | | | H | | |
| P14 | | ry programs | | | | | | | |
| P14.1 | | | equirements of the following | y voluntary program(| s): | | | | |
| | ENERG | Y STAR® | Criteria version: | Date: | Product | category: | | | |
| | Eco-lab | el: | Criteria version: | Date: | | category: | | | |
| | Eco-lab | el: | Criteria version: | Date: | Product | category: | | | |
| P15 | Additio | nal information | (See NOTE B10) | | | | | | |
| P 9 | | | f specific configuration m | | | | | | |
| | the info supplie informa | rmation contair r's knowledge a tion. The inform | no representations, guar ned in this document. All wailable at the time of con nation provided here is ap e for more information. | information provide mpletion, and supp | ed by supplier in t lier shall have no | this docume obligation t | nt is provided i o update such | based | l on |
| P9 | See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO | | | | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |