



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0				
Company name *	Lenovo		_				
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter		LCIIOVO				
	alcarter@lenovo.com						
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo Legion Y27qf-30				
Model number *	67A7				
Issue date *	2022/12/15				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nun	el number * 67A7 Logo		Lone	21/0		
Issue date	ate * 2022/12/15			Lenovo.		
Product environmental attributes - Legal requirements			Require	ment	met	
Item				Yes	No	n.a.
		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
	\					
	Comment: Legal reference has no maximum concentration value.					
		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	Jorido 111	\boxtimes	Ш	
		othane, methyl bromide (see legal reference). Comment: Legal reference has no n				
		ation values.	laxiiiidiii			
		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\square		
	terpheny	I (PCT) in preparations (see legal reference).			ш	
		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	bon atoms in th	e 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). In the scalar discreta to the scalar discreta for the scalar discreta f) E #/ama2/supad	. \Box	$\overline{}$	
		n direct and prolonged skin contact do not release nickel in concentrations above t il reference).),5 μg/cm-/weer	С	Ш	
		it: Max limit in legal reference when tested according to EN1811:2011-5.				
		Article 33 information about substances in articles is available at (add URL or mail	contact).			
		/ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			ш	
P2	Batteries	5				
	If the pro	duct contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal			\boxtimes
		nformation on proper disposal is provided in user manual. (See legal reference)	-			
	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadne)	nium. (See lega	I 🗌		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				\boxtimes	
P3						
			mail address):	_	
	https://w	/ww.lenovo.com/us/en/compliance/eu-doc for EU and				
	https://w	ww.lenovo.com/us/en/compliance/uk-doc for UK				
		uct complies with the Eco design requirements for energy-related products,		\boxtimes		
	, ,	al reference).		_	_	_
	Required	l information is; given in item P15 or added to this document,		\boxtimes	Ш	
		available at (add URL):				
		ww.lenovo.com/us/en/compliance/eco-declaration				
		packaging				
		ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium an	d 🔀		
	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).					
P5.3*	3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol 💢 📗					
	(see legal reference).					
	Comment: Legal reference has no maximum concentration values.					
		nt information			_	
P6.1*	ırıtormatı	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		67A7 Logo	one	N/0			
Issue date *		2022/12/15	enc		тн		
Product environmental attributes - Market requirements (See General NOTE GN below)							
			equiren				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design						
P7	Disassembly, recycling						
P7.1*		at have to be treated separately are easily separable	\square	П			
P7.2*	Plastic n	naterials in covers/housing have no surface coating.	T				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	$\overline{\sqcap}$			
P7.4*			Ħ				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives			\boxtimes		
P7.8*		ng can be done using commonly available tools			\boxtimes		
P7.9		arts are available after end of production for: 7 years					
P7.10		s available after end of production for: 7 years					
D7.44*		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>SGCC</i> Material type: <i>AI</i>					
P7.12		n materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15							
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	\boxtimes				
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g					
		g ISO 1043-4:			Ш		
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in]		
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)		Ш			
		ical name: , CAS #: " (See No.12 B.1)					
	3. Chem	ical name: , CAS #: "					
	Alt. 2: CI	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes		
P7.19	-	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes			
	J	I the following Risk phrases; and Hazard statements:					
D7 00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			_			
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):	\boxtimes	Ш	Ш		
		at least one of the two alternatives below shall be answered;					
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 82.1%.(EPEAT Calculation)/85%(TCO Calculation)					
	or .						
	b) The	e weight of recycled material is 974.61 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	67A7	Logo	Long	21/0	
Issue date *	2022/12/15		Lend		7114
Product environr	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

D= 0::	Material and substance requirements (continued) P7.21* Biobased plastic material content is used in the product (See NOTE B7):						
P7.21*	Biobased plastic r	naterial content is use	d in the product (See N	OTE B7):			
	If YES; at least one of the two alternatives below shall be answered;						
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
	total plastic by weight) is 0%.						
		f the biobased plastic	material is <i>0</i> 0				
P7.22*			less than 0,1 mg/lamp		\square		
		specify: Number of la		ium mercury content pe	er lamp: mg		
P8	Batteries						
P8.1*	, ,						
P9		otion (See NOTE B8)					
P9.1			ls or energy consumpti		1=		
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	Ш	
Peak (On-i	mayl	100 V AC	115 V AC	230 V AC 22.03 W	modes and test method * ENERGY STAR Program		
reak (OII-I	llax)	22.12 VV	22.03 VV	22.03 VV	Requirements for Displays		
					Version 8.0		
Category	y						
		0.0014/	0.0014/	0.00\\/	ENERGY STAR Burners		
Sieep (53)	- WOL Enabled	0.28 W	0.28 W	0.30 W	ENERGY STAR Program Requirements for Displays		
					Version 8.0(P _{sleep})		
		10.000					
Off (S5) - V	WOL Enabled	0.18 W	0.18 W	0.20 W	ENERGY STAR Program		
					Requirements for Displays Version 8.0(P _{off})		
					Total order only		
PTEC *	Comprise	W	W	W		\boxtimes	
ETEC *	ergy Consumption	69.43 kWh/year	69.13 kWh/year	69.26 kWh/year	ENERGY STAR Program	$\overline{}$	
Annual Energy Consumption		09.43 KVVII/yeai	09.75 KWII/yeai	09.20 KWII/yeai	Requirements for Displays	Ш	
7 miliaar Energy Concamption					Version 8.0		
	,	, ,	l Efficiency Marking Pr	otocol) * :		\boxtimes	
	olution * : 2560X1 4						
Default time	e to enter energy sa	ave mode: 0.25 minute	es				
P9.2*	Information about	the energy save funct	ion is provided with the	product.			
P9.3	Energy efficiency	class (monitors only):	SDR-F, HDR-G				
P10	Emissions						
			o ISO 9296 (See NOTE				
P10.1		Mode description		Statistical upper limit A-weighted sound power level, L _{WA,c} (B)			
	Idle '			*		\boxtimes	
Operation *		•		*			
Other mode		od pressure level (dB) L_{pAn}	pAm (operator position desktop – idle)				
Other mode Declare		Declared A-weighted sour	ad pressure level (dB) $L_{p m An}$	(operator position desktop – operating)			
	Measured accordi	ing to: ISO 7779	ECMA-74				
		Other	(only if not covered by	/ ECMA-74)			

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		67A7			Logo	Long	1/0	
Issue date *		2022/12/15				Leno	VO.	м
Product	environn	nental attributes	- Market requirements (continued)		Require	ment	met
Item			,	•		Yes	No	n.a.
	Electron	magnetic emission	S					
P10.4	program	(s):	requirement for low frequence	cy electromagnetic field	s of the following voluntary			
P12	Ergonomics for computing products							
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.							
P12.2*	The phys	sical input device me	eets the requirements of ISO	9995 and ISO 9241-41	10.			\boxtimes
P13		ing and documenta						
P13.1*	Product	packaging material	type(s): Paper-Corrugated type(s): Cushion-Paper type(s): Plastic-LDPE	weight (kg): 1.13 weight (kg): 1.475 weight (kg): 0.07				
P13.2*	Product	plastic primary pack	aging is free from PVC.			\square		П
P13.3*		duct primary corruga er recovered fiber co	ated fiberboard packaging, sontent: 90 %	specify the contained	percentage of minimum po	ost-		
P13.4*								
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:							
	Totally chlorine-free Elemental chlorine-free							
		ed chlorine-free						
P14 P14.1		ry programs						
P14.1	The prod	auct meets the requi	rements of the following volu	ntary program(s):				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15		nal information (Se	•					
P9			ecific configuration may va					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					on		
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1