



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		72-72-72-72-73-73-73-73-73-73-73-73-73-73-73-73-73-
Internet site *	http://www3.lenovo.com/us/en/social responsibility/environment		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	ype of product * Display			
Commercial name *	Lenovo D27q-30,C27q-30,C27q-35			
Model number *	66FA,63BD,66FB,			
Issue date *	2022/04/12			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		66FA,63BD,66FB	Logo	Long	21/0		
Issue date *		2022/04/12		Lend		3M	
Product environmental attributes - Legal requirements			Require	ment	met		
Item				Yes	No	n.a.	
P1							
P1.1*							
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.					
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\overline{\square}$	$\overline{}$	-	
F 1.5		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-	\boxtimes	ш		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m					
		ation values.					
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes			
D4 E*		I (PCT) in preparations (see legal reference).		Ha 🔽			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in i	the 🔀	Ш		
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above (),5μg/cm²/wee	ek 🔀			
		al reference).					
		t: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):				
	•	/ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
D0.0*	reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Conformity verification& Eco design (ErP)						
P3.1*		uct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference)				
		laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU					
	https://www.lenovo.com/us/en/compliance/uk-doc for UK						
P3.2*		luct complies with the Eco design requirements for energy-related products,		\square			
	, ,	al reference).		_	_		
	Required information is;given in item P15 or added to this document,			\sqcup			
	⊠available at (add URL):						
		/ww.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3*		uct packaging material is free from ozone depleting substances as specified in the N	/ontreal Proto	ocol 🔀		\Box	
	(see legal reference).						
	Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei ni	ımber *	66FA,63BD,66FB	Logo	Lend	01/0	
Issue date *		2022/04/12		Len		ты
- Environmental of		mental attributes - Market requirements (See General NOTE GN conscious design	,	Require	ment i	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes				No	n.a.
P7	Design Disassembly, recycling					
P7.1*	Parts tha	at have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes
P7.8*	Upgradir	ng can be done using commonly available tools				\boxtimes
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
D7 44*		and substance requirements				
P7.11*		cover/housing material type(e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type: METAL			
P7.12		n materials of external electrical cables are PVC free.	ii type. WETAL		\square	
P7.13		n materials of internal electrical cables are PVC free.			$\overline{\mathbf{X}}$	\vdash
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%					
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC61249-2-21. (See NOTE B2)					
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: no flame retardant				\boxtimes
P7.17	Alt. 1:Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
	LTE	BBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☒Other: ☐ , <i>DOPO</i> CAS ♯	± 35948-25-5	\boxtimes	Ш	Ш
		emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR4</i>	nts)> 25 g			
P7.18	concentr	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: <i>TPP</i> , CAS #: <i>115-86-6</i> (See NOTE B4)	s/preparations in			
		ical name: , CAS #: " ical name: , CAS #: "				
		emical specifications of flame retardants in plastic parts > 25 g according ISO 1043				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>R51/53</i> and Hazard statements: <i>H410/411</i>				
		rce(s) for these classifications is/are found at (add URL(s)):, www.ECHA.EU(See	note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):				
	a) Of t	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content centage of total plastic by weight) is 16.2%. (EPEAT calcalation)	(calculated as a			
	b) The	e weight of recycled material is 151.7g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	66FA,63BD,66FB	Logo	Lonovo	
Issue date *	2022/04/12		Lenovo	
Product environr	nental attributes - Market requirements (continued)		Requirement met	
Item	<u> </u>		Yes No n.a.	

		stance requirements					
P7.21*	Biobased plastic material content is used in the product (See NOTEB7):						
	If YES; at least one of the two alternatives below shall be answered;						
		a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of					
	total plastic by weight) is %.						
	or b) The weight of the biobased plastic material is g.						
P7.22*							
	* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg						
P8					· •		
P8.1*							
P9		tion (See NOTEB8)					
P9.1	For the product the	following power level					
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy		
ENED 0) / /	27.000	100 V AC	115V AC	230 V AC	modes and test method * ENERGY STAR® Program		
_	STAR® On	21.31W @ 50Hz	21.18W	21.01W	Requirements for Displays:		
Mode*(Sys	sterri rule)	21.34W @ 60Hz	21.1000	27.077	Ver. 8.0		
ENERGY S	STAR® Low Power	0.18W@ 50Hz			ENERGY STAR® Program		
Sleep Mod		0.18W@ 50Hz	0.18W	0.22W	Requirements for Displays:		
		0.7017 @ 00712			Ver. 8.0		
ENERGY S	STAR® Off /	0.13W @ 50Hz			ENERGY STAR® Program Requirements for Displays:		
Apparent Off Mode*		0.13W @ 60Hz	0.13W	0.13W	Ver. 8.0		
					VCI. 0.0		
		100.00	1000000	100 0000			
ETEC * Annual Energy Consumption		66.40 Wh/year@50HZ	65.96Wh/year	65.51Wh/year	$E_{TEC} = 8.76 \times (P_{on} \times 0.35 + P_{sleep} \times 0.65)$		
Annual Energy Consumption		66.49Wh/year@60			x 0.05)		
		Hz					
External Po	ower Supply Efficien	cy Level (International	Efficiency Marking Pr	otocol) *:			
					ENERGY STAR® Program		
Display res	solution* :2560*144	0megapixels			Requirements for Displays:		
					Ver. 8.0		
Deferrit time					ENERGY STAR® Program		
Delault IIII	e to enter energy sa	ve mode: 20 seconds			Requirements for Displays: Ver. 8.0		
P9.2* Information about the energy save function is provided with the			on is provided with the	product.			
P9.3*	The product meets	the energy requireme	ents of the following vo	luntary program/s:			
	ENERGY STAR® version: 8.0 Product category: Display.						
P10	Emissions						
D40.4		ission – Declared according to ISO 9296 (See NOTE B9)					
P10.1		Mode description		N/A	it A-weighted sound power level, $L_{WA,c}(B)$		
	1			N/A			
	- 1	I/A					
		I/A		N/A			
		I/A	EOMA 74	N/A			
	Measured according to: SISO 7779 ☐ECMA-74						
1	Other (only if not covered by ECMA-74)						

NOTE B8A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Do

Model nui	mber *	66FA,63BD,66FB Logo		ono	V/O	
Issue date * 202		2022/04/12		_eno	VO.	м
Product	environr	mental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Electron	magnetic emissions				
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): Energy Star7.1, IEC60950 CB Report, IEC62368 test report					
P12		mics for computing products				
P12.1*		play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\boxtimes		
P12.2*	The phys	rsical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13		ing and documentation				
P13.1*	Product	packaging material type(s): Corrugated paper(C flute) weight (kg): 0.997 packaging material type(s): Polystyrene weight (kg): 0.436 packaging material type(s): EPE+PO weight (kg): 0.018				
P13.2*		plastic primary packaging is free from PVC.		\boxtimes		
P13.3*						
P13.4*	Specify media for user and product documentation (tick box):					
P13.5	(Please User and	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: please specify:		\boxtimes		
	Element	chlorine-free tal chlorine-free				
		ed chlorine-free				
P14		ary programs				
P14.1	The prod	duct meets the requirements of the following voluntary program(s):				
	ISO9241 Eye con CECP:	· · · · · · · · · · · · · · · · · · ·	ry: LCD m	onitor		
P15	Addition	nal information (See NOTE B10)				
P9	Energy	consumption of specific configuration may vary; description of the tested product co	onfiguratio	on:		
80	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1