



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo	_					
Contact information *	Lenovo Global Environmental Affairs	Lenovo					
e-mail address	Alvin L Carter	LEITOVO					
	alcarter@lenovo.com						
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Computer Display					
Commercial name *	Lenovo L22i-40					
Model number *	67AE					
Issue date *	2022.11.28					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		67AE	Logo	Lon				
Issue date *		2022.11.28		Lend	JVC	) <sub>TM</sub>		
Product environmental attributes - Legal requirements				Require	ment	met		
Item				Yes	No	n.a.		
P1	Hazardous substances and preparations							
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)							
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.							
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), emofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.						
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in	the 🔀				
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/we	eek				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):					
P2	Batterie	S		·				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2*	2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conformity verification & Eco design (ErP)							
P3.1*	P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address):  https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK							
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).							
	Required information is; given in item P15 or added to this document, available at (add URL):  https://www.lenovo.com/us/en/compliance/eco-declaration							
P5		packaging						
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.						
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak q$ e legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.							

P6

P6.1\*

**Treatment information** 

Information for recyclers/treatment facilities is available (see legal reference).

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model numb	number * 67AE		Lenovo				
Issue date *	2022.11.28		Len		тм		
Duradicat annihilation manufal attributes. Manufat naminamenta (Con Constal NOTE CN halaur)							
Product environmental attributes - Market requirements (See General NOTE GN below)							
- E	- Environmental conscious design Requirement met						
Item *=r	Indatory to fill in. Additional information regarding each item may be found under P14.  Yes No n.a.						
D7 D4	olan						

Produc	t environmental attributes - Market requirements (See General NOTE GN below)					
		equire	ment	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.	X	Ħ	H		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X	Ħ	$\overline{}$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X	Ħ	$\dashv$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X	Ħ	$\dashv$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	Ħ	-H		
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\overline{\Box}$				
P7.8*	Upgrading can be done using commonly available tools	Ħ	Ħ	X		
P7.9	Spare parts are available after end of production for: <b>7</b> years					
P7.10	Service is available after end of production for: 7 years			$\overline{}$		
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
	Material type: PC+ABS Material type:					
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$			
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:					
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	Ħ	Ħ	X		
	assigned the following Risk phrases; and Hazard statements:					
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 79.4%(EPEAT calculation)/84.9%(TCO calculation)%.  or b) The weight of recycled material is 306.5 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	67AE	Logo	Lanava
Issue date *	2022.11.28		Lenovo.
Product environmental attributes - Market requirements (continued)			Requirement met
Item			Yes No n.a.

	Material and substance requirements (continued)  Biobased plastic material content is used in the product (See NOTE B7):								
P7.21*	•				•				
	If YES; at least one of the two alternatives below shall be answered;								
		Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.							
	or								
	<ul><li>b) The weight of</li></ul>								
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg								
Do		specify: Nu	imber of ian	nps: 0 and maximum n	nercury content per lan	np: <b>0</b> mg			
P8.1*	Batteries	nomposition							
	Battery chemical								
P9	Energy consump								
P9.1				s or energy consumption		Tp ( /0)			
Energy mod	de *	Power level at	Power level at	Power level at	Power level at	Reference/Standard for energy modes and test method *	$\boxtimes$		
		100 V	100 V	115 V AC	230 V AC	modes and test method			
			AC/60Hz						
ENERGY S	STAR® On Mode*	14.47 W	14.51 W	14.48 W	14.72 W				
(System Idl		74.47 VV	14.57 **	74.40 **	74.72 VV	ENERGY STAR Displays V8.0			
ENERGY S	STAR® Sleep	0.16 W	0.15 W	0.15 W	0.28 W				
Mode*	That Gloop	0.70 11		0.75	0.20 11	ENERGY STAR Displays V8.0			
ENERGY S	STAR® Off Mode*	0.13 W	0.13 W	0.13 W	0.22 W	ENERGY STAR Displays V8.0			
		_							
PTEC *		W		W	W	For reference	$\boxtimes$		
	ergy Consumption		1						
ETEC * Annual Ene	ergy Consumption	<b>45.28</b> kWh/yea	<b>45.34</b> kWh/yea	<b>45.25</b> kWh/year	<b>46.73</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{sleep} \times 0.65 + P_{idle} \times 0.35)$			
		r	r						
External Po	wer Supply Efficier	ncy Level (li	nternational	Efficiency Marking Pro	otocol) * :		$\boxtimes$		
Display res	olution * : 1920*10	80 megapix	els			ENERGY STAR® Program			
. ,		٠.				Requirements for Computer			
						Monitors: Ver. 8.0			
Default time	e to enter energy sa	ave mode: 1	5 seconds			ENERGY STAR® Program			
					Requirements for Computer				
D0.04						Monitors: Ver. 8.0			
P9.2*				on is provided with the	product.				
P9.3	Energy efficiency	class (moni	tors only):			(EU) 2019/2021			
P10	Emissions								
D.10.1	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1		Mode descr	iption		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle '	•			*		$\boxtimes$		
Operation *		ŧ.			*				
				d pressure level (dB) $L_{p{\sf Am}}$					
	Other mode	Declared A-we	eighted soun	d pressure level (dB) $L_{p{\sf Am}}$	(operator po	osition desktop – operating)	_		
	Measured accordi	ing to: 🔲 IS	SO 7779 🗌	ECMA-74					
		c	ther	(only if not covered by	ECMA-74)				

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		67AE				Logo	Long	VO	
Issue date	*	2022.11.28					Leno	VU,	•
Product environmental attributes - Market requirements (continued)							Require	ment	met
Item			-				Yes	No	n.a.
		nagnetic emission					·		
P10.4	program	(s):	· 	frequency electroma	gnetic fields of the foll	owing voluntary			
P12		nics for computing							
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.								
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13		ng and documenta							
P13.1*	Product Product Product Product	packaging material opackaging opackaging opackaging opackaging opackaging opackaging o	type(s): <i>HDPE</i> type(s): <i>PP Tape</i>		weight (kg): 0.55 weight (kg): 0.2				
P13.2*	Product	plastic primary pack	aging is free from P\	VC.			$\boxtimes$		
P13.3*		uct primary corrugater recovered fiber co		kaging, specify the o	contained percentage	of minimum po	ost-		
P13.4*			oroduct documentation Other	on (tick box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify:								
	Totally c	hlorine-free							
	Elementa	al chlorine-free							
	Processe	ed chlorine-free							
P14		ry programs							
P14.1	The proc	luct meets the requi	rements of the follow	ving voluntary progra	m(s):				
	ENERGY	/ STAR®	Criteria version:	Date:	Product	category:			
	Eco-labe		Criteria version:	Date:		category:			
	Eco-labe	l:	Criteria version:	Date:	Product of				
P15		al information (Se		<u> </u>	·				
P9					tion of the tested pro				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.								
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO								
	nttp://w\	vw.energystar.gov	/index.ctm/tuseact	uon=tina_a_produc	t.snowProauctGroup	owpgw_code=C	, <u>U</u>		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1