



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	ODOVO			
e-mail address	Alvin L Carter	Lenovo			
	alcarter@lenovo.com				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Lenovo S14 G3 IAP			
Model number *	82TW			
Issue date *	2022-04-14			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other Hong Long, Sri Lanka, Singapore			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	number * 82TW		Lenovo			
Issue date *			Lei IOVO.			
Product environ	roduct environmental attributes - Legal requirements					
Item			Yes No n.	а.		
P1 Hazardo	ous substances and preparations					
	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)				
	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3* Product	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),					
trichloro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.					
	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).	lorinated				
P1.5* Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	he 🔲			
(see leg	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	ek 🛛 🗌			
P1.7* REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):	$\square$	$\neg$		
	www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).		_		
P2 Batterie	es s					
	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2* Batterie	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3* Batterie	Batteries and accumulators are readily removable. (See legal reference)					
P3 Confor	Conformity verification & Eco design (ErP)					
P3.1* The pro						
	duct complies with the Eco design requirements for energy-related products, al reference).			$\leq$		
` `	Required information is; given in item P15 or added to this document,					
available at (add URL):						
	www.lenovo.com/us/en/compliance/eco-declaration					
	t packaging		. 🗖			
hexaval	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.					
used (se	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).					
(see leg	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
	Comment: Legal reference has no maximum concentration values.  Treatment information					
	ion for recyclers/treatment facilities is available (see legal reference).					
1 U. 1 IIIIUIIIIal	ion for recycloratificatificiti facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82TW	Logo	Lond		
Issue date *		2022-04-14		Lenc		
Product		mental attributes - Market requirements (See General NOTE GN	below)	_		
14		onmental conscious design		Requiren		
Item P7		tory to fill in. Additional information regarding each item may be found under P14.  Disassembly, recycling		Yes	No	n.a.
P7.1*		at have to be treated separately are easily separable		$\square$		
P7.2*		naterials in covers/housing have no surface coating.				∺
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*	· ·	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			-H-	-
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		-	∺
P7.6*	•	re easily separable. (This requirement does not apply to safety/regulatory labels).	avaliable tools.		<del>-  -</del>	╫
F7.0	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				$\overline{}$
P7.8*		ng can be done using commonly available tools			-	∺
P7.9		arts are available after end of production for: 3 years				∺
P7.10						井
P7.10						
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
		type: <b>PC+ABS</b> Material type: <b>aluminum</b>				
P7.12		n materials of external electrical cables are PVC free.			$\boxtimes$	П
P7.13	Insulation	n materials of internal electrical cables are PVC free.				币
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, a	ınd		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	en 🗌		
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):			
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		$\boxtimes$		
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1	etarded plastic parts >25g contain the following flame retardant substance:	e/preparations	in 🖂		
	concentr 1. Chem 2. Chem 3. Chem 4. Chem Alt. 2	ations above 0.1%: ical name: Oligomeric phosphorous compound CAS #: confidential ical name: CAS #: ical name: CAS #: ical name: , CAS #:	э, ртераганоп э	" 🔼		
	Chemica	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been		╫	+
7.13	assigned	I the following Risk phrases; confidential and Hazard statements: H411;H4 ree(s) for these classifications is/are found at (add URL(s)): European County	13			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Of t a pe	at least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conterercentage of total plastic by weight) is	nt (calculated as	S		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82TW	Logo	Lanova
Issue date *	2022-04-14		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

Material and subs	tance requirements	(continued)				
	Material and substance requirements (continued)  Biobased plastic material content is used in the product (See NOTE B7):					
•			,			
a) Of total plastic	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of					
	total plastic by weight) is 0 %.					
or						
	the biobased plastic r				$\overline{}$	
	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps:  and maximum mercury content per lamp:  mg					
P8 Batteries			,			
P8.1* Battery chemical co	omposition: LI-ION Po	olymer battery and litt	hium-metal battery			
	tion (See NOTE B8)					
		s or energy consumpti				
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-max)	65 W	65 W	65 W	Full load		
Category 1						
Short Idle State - WOL	4.94 W	5.00 W	5.1 W	ENERGY STAR Computers		
Enabled				V8.0		
Long Idle State - WOL	1.91 W	1.95 W	1.98 W	ENERGY STAR Computers		
Enabled				V8.0		
Sleep (S3) - WOL Disabled	0.42 W	0.42 W	0.43 W	ENERGY STAR Computers		
• • •				V8.0		
Off (S5) - WOL Disabled	<b>0.26</b> W	<b>0.26</b> W	<b>0.28</b> W	ENERGY STAR Computers		
Cotomore 2				V8.0		
Category 2						
Short Idle State - WOL	6.53 W	6.69 W	6.74 W	ENERGY STAR Computers V8.0		
Enabled						
Long Idle State - WOL	3.38 W	3.45 W	3.51 W	ENERGY STAR Computers V8.0		
Enabled						
01 (00) 11(01 5; 11 1	0.0014/	0.0014/	0.74)	EVEROV OT LE C		
Sleep (S3) - WOL Disabled	0.68 W	0.69 W	<b>0.71</b> W	ENERGY STAR Computers V8.0		
Off (S5) - WOL Disabled	0.25 W	0.25 W	<b>0.27</b> W	ENERGY STAR Computers V8.0		
EPS No-load	0.108 W	0.108 W	0.108 W			
(External power supply / charger plugged in the wall outlet but disconnected from the product.)						
PTEC *	W	W	W			
Typical Energy Consumption	4 40 50 1 1 1 1	4 40 70 110//	4 47 00 1 1 1 1	5 (0700 (1000) (D 0.05	_	
ETEC * Annual Energy Consumption	1: 16:50 kWh/year 2: 22.74 kWh/year	1: 16.70 kWh/year 2: 23.26 kWh/year	1: 17.08 kWh/year 2: 23.55 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_idle} \times 0.10 +$	Ш	
7 milian Energy Consumption	Z. ZZ.I 7 KVVII/yeal	Z. 20.20 KVVII/yeal	Z. Zo.oo Kvvii/yeai	P <sub>short Idle</sub> x 0.30)		
				ed; Pidle: Idle State - WOL Enabled		
External Power Supply Efficien	cy Level (Internationa	l Efficiency Marking Pro	otocol) * : VI			
Display resolution * : 2.07 meg	Display resolution * : 2.07 megapixels					
Default time to enter energy sa	ve mode: 10 minutes					
P9.2* Information about t	he energy save functi	on is provided with the	product.			
P9.3 Energy efficiency of	lass (monitors only):				X	

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

P10	Emissions			
	Noise emission	on – Declared according to ISO 9296 (See NOTE)	B9)	
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)	
	Idle	* Idle	* 2.5	
ĺ	Operation	* Operation	* 4	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$		
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	32.2 (operator position desktop – operating)	
	Measured according to: ☐ ISO 7779 ☐ ECMA-74			
		Other (only if not covered by ECMA-74)		

Model nun	number * 82TW Logo Logo Leno\		V/0			
Issue date	date * 2022-04-14		Le		VO.	ei .
Product 6	environr	mental attributes - Market requirements (continued)	Re	quire	ment	met
Item				Yes	No	n.a.
		omagnetic emissions				
P10.4	program	ter display meets the requirement for low frequency electromagnetic fields of the following volunt n(s): MPR-II(3 pin AC adapter only)	ary			
P12		omics for computing products				
P12.1*		play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		$\boxtimes$		
P12.2*	The phy	ysical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$		
P13		ging and documentation				
P13.1*	Product Product Product Product Product	t packaging material type(s): Corrugated weight (kg): 0.285 t packaging material type(s): paper(manual) weight (kg): 0.045 t packaging material type(s): corner paper weight (kg): 0.038 t packaging material type(s): EPE weight (kg): 0.069 t packaging material type(s): PE weight (kg): 0.012 t packaging material type(s): PP weight (kg): 0.0046				
P13.2*	Product	t plastic primary packaging is free from PVC.		$\boxtimes$		
P13.3*	consume	oduct primary corrugated fiberboard packaging, specify the contained percentage of minimum ner recovered fiber content: $87.82\%$	1 post-			
P13.4*	Electron	r media for user and product documentation (tick box): nic ⊠, Paper ⊠, Other □				
P13.5	User and	e only complete this item if paper documentation used) nd product documentation on paper media is chlorine-free: please specify:				
	Totally chlorine-free  Elemental chlorine-free					
	Process	sed chlorine-free				
P14		ary programs				
P14.1	The prod	oduct meets the requirements of the following voluntary program(s):				
	ENERG' Eco-labe	3 /				
P15	Addition	onal information (See NOTE B10)				
P9		$\prime$ consumption of specific configuration may vary; description of the tested product config				
	the info supplied informa Accoun	Supplier makes no representations, guarantees, assurances or warranties whether expresormation contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to ation. The information provided here is approximate and provided for informational purpoint Representative for more information.	nt is pro o update	vided such	based	on
P9		nergy Star Qualified Notebooks & Tablet Computers for the latest information: vww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_cod	e=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1