



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Lenovo S15 G2 ALC			
Model number *	82MX			
Issue date *	2021-5-14			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other <i>PRC only</i>			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82MX	Logo	Lend	21/0		
Issue date	2021-5-14			Len	JVU	TH.	
	uct environmental attributes - Legal requirements			Require		met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)		<u>Ц</u>		
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),						
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride, 1,1,1-		ш		
	trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	aximum				
		ation values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$	Ш		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart	oon atoms in th	ne 🔀	$\Box$		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	k 🔀			
		al reference).					
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.  Article 33 information about substances in articles is available at (add URL or mail			$\overline{}$		
P1.7		vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	ш	
	iittp3.//v	www.ieiiovo.com/us/en/Leiiovo-NLAGI1-0viio-Disciosure					
P2	Batterie	S					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Conformity verification & Eco design (ErP)						
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).		$\Box$	$\boxtimes$	
		- '	mail addres	s):			
	https://v	vww.lenovo.com/us/en/compliance/eu-doc					
P3.2*	The product complies with the Eco design requirements for energy-related products,					$\boxtimes$	
	, ,	al reference).					
	available at (add URL):						
P5		www.lenovo.com/us/en/compliance/eco-declaration					
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercury	/ cadmium a	nd 🔽			
	hexavale	ent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).						
	Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82MX	Logo	Lon	01/0	
Issue date *		2021-5-14		Len	OVO	) <sub>TH</sub>
Product	Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design				ment ı	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*					$\boxtimes$	
P7.3*	, , ,					
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\boxtimes$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradin	ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: Fe				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\boxtimes$	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, an	d		
P7.15	Printed c	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g and in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌		
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without of additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	components):			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:					
P7.18	1. Chemi 2. Chemi 3. Chemi	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ical name: CAS #:	s/preparations i	n		
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): European Counties (See note B5)				
P7.20*	Postcons If YES; a a) Of t a pe	sumer recycled plastic material content is used in the product (See Note B6): It least one of the two alternatives below shall be answered; It least one of the two alternatives below sha	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82MX	Logo	Lenovo
Issue date *	2021-5-14		rei iovo"
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

P7.21*		stance requirements	(continued) I in the product (See NO	TE D7).				
P1.21	•			•		Ш		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0 %.							
	or	p						
	b) The weight of the biobased plastic material is g.							
P7.22*			less than 0,1 mg/lamp.					
DO		specify: Number of lan	nps: and maximu	um mercury content pe	r lamp: mg			
<b>P8</b> P8.1*	Batteries	amana aitian. I I ION Da	home as bestsess and lith	irres mantal battami				
	•	•	olymer battery and lith	ium-metai battery		<u>Ш</u>		
<b>P9</b> P9.1	Energy consumption (See NOTE B8)  For the product the following power levels or energy consumptions are reported:							
Energy mod								
		100 V AC	115 V AC	<b>230</b> V AC	modes and test method *			
Peak (On-r	nax)	65 W	65 W	65 W	Full load			
Category	<u>/ 2</u>							
Short Idle - Enabled	State - WOL	5.76 W	5.75 W	6.01 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Long Idle S Enabled	State - WOL	<b>3.47</b> W	3.57 W	3.61 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Sleep (S3)	- WOL Enabled	0.40W	0.43W	<b>0.44</b> W	ENERGY STAR Computers			
					V8(P <sub>sleep</sub> )			
Off (S5) - WOL Enabled		<b>0.24</b> W	0.26 W	0.30 W	ENERGY STAR Computers V8(P <sub>off</sub> )			
EPS No-load								
(External power s	upply / charger plugged in the connected from the product.)							
PTEC *		W	W	W		$\boxtimes$		
Typical Energy Consumption								
ETEC *		19.93kWh/year	<b>20.10</b> kWh/year	20.95kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$			
Annual Ene	ergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+	_		
		P. rr: Off Modo(\$5) - W(	Ol Enabled: P: Sleen	Mode(\$3) - WOL Enable	d; P <sub>idle</sub> : Idle State - WOL Enabled			
External Po	ower Supply Efficien		Efficiency Marking Pro		d, Trais. rate State - WOL Litabled	П		
	olution * :2.07 meg	,				∺		
		ve mode: 10 minutes				#		
P9.2*			on in provided with the	araduat		<del> </del>		
		••	on is provided with the p	oroduci.				
P9.3		class (monitors only):						
P10	Emissions Noise emission	Declared according to	NSO 0206 (See NOTE	P0)				
P10.1		n – Declared according to ISO 9296 (See NOTE B9)  Mode description  Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)						
		Idle (Operating)		* 2.4		<u>, - , - , - , - , - , - , - , - , - , -</u>		
		HDD:Operation		* 2.4		∺		
	·	PU:Operation		4.2				
			d pressure level (dB) $L_{p  m Am}$					
•	Other mode ${\it Declared A-weighted sound pressure level (dB)}\ L_{pA}$			35 (operator position desktop – operating)				
		ng to: 🔀 ISO 7779		1				
		_	(only if not covered by	FCMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nui	nber *	82MX				Logo	Long		
Issue date	*	2021-5-14					Lenc		H.
Product	environr	nental attributes	- Market requiremen	nts (continue	d)		Require	ment	met
Item				-			Yes	No	n.a.
	Electron	magnetic emission	s						
P10.4		er display meets the (s): <b>MPR-II(3 pin A</b>	requirement for low free	quency electrom	agnetic fields of the fol	lowing voluntar	У		
P12		mics for computin							
P12.1*			nomic requirements of IS	O 9241-307 for	visual display technolo	ogies.		П	$\overline{\Box}$
P12.2*	The phys	sical input device m	eets the requirements of	ISO 9995 and I	SO 9241-410.				
P13	Packagi	ng and documenta	ation						
P13.1*	Product Product		type(s): paper(manual) type(s): corner paper w		(kg): <b>0.046</b> 9				
P13.2*	Product	plastic primary pacl	kaging is free from PVC.				X		
P13.3*		duct primary corruger recovered fiber co	ated fiberboard packagi ontent: 100 %	ing, specify the	contained percentage	of minimum	post-		
P13.4*	Specify I	media for user and ic ⊠, Paper ⊠, C	product documentation (	tick box):					
P13.5	Ùser and		tem if paper documentat ation on paper media is				$\boxtimes$		
	Totally chlorine-free								
		al chlorine-free					$\overline{\boxtimes}$		
	Process	ed chlorine-free							
P14		ry programs							
P14.1	The prod	duct meets the requ	irements of the following	voluntary progr	am(s):				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15		nal information (Se							
P9			pecific configuration m						
	the info supplied informa	rmation contained r's knowledge avai tion. The informati	representations, guara in this document. All in ilable at the time of con ion provided here is ap or more information.	nformation pro	vided by supplier in t upplier shall have no	this document obligation to	is provided update such	based	l on
P9	See Ene	ergy Star Qualified	Notebooks & Tablet Cos://www.energystar.go						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1