

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		ODOVO			
e-mail address	Alvin L Carter		Lenovo.			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	nts given in this declaration.					
Type of product *	Portable Computer Tablet					
Commercial name *	Lenovo Tab K10(LTE Data/Wifi)					
Model number *						
Issue date *	2021.4.30					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *					
Issue dat	e *	2021.4.30		.eno	0VO	R
Product	environ	mental attributes - Legal requirements	F	Require	ment	met
Item		• ·		Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride, 1,1,1-	\boxtimes		
	trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	\boxtimes		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference).	,5 μg/cm²/week	\boxtimes		
P1.7*	REACH	nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail o www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\boxtimes		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See legal	\boxtimes		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc	al reference).	\boxtimes		
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products, al reference).		\square		
	· ·	d information is; Z given in item P15 or added to this document,		\boxtimes		
		available at (add URL):				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5.1*		t packaging ng and packaging components do not contain more than 0,01% lead, mercury	oodmium and		_	
		ent chromium by weight of these together.	, caumum and	\boxtimes		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature one be legal reference).	of the material(s)	\boxtimes		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference).	in the Montreal	\boxtimes		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *		Logo	Lon	-	
Issue dat	te *	2021.4.30		Len	ove) _{TM}
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling at have to be treated separately are easily separable				
						<u> </u>
P7.2*		naterials in covers/housing have no surface coating.		<u> </u>		
P7.3*		parts > 100 g consist of one material or of easily separable materials.			<u> </u>	
P7.4*		parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				<u> </u>
P7.5		parts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			
P7.6*		are easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7		t lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives		<u> </u>		<u> </u>
P7.8*		ng can be done using commonly available tools			\boxtimes	
P7.9		arts are available after end of production for: 1 years				
P7.10		is available after end of production for: 1 years				
		I and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):		· •		
P7.12		type: PC+20%GF Material type: PC+10%GF Material on materials of external electrical cables are PVC free.	al type: AL525	<u> </u>		
P7.13		n materials of external electrical cables are PVC free.		<u> </u>		++-
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	ramina and 0	10/		<u> </u>
F7.14	weight (polyviny	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam. I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	e retardants, a	and 🗖		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are I	low 🔀		
P7.16	Flame re Marking	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: :				\boxtimes
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without c			_	_
	TBBF	PA (additive),TBBPA (reactive) (See NOTE B3), 🔀 Other: <i>DOPO</i> , CAS #: 3594	8-25-5	\bowtie		
		hemical specifications of flame retardants in printed circuit boards (without componing ISO 1043-4:	ents) > 25 g			\square
P7.18	<u>Alt. 1: </u> F	lame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations	s in		
	1. Chem 2. Chem	rations above 0,1%: nical name: , CAS #: (See NOTE B4) nical name: , CAS #: "				
		<pre>iical name: , CAS #:</pre>	3-4 · FR4 0			
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which				H
	•	d the following Risk phrases; and Hazard statements:				
	0		note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	,	\boxtimes		
	a) Of ap or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 4.4% . e weight of recycled material is 3.1 g.	it (calculated a	S		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date	* 2024	.4.30			
issue date	2021	.4.30			
Product met	environment	al attributes - Market	requirements (con	tinued)	Requirement
Item					Yes No n.a.
		substance requirements			
97.21*		tic material content is use t one of the two alternativ		,	
	a) Of total p of total pl	lastic parts' weight > 25			ulated as a percentage
	or b) The weig	ht of the biobased plastic	material is g.		
P7.22*	Light sources a	are free from mercury, i.e sed specify: Number of la	less than 0,1 mg/lam	o. num mercury content p	er lamp: mg
P8	Batteries			· · ·	
P8.1*	Battery chemic	cal composition: Li-ion Po	olymer		
P9		Imption (See NOTE B8)			
P9.1 Energy mo		t the following power leve Power level at	els or energy consumpt Power level at	ions are reported: Power level at	Reference/Standard for energy
0,		100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-		10.96 W	10.96 VV	10.96 VV	
<u>Categor</u>					
Short Idle Enabled	State - WOL	1.75 W	1.75 W	1.9 W	Use for ENERGY STAR V8.0 registration (P _{idle})
Long Idle Enabled	State - WOL	0.12 W	0.12 W	0.18 W	Use for ENERGY STAR V8.0 registration (P _{idle})
Sleep (S3)	- WOL Disable	ed 0.12 W	0.12 W	0.18 W	Reference
Off (S5) - I	NOL Disabled	0.084 W	0.072 W	0.096 W	Use for ErP
		W	W	W	Reference
EPS No-loa (External power s	ad supply / charger plugged i connected from the produ	n the uct)	0.039 W	0.051 W	
ETEC *	ergy Consumptio	5.27 kWh/year	5.23 kWh/year	5.92 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30)
					led; Pidle: Idle State - WOL Enabled
		ciency Level (Internationa	al Efficiency Marking P	rotocol) * : VI	
	solution * : 2.304	•			
	-	y save mode: 0.5 minutes			
P9.2*		out the energy save funct	tion is provided with the	e product.	
- 9.3	0,	ncy class (monitors only):			
P10	Emissions	Dealars I II	- 100 0000 (0 NOT		
P10.1	Noise emission Mode	on – Declared according t Mode description	to ISO 9296 (See NOT	/	hit A-weighted sound power level, $L_{WA.c}$ (B)
10.1	Idle	*		*	
	Operation	*		*	
	Other mode	Declared A-weighted sou	nd pressure level (dB) L_{-*}	m (operator po	osition desktop – idle)
	Other mode	Declared A-weighted sour			osition desktop – operating)
Measured according to: ISO 7779 ECMA-74					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *				Logo	Long		
Issue dat	ie *	2021.4.30				Leno	VO.	
Product	environr	nental attribut	es - Market requirements	(continued)		Requirer	nent r	net
Item						Yes	No	n.a.
		nagnetic emiss						
P10.4	Compute program		the requirement for low frequer	ncy electromagnetic fiel	ds of the following volunta	ry	\boxtimes	
P12		nics for compu						
P12.1*	The disp	lay meets the er	gonomic requirements of ISO 9	241-307 for visual disp	lay technologies.	\square		
P12.2*	The phys	sical input device	meets the requirements of ISC	O 9995 and ISO 9241-4	10.	\boxtimes		
P13	Packagi	ng and docume	ntation					
P13.1*	Product	packaging mater	ial type(s): <i>cardboard</i> weigl ial type(s): <i>paper(manual)</i> wei ial type(s): <i>Paper Cushion</i>	ht (kg): 0.202 ght (kg): 0.106 weight (kg): 0.04 4	1			
P13.2*			ackaging is free from PVC.	0 (0)		\boxtimes		Π
P13.3*		luct primary cor er recovered fibe	rugated fiberboard packaging, content: %	specify the contained	percentage of minimum	post-		
P13.4*		media for user ai ronic, 🔀Paper,	d product documentation (tick	box):				
P13.5	Ùser and		s item if paper documentation entation on paper media is chlo			\boxtimes		
	Totally c	hlorine-free				\square		
	,	al chlorine-free						
	Process	ed chlorine-free				H		
P14	Volunta	ry programs						
P14.1	The proc	duct meets the re	quirements of the following vol	untary program(s):				
	ENERG` Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020-4 Date: Date:	Product category: 2 Product category: Product category:			
P15			See NOTE B10)					
P9			specific configuration may v	/ary; description of th	e tested product configu	iration:		
P9			d Notebooks & Tablet Compute tar.gov/bi/qplist/laptops_prod_I		ation:			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab K10	Logo
Model Number		Lenovo
Issue Date	2021.4.30	Lenovo
Additional information		

P7.1.1	Product environmental attributes								
(d)	Year of manufacture:				2021				
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]	4							
lents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	<mark>No</mark> (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
cap	Discrete graphics Card(s) [number / #]	<mark>No</mark> #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)	No							
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	5.68							
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
(g)	Idle state power demand (Watts);				1.9				
(h)	Sleep mode power demand (Watts);				0.18				
(i)	Sleep mode with WOL enabled power d	lemand (Watts) (where	enabled);						
(j)	Off mode power demand (Watts);				0.1				
(k)	Off mode with WOL enabled power dem	nand (Watts) (where en	abled);						
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output powe	er (if applicable):					
	10% 20% 50%	100% Avera	age						
(m)	External power supply efficiency (if appl	icable)*:							
	Average active efficiency: 81.93%								
	*internal note: show values for all available external p								
(0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	800cls , <i>≥</i> 70% of capacity				
(p-1)									
(p-2)	Measurement methodology used to dete Measuring the Energy Consumption								

(p-3)	(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge							
(p-4)	(p-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	ENERGY STAR Final Test Method for Computers, Rev. October 2019							
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::					
	El	IERGY STAR Final Test Method for Computers, I	Rev. October 2019					
(r)	Description of how sl	eep and/or off mode was selected or programmed:						
	refer to power man	agement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s						
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
		r to power management, 0.5mins automatically r	-					
(t)	condition which does	te condition before the computer automatically re- not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	0.5				
(u)		• a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA				
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	1				
(w)	Information on the er	nergy-saving potential of power management functio	nality: <i>refer to user manual</i>					
(x)	User information on I	now to enable the power management functionality:/	efer to user manual					
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the in sting:	,					
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	4, IEC62301					
Addition	al Notebook Batter		Detter field we en neule se elde					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/b	uilt-in Battery							
	detachable Battery							
Bios Back	kup Battery							
Other:								
Additional	l information							
1)								
The battery[ies] in this product cannot be easily replaced by users themselves. AxywynaropHara[μre] δαrepuя[μ] в rosu npoдykr не може да ce замени[ят] лесно от самите потребители. Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. H μπαταρίq[-ε] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotäji paši nevar nomaint šã ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji fdan iI-product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie može sam w łatwy sposób wymienić baterii w tym produkcie. Bateria (lene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterija/batterije of dute produkt is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie može sam w łatwy sposób wymienić baterii w tym produckie. Bateria deste produkto na podem ser facilmente substituldas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor inlocuită (înlocuite) de utilizatorii înşişi. Bateriu(-je) v tomto výrobku nemôže vymieňať použ/vatel.								
Baterij/baterije Tämän tuottee Det är inte enk	aterių/seterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. āmān tuotteen akku [akut] ei/vāt] ole helposti kāyttājān vaihdettavissa. Jet är inte enkelt för kunden att själv byta ut batteriet/batterierna. Ju üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.							