

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | |
|------------------------|--|------|-----------|
| Company name * | Lenovo | | |
| Contact information * | Lenovo Global Environmental Affairs | | Lenovo |
| e-mail address | Alvin L Carter | | LEI IOVO. |
| | alcarter@lenovo.com | | |
| Internet site * | https://www.lenovo.com/us/en/sustainability-resources/ | | |
| Additional information | The latest version of this document can be found at: | | |
| | http://www.lenovo.com/ecodeclaration | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | |
|--|--|--|--|--|--|
| Type of product * | Workstation | | | | |
| Commercial name * | ThinkStation P360 Ultra | | | | |
| Model number * | 30G1, 30G2, 30G3, 30G4, 30G0, 30FY, 30G5, 30G6, 30G7, 30G8 | | | | |
| Issue date * | 2022/4/18 | | | | |
| Intended market * | 🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model n | umber * | 30G1, 30G2, 30G3, 30G4, 30G0, 30FY, 30G5, 30G6, 30G7, 30G8 | 1.000 | | |
|--------------------|--|--|-------------|--------|------|
| Issue da | ite * | 2022/4/18 | Lend | enovo. | |
| Produc | t environ | mental attributes - Legal requirements | Require | ment | met |
| Item | | | Yes | No | n.a. |
| P1 | | ous substances and preparations | | | |
| P1.1* | Product | s do comply with current European RoHS Directive. (See legal reference and NOTE B1) | \square | | |
| P1.2* | Comme | s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | \square | | |
| P1.3* | hydrobr trichloro | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values. | | | |
| P1.4* | Product terphen | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference). | | | |
| P1.5* | chain co | s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ontaining at least 48% per mass of chlorine in the SCCP (see legal reference). | | | |
| P1.6* | (see leg | th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weeł al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5. | K 🔀 | | |
| P1.7* | REACH | Article 33 information about substances in articles is available at (add URL or mail contact): <pre>www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</pre> | \square | | |
| P2 | Batterie | | | | |
| P2.1* | symbol. | oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) | \square | | |
| P2.2* | Batterie referenc | s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega æ) | I 🛛 | | |
| P2.3* | Batterie | s and accumulators are readily removable. (See legal reference) | \boxtimes | | |
| P3 | Confor | nity verification & Eco design (ErP) | | | |
| P3.1* | The Dec | duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: <i>https://www.lenovo.com/us/en/compliance/eu-doc</i> <i>: https://www.lenovo.com/us/en/compliance/uk-doc for UK</i> | | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, al reference). | \boxtimes | | |
| | Require declara | d information is; given in item P15 or added to this document, available at: <i>https://www.lenovo.com/us/en/compliance/eco-</i> | | | |
| | | t packaging | | | |
| P5 | | ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an | id 🔀 | | |
| P5 P5.1* | | ent chromium by weight of these together. | | _ | |
| | hexaval The pac | ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature of the material(are legal reference). | s) 🔀 | | |
| P5.1* | hexaval The pac used (se The pro (see leg | kaging materials are marked with abbreviations and numbers indicating the nature of the material(ee legal reference). duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). | | | |
| P5.1* P5.2* | hexaval The pac used (se The pro (see leg Comme | kaging materials are marked with abbreviations and numbers indicating the nature of the material(ee legal reference). duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model n | umber * | 30G1, 30G2, 30G3, 30G4, 30G0, 30FY, 30G5, 30G6, 30G7, 30G8 | - | | |
|--------------|----------------------------------|---|-------------|-------------|-------------|
| Issue da | ite * | 2022/4/18 | -en | ovc | тн |
| Product | t environ | mental attributes - Market requirements (See General NOTE GN below) | | | |
| | | | equire | ment | net |
| Item | | tory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P7 | | Disassembly, recycling | | | |
| P7.1* | | t have to be treated separately are easily separable | | | |
| P7.2* | | aterials in covers/housing have no surface coating. | \square | | |
| P7.3* | Plastic p | arts > 100 g consist of one material or of easily separable materials. | \square | | |
| P7.4* | Plastic p | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | \bowtie | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly available tools. | \boxtimes | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | \boxtimes | | |
| | Product | | | | |
| P7.7* | Upgradin | g can be done e.g. with processor, memory, cards or drives | \square | | |
| P7.8* | Upgradin | g can be done using commonly available tools | \bowtie | | |
| P7.9 | Spare pa | rts are available after end of production for: 5 years | | | |
| P7.10 | Service i | s available after end of production for: 5 years | | | |
| | | and substance requirements | | | |
| P7.11* | | cover/housing material type (e.g. plastics, metal, aluminum): | | | |
| DZ 10 | | type: ABS Material type: Material type: | | | |
| P7.12 | | n materials of external electrical cables are PVC free. | | | |
| P7.13 | | n materials of internal electrical cables are PVC free. | | \boxtimes | |
| P7.14 | weight (´ polyvinyl | plastic casing/cover parts > 25 g contain no more than $0,1\%$ weight (1000 ppm) bromine and $0,1\%$ 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or $0,3\%$ weight (3000 ppm) bromine and $0,3\%$ weight (3000 ppm) chlorine in parts containing n 25% post-consumer recycled content. | | | |
| P7.15 | Printed c | ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g 🔀 are low halogen ed in IEC 61249-2-21. (See 1NOTE B2) | \square | | |
| P7.16 | Flame re Marking: | tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | \boxtimes |
| P7.17 | | nemical specifications of flame retardants in printed circuit boards > 25 g (without components): (A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: 79-94-7 | \boxtimes | | |
| | | nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: | | \square | |
| P7.18 | | ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in | | | |
| 17.10 | concentr 1. Chemi 2. Chemi | ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: " | | | |
| | | | _ | _ | |
| D7 40 | | nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: | <u> </u> | <u> </u> | |
| P7.19 | • | parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been | | | \bowtie |
| | | the following Risk phrases; and Hazard statements: | | | |
| P7.20* | | ce(s) for these classifications is/are found at (add URL(s)): , (See note B5) sumer recycled plastic material content is used in the product (See Note B6): | \boxtimes | | |
| | a) Oft | t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 26.5% . | | _ | _ |
| | | weight of recycled material is 108.6 g. | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | 30G1, 30G2, 30G3, 30G4, 30G0, 30FY, 30G5, 30G6, 30G7, 30G8 | Logo | Lenovo | | | |
|--|--|------|--------|--|--|--|
| Issue date * | 2022/4/18 | | LEHOVO | | | |
| Product environmental attributes - Market requirements (continued) Requirement met | | | | | | |

Item

| | Material and subs | stance requirements | (continued) | | | |
|--|---|----------------------------|--|--------------------------------|--|-------------|
| P7.21* | Biobased plastic n | naterial content is use | d in the product (See N | OTE B7): | | |
| | a) Of total plasti total plastic b | c parts' weight > 25 g | es below shall be answ , the biobased plastic m | | ated as a percentage of | |
| | or b) The weight of | f the biobased plastic | material is a | | | |
| P7.22* | | | material is g. less than 0,1 mg/lamp | | | \boxtimes |
| | | specify: Number of la | | um mercury content p | er lamp: mg | |
| P8 | Batteries | | | | | |
| P8.1* | Battery chemical o | composition: | | | | \boxtimes |
| P9 | | tion (See NOTE B8) | | | | |
| P9.1 | | | ls or energy consumpti | | | |
| Energy m | | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Standard for energy modes and test method * | |
| Peak (On | n-max) | 230.09 W | 228.94 W | 229.73 W | Full load | |
| Catego | ry | | | | | |
| Short Idl Enabled | e State - WOL | 24.08 W | 24.45 W | 23.25 W | ENERGY STAR Computers V8 (P _{idle}) | |
| Long Idle Enabled | e State - WOL | 24.7 W | 27.89 W | 28.63 W | ENERGY STAR Computers V8 (P _{idle}) | |
| Sleep (S | 3) - WOL Enabled | 2.74 W | 2.73 W | 2.82 W | ENERGY STAR Computers V8 (P _{sieep}) | |
| Off (S5) - | WOL Enabled | 1.92 W | 1.91 W | 1.87 W | ENERGY STAR Computers V8 (Poff) | |
| EPS No-le (External power wall outlet but of | oad r supply / charger plugged in the disconnected from the product.) | W | 0.13 W | 0.14 W | | |
| PTEC * | | 14.52 W | 15.28 W | 15.04 W | | |
| | nergy Consumption | | | | | |
| ETEC * Annual E | nergy Consumption | kWh/year | kWh/year | kWh/year | $E_{TEC} = (8760/1000) \times (P_{off} \times 0.45) + P_{sleep} \times 0.05 + P_{long_{ldle}} \times 0.15 + P_{short_{ldle}} \times 0.35)$ | |
| | | Poff: Off Mode(| S5) - WOL Enabled; Pslee | .: Sleep Mode(S3) - WOL | Enabled; Pidle: Idle State - WOL Enabled | 1 |
| External F | Power Supply Efficier | ncy Level (Internationa | al Efficiency Marking Pro | otocol) * : ٧ | | |
| Display re | esolution * : <mark>N/A</mark> meg | apixels | | | | |
| Default tir | me to enter energy sa | ave mode: 25 minutes | | | | Π |
| P9.2* | Information about | the energy save funct | ion is provided with the | product. | | Ē |
| P9.3 | | class (monitors only): | | | | -H- |
| P10 | Emissions | (| | | | |
| | | Declared according t | o ISO 9296 (See NOTE | B9) | | |
| P10.1 | | Node description | | | it A-weighted sound power level, $L_{WA,c}$ | (B) |
| | Idle * | HDD:Idle | | * 3.5 | | |
| | Operation * | HDD: Operating | | * 3.8 | | |
| 1 | Other mode | Declared A-weighted sour | nd pressure level (dBL)(A) | 22 (operator position | on desktop – idle) | |
| | Other mode | Declared A-weighted sour | nd pressure level (dBL)(A) | | on desktop – HDD operating) | |
| | Measured accordi | ng to: 🔀 ISO 7779 Other | ECMA-74 (only if not covered by | ECMA-74) | | |
| | • | | , | , | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm Yes

No

n.a.

| Model nu | imber * | 30G1, 30G2, 3 | 0G3, 30G4, 30G0, 30FY, 30G | 5, 30G6, 30G7, 30G8 | Logo | Lon | | |
|------------|--------------------------------|--|---|---|---|-------------------------------------|--------------|-----------|
| Issue dat | te * | 2022/4/18 | | | | Lene | DVO | TH |
| Product | environr | nental attribut | es - Market requirements | s (continued) | | Requir | emen | t me |
| Item | | | | | | Yes | No | n.a |
| | | nagnetic emiss | | | | | | |
| P10.4 | program | (s): | the requirement for low freque | ency electromagnetic field | s of the following vol | untary | | \square |
| P12 | | mics for compu | | | | | | |
| P12.1* | | | gonomic requirements of ISO | | | | | \square |
| P12.2* | The phy | sical input device | e meets the requirements of IS | SO 9995 and ISO 9241-41 | 0. | | | \square |
| P13 | | ng and docume | | | | | | |
| P13.1* | Product | | ial type(s): PE weight (kg): 0 | ght (kg): 0.975 . 015 ght (kg): 0.12 | | | | |
| P13.2* | | | ackaging is free from PVC. | 5 (5/ * | | | | |
| P13.3* | For proc | duct primary cor er recovered fibe | rugated fiberboard packaging r content: 90 % | , specify the contained p | percentage of minim | um post- | | |
| P13.4* | | media for user a ronic, 🔀Paper, | nd product documentation (tick | k box): | | | | |
| P13.5 | Ùser and | | is item if paper documentatior entation on paper media is ch | | | | | |
| | Totally c | hlorine-free | | | | \boxtimes | | |
| | Element | al chlorine-free | | | | | | |
| | Process | ed chlorine-free | | | | | | |
| P14 | Volunta | ry programs | | | | | | |
| P14.1 | | | equirements of the following vo | oluntary program(s): | | | | |
| | | Y STAR® el: EPEAT el: | Criteria version: 8.0 Criteria version: 2018 Criteria version: | Date: 2020/3/31 Date: 2020/7/21 Date: | Product category: Product category: Product category: | Workstation | | |
| P15 | Additio | nal information | (See NOTE B10) | | | | | |
| P 9 | | | f specific configuration may | | | | | |
| | the info supplie informa | rmation contair r's knowledge a tion. The inforn | no representations, guaran ed in this document. All info vailable at the time of comp ation provided here is appr e for more information. | ormation provided by su letion, and supplier sha | pplier in this docur Il have no obligation | ment is provided n to update suc | d based h | d on |
| P9 | See Ene | ergy Star Qualif | ed Notebooks & Tablet Con gov/index.cfm?fuseaction=f | | | ode=CO | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | ThinkStation P360 Ultra | Logo | |
|------------------------|--|------|--------|
| Model Number | 30G1, 30G2, 30G3, 30G4, 30G0, 30FY, 30G5, 30G6, 30G7, 30G8 | | Lonovo |
| Issue Date | 2022/4/18 | | Lenovo |
| Additional information | Energy Star 8.0;EPEAT | | |

| d) | year of manufacture: | | | | 2022 |
|--|--|--------------------------|--------------------------|--------------------------|-------------------------|
| (e) (f) | Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Catego | switchable graphics n | node with UMA driving | g the display. | |
| ., | enable | Category A | Category B | Category C | Category D |
| | Memory over base [GB] | (according to ErP Lot 3) | (according to ErP Lot 3) | (according to ErP Lot 3) | (according to ErP Lot 3 |
| ents sting | Additional internal storage | (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| djustm ing tes | Discrete television tuner | (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| capability adjustments applied during testing | Discrete Audio Card | (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| capa app | Discrete graphics Card(s) [number / #] | #: (Yes / No) | #: (Yes / No) | #: (Yes / No) | #: (Yes / No) |
| | Category of discrete graphics Card(s) | | | | |
| esults | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | | | | |
| Test results | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | | | | |
| (g) | Idle state power demand (Watts); | | | | 24.29 |
| (h) | Sleep mode power demand (Watts); | | | | NA |
| (i) | Sleep mode with WOL enabled power d | emand (Watts) (where | enabled); | | 2.76 |
| (j) | Off mode power demand (Watts); | | | | NA |
| (k) | Off mode with WOL enabled power dem | and (Watts) (where en | abled); | | 1.88 |
| (I) | Internal power supply efficiency at 10 % | , 20 %, 50 % and 100 ° | % of rated output pow | er (if applicable): | |

| (m) | External power supply efficiency (if applicable)*: | |
|-------|---|-----|
| | ADP-170DB BD: 50% 93.01% 100% 92.76% Average 92.53% | |
| | ADP-230JB BC: 50% 93.32% 100% 93.50% Average 92.84% | |
| | A170A003P-LN01: 20% 90.3% 50% 91.92% 100% 90.71% Average 91.14% | |
| | ADP-300BB TB: 50% 92.58% 100% 91.09% Average 91.73% PA-1301-01LA: 10% 86.38% 50% 92.79% 100% 91.71% Average 92.12% | |
| | PA-1171-20LA: 20% 91.24% 50% 91.65% 100% 91.62% Average 91.74% | |
| | PA-1231-20LA: 10% 82.79% 50% 93.01% 100% 93.14% Average 92.46% | |
| | A230A046P-LN01: 10% 84.54% 50% 93.21% 100% 92.71% Average 92.61% | |
| | *internal note: show values for all available external power supplies | |
| (0) | Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): | N/A |
| (p-1) | Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: Generalized Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies Revision 6.6 | |
| (p-2) | Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A | |
| (p-3) | Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A | |
| (p-4) | Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: | |
| | IEC 62623 Ed. 1.0, 2012-10 | |
| (q) | Sequence of steps for achieving a stable condition with respect to power demand: | |
| | Based on user manual/Power on->Wait 5 minutes->Stable condition | |
| (r) | Description of how sleep and/or off mode was selected or programmed: | |
| | Based on user manual/Begin menu -> Power -> Select sleep or off mode | |
| (s) | Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: | |
| | Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan | |
| (t) | Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): | 20 |
| (u) | Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): | NA |
| (v) | Length of time before the display sleep mode is set to activate after user inactivity (in minutes): | 10 |
| (w) | Information on the energy-saving potential of power management functionality: | |
| | Based on user manual | |
| (x) | User information on how to enable the power management functionality: | |
| | Based on user manual | |
| (z) | Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: | |
| | 230V, 50Hz, Total Harmonic Distortion <2 % | |

| Additional Notebook Battery Information: | | | | | | |
|--|---|-------------------------------|-----|--|--|--|
| | Battery[ies] not user replaceable | Battery[ies] user replaceable | n/a | | | |
| | The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾ | | | | | |
| Internal/built-in Battery | | | | | | |
| External/detachable Battery | | | | | | |
| Bios Backup Battery | | | | | | |
| Other: | | | | | | |
| Additional information | • | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainit šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (baterile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Bateria (baterile) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.