

Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	ТМ
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Data Storage			
Commercial name *	ThinkSystem DM240N			
Model number *	7Y60, 7Y62			
Issue date *	11/18/2022			
Intended market *	🔀 Global 🔀 Europe 🔀 Asia, Pacific & Japan 🔀 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	7¥60, 7¥62	Logo			
Issue dat	e *	11/18/2022		Leng	JVC	тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	N/A
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference).		\square		
		nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	a do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S		÷	•	
P2.1*	If the pro	duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀		
	reference	e)				
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See I	egal reference)		\boxtimes
P2.5*		ternal batteries of a notebook computer cannot be "accessed and replaced by a no e related text is present and legible on the external packaging (see legal reference)				\square
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at:	gal reference).	\boxtimes		
	https://v	vww.lenovo.com/us/en/compliance/eu-doc for EU				
	https://v	vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,		\boxtimes		
	, U	al reference). d information is;				
	Required	a mormation is, given in term F is of added to this document, available at: https://www.lenovo.com/us/en/complian	co/oco-			
	declarat		ce/eco-			
P5		packaging		·		
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercur	y, cadmium ai	nd 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature is e legal reference).	of the material((s) 🔀		
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	Aontreal Protoc	ol 🔀		
	(see lega	al reference).				
		nt: Legal reference has no maximum concentration values.				
P6		nt information		K		
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	7¥60, 7¥62	Logo	Lon		
Issue dat	te *	11/18/2022		Len	ove	тн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	N/A
P7 P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			╞	╞
					<u> </u>	<u> </u>
P7.3*		parts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.5		parts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ц_	Ц_
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7		tlifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			Щ_	<u> </u>
P7.8*		ng can be done using commonly available tools		\square		
P7.9		arts are available after end of production for: 5 years				
P7.10	Service i	is available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: Metal (Steel) Material type: PC ABS Materia	altima			
P7.12		n materials of external electrical cables are PVC free.	al type:		\square	
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>		╞
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romino and 0.10			<u> </u>
F7.14	weight (polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content.	e retardants, an	d 📩		
P7.15		circuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square ed in IEC 61249-2-21. (See ⁵ NOTE B2)	are low haloge	n 🗌	\square	
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without c (additive) , TBBPA (reactive) ((See NOTE B3), Other: chemical name:	omponents): , CAS #:	\boxtimes		
		hemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4: Only MIDPLANE,440MMX81MM,6MM" includes halogen. All oth free.				
P7.18	concentr 1. Chem 2. Chem	lame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: nical name: , CAS #: (See NOTE B4) nical name: , CAS #: " nical name: , CAS #: "	es/preparations i	n		
		hemical specifications of flame retardants in plastic parts > 25 g according ISO 104				\boxtimes
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which d the following Risk phrases; and Hazard statements:	h have been			\boxtimes
			See note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			\square	
	a) Oft ape or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is %. e weight of recycled material is g.	nt (calculated as	_	_	_

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7Y60, 7Y62	Logo	Lenovo
Issue date *	11/18/2022		Lenovo
Product environm	nental attributes - Market requirements (continued)		Requirement met

-		-	-	-	-	-
Y	'e	s	Ν	10	Ν	J/A

	Material and s	ubstance requirements	(continued)		
P7.21*		ic material content is used		IOTE B7):	
	If YES: at least	one of the two alternative	s below shall be answ	vered:	
		astic parts' weight > 25 g,			ated as a percentage of
	•	ic by weight) is %.			
	or b) The weigh	nt of the biobased plastic r	natorial is a		
P7.22*	/ 3	are free from mercury, i.e.)	
==	0	sed specify: Number of lar		num mercury content p	
P7.23*	If product inclu	des an integral display, th			
P8	Batteries				
P8.1*	Battery chemic	al composition:			\square
P9		mption (See NOTE B8)			
P9.1		t the following power level			
Energy m		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy X modes and test method *
Peak (On	-max)	923 W	<mark>895</mark> W	862 W	Full load
Catego	rv				
EPS No-lo		W	W	W	
	power supply /				
	lugged in the wall				
	disconnected from	n			
the produ- PTEC *	ci.)	W	W	W	
	nergy Consumptio			**	
ETEC *		kWh/year	kWh/year	kWh/year	
	nergy Consumptio				
		ciency Level (Internationa	Efficiency Marking Pr	otocol) * :	
	esolution * :	megapixels			
	me to enter energ	•			
P9.2*		out the energy save functi	on is provided with the	product.	
P9.3	Energy efficien	cy class (monitors only):			
P10	Emissions Noise emissio	n – Declared according to	ISO 9296 (See NOTI	E B9)	
P10.1	Mode	Mode description	•	Statistical upper lim	nit A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	* 35% loading		* 6.3	
	Operation	* 35% loading		* 6.4	
	Other mode	Declared A-weighted soun	d pressure level (dB)	8.5 (operator posit	ion desktop – idle)
	Other mode	Declared A-weighted soun	d pressure level (dB)	8.5 (operator posit	ion desktop – operating)
	Measured acco	ording to: 🔀 ISO 7779 🗌 Other	ECMA-74 (only if not covered by	y ECMA-74)	
	Electromagne				
P10.4	Computer disp program(s):	lay meets the requiremen	t for low frequency ele	ctromagnetic fields of t	he following voluntary

Item

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	7Y60, 7Y62			L	ogo			
Issue dat	e *	11/18/2022					Leno	VO	Ти
Product	environn	nental attribut	es - Market requiremen	nts (continued)	•		Require	ment	met
Item			•				Yes	No	N/A
P12		nics for compu						·	
P12.1*	The disp	lay meets the er	gonomic requirements of IS	O 9241-307 for visual d	isplay technologie	S.			\boxtimes
P12.2*	The phys	sical input device	e meets the requirements of	ISO 9995 and ISO 924	1-410.				$\overline{\mathbf{X}}$
P13	Packagi	ng and docume	ntation						
P13.1*	Product	packaging mater		veight (kg): 1.55 veight (kg): 9.10 PE/EPE weight (kg): 0. 3	38				
P13.2*			ackaging is free from PVC.	3 (3)	-		\boxtimes		
P13.3*		luct primary cor	rugated fiberboard packagi r content: 35 %	ing, specify the contain	ed percentage of	minimum pos			
P13.4*		nedia for user ar ronic, XPaper,	nd product documentation (tick box):					
P13.5	User and		is item if paper documentat entation on paper media is						
	Totally c	hlorine-free							
	Element	al chlorine-free							
	Processe	ed chlorine-free					П		
P14	Volunta	ry programs							
P14.1	The proc	luct meets the re	quirements of the following	voluntary program(s):					
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product cate Product cate Product cate	egory:			
P15			(See NOTE B10)						
P9			f computer products; des						
	the info supplier informa	rmation contain 's knowledge a tion. The inform	no representations, guara ed in this document. All i vailable at the time of con ation provided here is ap e for more information.	nformation provided b npletion, and supplier	y supplier in this shall have no obl	document is igation to up	provided date such	based	lon
P9			ed Enterprise Servers for .gov/products/data_cente						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information					
Commercial name (3.1 (b))	ThinkSystem DM240n	Logo			
Contact Address (3.1 (b))					
Model Number (3.1 (c))	7Y60, 7Y62		Lenovo		
Issue Date					
Additional information					

Product e	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	Is the product consider to be in scope of ErP Lot 9 🛛 🔀 in scope 🗌 out of scope, product is out of scope as:
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c (3.1 (d))	Year of manufacture:
1.d (3.1 (p))	Product model part of a server product family?
1.e (3.1 (n))	 Information on the secure data deletion functionality (a) instructions on how to use the functionality: (b) techniques used: (c) supported secure data deletion standard (if any): OR - Reference to other information:
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:
Recyclin	g Data
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure Image: Second structure
2.b (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required. OR - Reference to other information:
2.c	Firmware
2.0	Reference to information on last available firmware:
Additional	I information

DATA STORAGE PRODUCTS

Commercial name (3.2 (b))	ThinkSystem DM240N	Logo
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo.
Model Number (3.2 (c))	7Y60, 7Y62	
Issue Date	11/18/2022	
Additional information		

Product e	nvironmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3
A.1	Is the product consider to be in scope of ErP Lot 9 🔀 in scope 🗌 out of scope Product is out of scope as:
A.2 (3.2 (a))	Data Storage type 🛛 🛛 Online Data Storage Product 📃 Small Data Storage Product
	Large Data Storage Product Other:
A.3 (3.2 (d))	Year of manufacture: 2023
A.4 (3.2 (e))	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power
(0.2 (0))	(expressed in % and rounded to the first decimal place): : <mark> </mark>
A.5 (3.2 (f))	Power factor at 50 % of the rated load level 0.990 (rounded to three decimal places)
A.6 (3.2 (g))	Operating condition class A1 A2 A3 A4 (as defined in Table 6 or ErP lot 9)
(0.2 (g))	Exception comments
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.
A.6	Information on the secure data deletion tool(s)
(3.2 (h))	(a) instructions on how to use the functionality: Follow DM series security hardening guide for ontap9 via https://download.lenovo.com/storage/lenovo_dm_series_security_hardening_guide_for_ontap9.pdf from
	datacenter support
	(b) techniques used:
	ONTAP 9 feature: 1) Securely purges the deleted files on vol1 on SVM vs1:
	cluster1::> volume encryption secure-purge start -vserver vs1 -volume vol1
	2) Overridden by entering the following command: (Starting from Ontap 9.7) cluster1::*> options -option-name encryption.data_at_rest_encryption.disable_by_default true
	(c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize
	OR - Reference to other information:
	ING DATA
B.1 (3.3 (a))	Indicative weight range at component (a) Cobalt in the batteries (b) Neodymium in the HDDs level, of the following critical raw
	materials: I less than 5 g
	between 5 g and 25 g
	above 25 🛛 above 25
B.2 (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; <i>Refer to the installation guide, use reverse process.</i>
(0.0 (0))	(a) the type of operation, Refer to the instantion guide, use reverse process. https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo-storage/thinksystem-
	dm240n/7y62/documentation
	 (b) the type and number of fastening technique(s) to be unlocked; <i>Refer to the installation guide.</i> (c) the tool(s) required. <i>Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of</i>
	appropriate size
	OR - Reference to other information:
B.3	Firmware
	Peference to information on last available firmware:
	Reference to information on last available firmware: https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/thinksystem-DM240N/7Y62/downloads/driver-
	list/component?name=Product%20Firmware
	After EOL'ed, firmware would be available at:
	https://download.lenovo.com/eol/index.html
Additional	information