



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo	_	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenov	O <sub>TM</sub>
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	ThinkVision T32p-30			
Model number *	63D2			
Issue date *	2022/7/29			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		er * 63D2		Lanava		
Issue date	sue date * 2022/7/29			Lenovo		
	environ	mental attributes - Legal requirements		Require		net
Item				Yes	No n	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*	Products do not contain Asbestos (see legal reference).					
P1.3*	Comment: Legal reference has no maximum concentration value.  Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),					
1 1.0		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride, 1,1,1-		Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated			
P1.5*		l (PCT) in preparations (see legal reference). do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart	on atoms in th	0 🔽		
F1.5		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	וו מוטוווא ווו נוו	e 🔀	Ш	
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	k 🔀		
		al reference).				
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				$\boxtimes$	
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) (see legal laration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc for EU;	gal reference).			
	https://www.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*	The prod	fluct complies with the Eco design requirements for energy-related products, al reference).				
	-	d information is; given in item P15 or added to this document,		$\square$		
	available at (add URL):					
	https://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury cent chromium by weight of these together.	/, cadmium ar	nd 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material(	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Intormati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		63D2 Logo	Lend	21/0				
Issue date *		2022/7/29	Leii		<sub>194</sub>			
Product environmental attributes - Market requirements (See General NOTE GN below)								
			Requirer		net			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.  Yes No n.a.							
P7	Design Disassembly, recycling							
P7.1*								
P7.2*	.2* Plastic materials in covers/housing have no surface coating.				Ħ			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			Ħ	Ħ			
P7.4*				$\overline{\Box}$				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			$\overline{\sqcap}$				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$					
	Product							
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives			$\boxtimes$			
P7.8*	Upgradir	ng can be done using commonly available tools			$\boxtimes$			
P7.9	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 5 years						
		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS						
P7.12		type: ABS Material type: PC Material type: n materials of external electrical cables are PVC free.						
P7.13	Insulation materials of internal electrical cables are PVC free.							
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%							
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)							
P7.16		starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components):						
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	$\boxtimes$		Ш			
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:						
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in						
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)		Ш	$\boxtimes$			
		ical name: , CAS #: (See NOTE B4)						
		ical name: , CAS #: "						
	Alt. 2: Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$			
	J	I the following Risk phrases; and Hazard statements:						
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*	10* Postconsumer recycled plastic material content is used in the product (See Note B6):							
	a) Of t a pe or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 81.1 %. (EPEAT calculation) / 85% (TCO calculation) exweight of recycled material is 1121.4 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	odel number * 63D2		Lenovo				
Issue date *	2022/7/29		Len		TH .		
Product environr	nental attributes - Market requirements (continued)		Requir	emen	t met		
Item			Yes	No	n.a.		

	Material and substance requirements (continued)							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):						]	
	If YES; at least one of the two alternatives below shall be answered;							
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic by weight) is 0%.							
	or							
D7 00*	b) The weight of the biobased plastic material is 0g.							
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps:  and maximum mercury content per lamp:  mg							
P8	Batteries							
P8.1*	Battery chemical composition:							
	,	<u>'</u>	DO)				<u> </u>	
P9	Energy consumpt							
P9.1 Energy mod	For the product the	Power level at	Power level at	Power level a		Reference/Standard for energy		
Ellergy Illoc	ue	100V 50HzAC	<b>100V</b> /60Hz	115 V AC	230 V AC	modes and test method *		
ENERGY S	STAR® On Mode*	31.3 W	31.32	31.01	30.03	modes and test method		
(System Idl		01.0 11	07.02	01.01	00.00	ENERGY STAR Displays V8.0		
	TAR® Low Power	0.51	0.51	0.52	0.52	ENERCY STAR Dienleye V9.0		
Sleep Mode	<b>e</b> *					ENERGY STAR Displays V8.0		
ENERGY S	STAR® Off /	0.17	0.17	0.17	0.19	ENERGY STAR Displays V8.0		
Apparent O	ff Mode*					ENERGY STAR Displays Vo.0		
PTEC *		W	W	W	W	$PTEC = P_{on} \times 0.35 + P_{sleep} \times 0.65$	1	
Typical Ene	ergy Consumption						7	
ETEC *		98.87	98.93	98.04 kWh/yea	ar 95.03 kWh/year	$ETEC = 8.76 \times (P_{on} \times 0.35 +$	1	
	ergy Consumption	kWh/year	kWh/year			P <sub>sleep</sub> x 0.65)		
External Po	wer Supply Efficien	cy Level (Interna	tional Efficiency	Marking Protoc	ol) * :		1	
Display res	olution*: 3840*216	o megapixels						
	e to enter energy sa							
P9.2*	Information about t	the energy save	function is provic	ded with the pro	duct.		]	
P9.3*	The product meets				ary program/s:		Т	
	ENERGY STAR®	version: 8.0 Pro	oduct category: [	Display			_	
D40								
P10	Emissions Naise emission	Declared second	ling to ISO 0206	(See NOTE BO	`			
P10.1	Noise emission – Mode	Mode description	on			A-weighted sound power level, $L_{WA,c}$ (B)		
10.1	Idle	* HDD: Idle	)II	*	otatistical upper ilitiit	A-weighted sound power level, $L_{WA,c}$ (b)	<del>_</del>	
			·	*			_	
	Operation	* HDD: Operati	•				<u> </u>	
	Other mode $Declared A$ -weighted sound pressure level (dB) (operator position desktop – idle) $L_{pAm}$				ition desktop – idle)			
	Other mode Declared A-weighted sound pressure level (dB) (operator position desktop – operating)							
	$L_{pAm}$							
	Measured accordir	<u> </u>	79 ECMA-74					
	ivicasuieu accoluii				MA 74)			
		Other	(orny if not	covered by EC	IVIA-14)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		63D2 Logo	Long				
Issue date * 20		2022/7/29	Leno	VO.			
Product	environr	nental attributes - Market requirements (continued)	Require	ment i	met		
Item	-		Yes		n.a.		
	Electror	nagnetic emissions					
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): TCO9.0						
P12		mics for computing products					
P12.1*		play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$				
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$		
P13		ng and documentation					
P13.1*	Product Product Product Product	packaging material type(s): Corrugated Fiberboard packaging material type(s): Corrugated Fiberboard packaging material type(s): Corrugated Fiberboard packaging material type(s): LDPE (bag) weight (kg): 0.026 packaging material type(s): HDPE (Bag) weight (kg): 0.015  weight (kg): 1.677 weight (kg): 0.770 weight (kg): 1.205 weight (kg): 0.026 packaging material type(s): HDPE (Bag) weight (kg): 0.015					
P13.2*	Product	plastic primary packaging is free from PVC.	$\boxtimes$				
P13.3*	consume	duct primary corrugated fiberboard packaging, specify the contained percentage of minimum pos er recovered fiber content: <b>95</b> %	st-				
P13.4*		media for user and product documentation (tick box): ronic, ⊠Paper, ⊡Other					
P13.5	Ùser and	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: lease specify:					
	Totally chlorine-free						
	Elemental chlorine-free						
	Process	ed chlorine-free					
P14		ry programs					
P14.1	The prod ENERG' TCO Eco-labe	duct meets the requirements of the following voluntary program(s):  Y STAR® Criteria version: 8.0 Date: 2022/8/2 Product category: Criteria version: 9.0 Date: 2022/8/2 Product category: Product category: Product category:					
P15		nal information (See NOTE B10)					
P9		consumption of specific configuration may vary; description of the tested product configuration					
	the info supplier informa Accoun	Supplier makes no representations, guarantees, assurances or warranties whether express or mation contained in this document. All information provided by supplier in this document is knowledge available at the time of completion, and supplier shall have no obligation to up tion. The information provided here is approximate and provided for informational purposes t Representative for more information.	provided l date such	based	on		
P9		ergy Star Qualified Monitors & Displays for the latest information: www.energystar.gov/products/office_equipment/displays					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1