

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter	Lenovo			
	alcarter@lenovo.com				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	IdeaPad Flex 5 16IRU8					
Model number *	82Y1					
Issue date *	2023/1/12					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	82Y1 Logo			
Issue date *		2023/1/12	.eno	<b>/O</b> <sub>14</sub>	
Produc	t environ	mental attributes - Legal requirements	Require	men	t met
Item		<b>x</b> i	Yes	No	n.a.
P1	Hazard	ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			
P1.3*	Product hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts wi (see leg Comme	K 🖂			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): <a href="http://www.lenovo.com/us/en/Lenovo-REACH-SVHC-">www.lenovo.com/us/en/Lenovo-REACH-SVHC-</a>	$\square$		
P2	Batterie	IS			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\square$		
P2.2*	Batterie referenc	I 🛛			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				
P3	Confor				
P3.1*	The pro The Dec <u>https://</u>	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): <a href="https://www.lenovo.com/us/en/compliance/eu-doc">www.lenovo.com/us/en/compliance/eu-doc</a> for EU ;			
		www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			
	Require	d information is; item P15 or added to this document, available at (add URL):			
	https://	www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.	id 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material(see legal reference).	s) 🔀		
P5.3*	The pro (see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6	Treatme	ent information			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82Y1	Logo	Long		
Issue dat	te *	2023/1/12		Lenc		
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable				<u> </u>
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3*	-	arts > 100 g consist of one material or of easily separable materials.				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\square$		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*	Upgradir	ng can be done using commonly available tools		$\square$		
P7.9	Spare pa	arts are available after end of production for: <b>5</b> years				
P7.10	Service i	s available after end of production for: <b>5</b> years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):)				
P7.12		type: PC+GF Material type: ABS+PC Materia n materials of external electrical cables are PVC free.	al type:			
					<u> </u>	<u> </u>
P7.13		n materials of internal electrical cables are PVC free.			<u>Ц</u>	Щ_
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	e retardants, a	and		
P7.15	Printed c	in 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all	are low halo	gen 🔀		
P7.16		ed in IEC 61249-2-21. (See 1NOTE B2) etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\square$		
	Marking:	FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co			_	_
	TBBF 1/20360	PA (additive),  TBBPA (reactive) (See NOTE B3),  Other: DOPO, CAS #: 203 <sup>·</sup> 7-1	105-1/203606	- 🛛		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(40)</i>	ents) > 25 g	$\boxtimes$		
P7.18	<u>Alt. 1: </u> Fl	ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparation		_	_
		ations above 0,1%: emical name: <b>Bisphenol A diphosphate</b> , CAS #: <b>181028-79-5</b>				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: <b>FR(40)</b>			
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>R52</i> and Hazard statements: <i>H413</i> rce(s) for these classifications is/are found at (add URL(s)): <u>List of <i>R-phrases</i> - M</u>		<u>s</u>		
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Oft ape or	tt least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <i>3.06</i> %.	t (calculated a	as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	82Y1 2023/1/12	Logo	Lenovo.
Product environr	nental attributes - Market requirements (continued)		Requirement met

Item

Yes No n.a.

	Material and sul	ostance requirements	(continued)				
P7.21*			d in the product (See N	IOTE B7):			
	If VES: at least a	no of the two alternativ	os bolow shall bo anow	vorod:			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
		by weight) is 0%.	,				
	or	- <b>f</b> 4h - h : - h					
P7.22*		of the biobased plastic	less than 0,1 mg/lamp	<b>N</b>			
1 1.22		d specify: Number of la		num mercury content p	er lamp: mg		
P8	Batteries			· · ·			
P8.1*	Battery chemical	composition: Lithium	Ion/Lithium Mangane	se Dioxide			
P9		ption (See NOTE B8)					
P9.1			els or energy consumpt				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	65 W	65 W	65 W	Full load		
		<b>U</b> U VV	<b>U V V</b>		, un rodu		
Categor	<u>ry 2</u>						
Short Idle	State - WOL	4.884 W	4.860 W	4.920 W	ENERGY STAR Computers V8		
Enabled					(P <sub>idle</sub> )		
Long Idle	State - WOL	2.088 W	2.028 W	2.112 W	ENERGY STAR Computers V8		
Enabled					(P <sub>idle</sub> )		
Sleep (S3	) - WOL Disabled	<b>0.408</b> W	0.492 W	0.420 W	ENERGY STAR Computers V8 (Pon)		
Off (S5) -	WOL Disabled	0.348 W	0.348 W	0.360 W	ENERGY STAR Computers V8		
ETEC *(2) Annual Er	nergy Consumption	<b>16.68</b> Wh/year	16.82kWh/year	16.86kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$		
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Slee	p Mode(S3) - WOL Enabl	led; Pidle: Idle State - WOL Enabled		
External P	ower Supply Efficie	ency Level (Internationa	al Efficiency Marking Pr	otocol) * : VI			
Display re	solution * : <b>4.096</b> m	negapixels					
Default tim	ne to enter energy s	ave mode: 10 minutes					
P9.2*	Information abou	t the energy save funct	ion is provided with the	product.			
P9.3	Energy efficiency	class (monitors only):					
P10	Emissions						
		<u> </u>	o ISO 9296 (See NOTI				
P10.1		Mode description			it A-weighted sound power level, $L_{WA,c}$ (B)		
	Idle	* Idle mode		* 1.9			
ļ	Operation	* Operating (CPU)		* 3.3			
			nd pressure level (dB) $L_{p{\sf An}}$		ition desktop – idle)		
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{pAn}$	a 34.8 (operator posi	ition desktop – operating)		
	Measured accord	ling to: 🔀 ISO 7779 🛛	ECMA-74				
		Other	(only if not covered b	y ECMA-74)			
		·	· · · · ·	, ,			

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	umber *	82Y1			Logo	Long		
Issue dat	te *	2023/1/12				Leno	VO,	F
Product	environ	nental attribut	es - Market requirements (	continued)		Require	ment	met
ltem						Yes	No	n.a.
		nagnetic emiss						
P10.4	program	(s): MPR-II(3 pir	the requirement for low frequence AC adapter only)	cy electromagnetic fields	s of the following volunt	ary 🔀		
P12		mics for compu						
P12.1*			gonomic requirements of ISO 92			$\square$		
P12.2*	The phy	sical input device	e meets the requirements of ISO	9995 and ISO 9241-41	0.	$\boxtimes$		
P13		ing and docume						
P13.1*	Product Product Product	packaging mater packaging mater packaging mater			g): <b>0.0346</b>			
P13.2*			ackaging is free from PVC.	noigin (itg).		$\boxtimes$		
P13.3*	For pro	1 1 1	rugated fiberboard packaging,	specify the contained p	percentage of minimum			
P13.4*	Specify		nd product documentation (tick b	ox):				
P13.5	Ùser an		is item if paper documentation u entation on paper media is chlor			$\boxtimes$		
	,	hlorine-free al chlorine-free				$\boxtimes$		
	Processed chlorine-free							
P14	Volunta	ry programs						
P14.1	The pro	duct meets the re	equirements of the following volu	ntary program(s):				
		Y STAR® el: <b>EPEAT</b> el:	Criteria version: <i>V8.0</i> Criteria version: Criteria version:	Date: <b>2022/12/26</b> Date: Date:	Product category: 2 Product category: Product category:			
P15	Additio	nal information	(See NOTE B10)					
<b>P9</b>	Energy	consumption of	specific configuration may ve	ary; description of the	tested product config	uration:		
	the info supplie informa	rmation contain r's knowledge a tion. The inform	no representations, guarantee ed in this document. All inform vailable at the time of complet nation provided here is approx e for more information.	nation provided by su tion, and supplier shal	pplier in this documer I have no obligation to	nt is provided o update such	based	l on
P9	See En	ergy Star Qualifi	ed Notebooks & Tablet Comp gov/index.cfm?fuseaction=fin			e=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Flex 5 16IRU8	Logo
Model Number	82Y1	
Issue Date	2023/1/12	Lenovo
Additional information		

d)	year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
·)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when <b>a</b>	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	<mark>No</mark> (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.81			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	4	l		2.112
h)	Sleep mode power demand (Watts);				0.420
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.420
)	Off mode power demand (Watts);				0.360
<)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.360
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 §	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	external power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.5% meet Le	evel VI			
	*internal note: show values for all available external p				
o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300 cycles
p-1)	Measurement methodology used to dete	ermine information men NA	itioned in points (I) – i	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:

(p-3)	Measurement metho	dology used to determine information mentioned in EN 61960 measurement methodolo						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	EN 62623:2013 measurement methodology							
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::					
		EN 62623:2013 measurement method	ology					
(r)	Description of how s	leep and/or off mode was selected or programmed:						
		Based on user manual						
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
		Based on user manual						
(t)		te condition before the computer automatically r s not exceed the applicable power demand requirem		10 minutes				
(u)		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (ir		N/A				
(v) (w)		re the display sleep mode is set to activate after nergy-saving potential of power management function		10 mins				
		Based on user manual						
(x)	user information on I	now to enable the power management functionality:						
		Based on user manual						
(z)		neasurements: — test voltage in V and frequency in tem, — information and documentation on the instru						
	C C	230V, 50GHz, Total Harmonic Distortion	n <2 %					
Addition	nal Notebook Batter	v Information:						
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>						
Internal/I	ouilt-in Battery							
External	detachable Battery							
Bios Bac	kup Battery							
Other:								
Additiona	al information							
кумулаторна as baterías d ýměnu bateri rugeren kan i er Akku/die A asutajad ei sa	та[ите] батерия[и] в този п e este producto no pueden s e/baterii v tomto výrobku by kke uden videre udskifte bat kkkus dieses Produkts kann/ aa selle toote akut/akusid ise j ото проїо́v αυτό δεν μπορ	asily replaced by users themselves. poдykr не може да се замени[ят] лесно от самите потребите. er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé. teriet/batterierne i dette produkt. kônnen nicht ohne weiteres vom Benutzer selbst ausgetauscht v e hôlpsasti asendada. ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες i ne peuvent être facilement remplacée(s) par les utilisateurs et	verden.					