



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		ODOVO
e-mail address	Alvin L Carter		Lenovo
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad Pro 5 14ARP8				
Model number *	83AN				
Issue date *	2022/12/15				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	83AN Logo	Lore		
Issue dat	e *	2022/12/15	Len	OVO	TM
Product	environ	mental attributes - Legal requirements	Require	ement	met
Item			Yes	No	n.a.
P1	Hazardo	ous substances and preparations	•		
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.			
P1.3*	hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Products	$\boxtimes$			
P1.5*	Products chain co	the 🔀			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg e)	gal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference) laration of Conformity can be requested at (add link or e-mail address): <a href="https://www.lenovo.com/us/en/compliance/eu-doc for EU;">www.lenovo.com/us/en/compliance/eu-doc for EU;</a> <a href="https://www.lenovo.com/us/en/compliance/uk-doc for UK">www.lenovo.com/us/en/compliance/uk-doc for UK</a>	ı. 🔯		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			

given in item P15 or added to this document, available at (add URL):

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol

Required information is;

Product packaging

used (see legal reference).

(see legal reference).

**Treatment information** 

**P5** 

P5.2\*

P5.3\*

P6

P6.1\*

https://www.lenovo.com/us/en/compliance/eco-declaration

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

hexavalent chromium by weight of these together.

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	83AN Logo	La	2014		
Issue da	te *	2022/12/15	LE	nov	<b>O</b> <sub>th</sub>	
Product		mental attributes - Market requirements (See General NOTE GN below)				
		onmental conscious design		iremen		
Item	**	tory to fill in. Additional information regarding each item may be found under P14.	Ye	s No	n.a	а.
<b>P7</b> P7.1*		Disassembly, recycling It have to be treated separately are easily separable		<del></del>		_
P7.1*		<u> </u>	<u> </u>		_ <u></u>	┽
		naterials in covers/housing have no surface coating.		<u> </u>		$\perp$
P7.3*		arts > 100 g consist of one material or of easily separable materials.		<u> </u>	$\succeq$	<u>1</u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	ols.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	$\succeq$	<u>1 L</u>		┙
	Product					_
P7.7*		ng can be done e.g. with processor, memory, cards or drives	×			
P7.8*		ng can be done using commonly available tools	$\geq$	1 📙		
P7.9	Spare parts are available after end of production for: 5 years					]
P7.10	Service i	s available after end of production for: <b>5</b> years				]
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>PC+ABS+15% Talc</i> Material type: <i>PC+ABS</i> Material type: <i>Nyl</i>	on+GF			
	Material	type: PC Material type: LCP				
P7.12	Insulatio	n materials of external electrical cables are PVC free.	$\geq$	1 🔲		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.	$\geq$	1 🔲		
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts contain 25% post-consumer recycled content.	s, and	] 🔲		
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g ⊠ are low ha ad in IEC 61249-2-21. (See 1NOTE B2)	alogen			]
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >FR40<	×	]		]
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components) PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO: CAS #: 35948-25-5	):			]
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: <i>FR(16)</i>		] _		]
P7.18	concentration 1. Chemical 2. Chemical 2. Chemical 2. Chemical 2. Chemical 2. Chemical 3. C	lame retarded plastic parts > 25 g contain the following flame retardant substances/preparati ations above 0,1%: ical name: <i>BPADP</i> , CAS #: <i>181028-79-5</i> (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: " ical name: , CAS #: "	ons in	] 🗆		]
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:FR(40)	$\triangleright$	1 🗆		]
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; <i>P273,P391,P501</i> and Hazard statements: <i>H411</i> ce(s) for these classifications is/are found at (add URL(s)):  https://china.guidechem.com/31822/detail.html, (See note B5)		j 🗖		j
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):	×	] 🗌		J
	a) Of t	it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculate ercentage of total plastic by weight) is <b>24.29%</b> .	d as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

The weight of recycled material is 63.87 g.

or

b)

Model number *	83AN	Logo	Lanava
Issue date *	2022/12/15		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remen	t met
Item	Yes	No	n.a.

	Material and subs	stance requirements	(continued)							
P7.21*	Biobased plastic m	naterial content is used	in the product (See N	OTE B7):						
		c parts' weight > 25 g,	s below shall be answe the biobased plastic m	ered; aterial content (calculat	ted as a percentage of					
	or b) The weight of	the biobased plastic r	naterial is g.							
P7.22*			less than 0,1 mg/lamp.							
Do		specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg					
<b>P8</b> P8.1*	Batteries	omposition: Lithium id								
P9		<u> </u>	ווע							
P9.1		Energy consumption (See NOTE B8)  For the product the following power levels or energy consumptions are reported:								
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *					
Peak (On-ri	nax)	100 W	100 W	100 W	Full load					
Category	<u>/2</u>									
Short Idle : Enabled	State - WOL	5.23 W	5.24 W	5.30 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )					
Long Idle S Enabled	State - WOL	0.44 W	0.46 W	0.49 W	ENERGY STAR Computers V8 (P <sub>Idle</sub> )					
Sleep (S3)	- WOL Disabled	0.44 W	<b>0.46</b> W	0.49 W	ENERGY STAR Computers V8					
Off (S5) - V	VOL Disabled	0.32 W	0.32 W	0.36 W	ENERGY STAR Computers V8					
EPS No-loa (External power su	upply / charger plugged in the connected from the product.)	0.03 W	0.03 W	0.03 W						
PTEC *	ergy Consumption	W	W	W						
ETEC * Annual Ene	rgy Consumption	<b>16.18</b> kWh/year	<b>16.28</b> kWh/year	<b>16.65</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short_idle</sub> x 0.30)					
		Poff: Off Mode(\$5) - WO	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable	d; P <sub>idle</sub> : Idle State - WOL Enabled					
External Po	wer Supply Efficien	cy Level (International	Efficiency Marking Pro	otocol) * : VI						
Display res	olution * : <b>2880*18</b> 0	00 megapixels								
Default time	e to enter energy sa	ve mode: 10 minutes								
P9.2*	Information about	the energy save function	on is provided with the	product.						
P9.3	Energy efficiency of	class (monitors only):								
P10	Emissions	5 1 1 " 1	100 0000 (0 11075							
P10.1		Declared according to Mode description	ISO 9296 (See NOTE		t A-weighted sound power level, $L_{WA,c}$ (B)					
F 10.1		System Idle		* 2.13	A-weighted sound power level, LWA,c (B)					
		CPU;Operation		* 3.75						
			d pressure level (dB)	21.41 (operator pos						
	Other mode D	Declared A-weighted sound	d pressure level (dB)	38.69 (operator position desktop – operating)						
	Measured according to: SO 7779 ECMA-74  Other (only if not covered by ECMA 74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	nber *	83AN			Logo		212.0	1/0	
Issue date	*	2022/12/15					eno	VO.	м
Product	environn	mental attributes	- Market requirements (cor	ntinued)		R	equire	ment	met
Item				•			Yes	No	n.a.
	Electron	magnetic emissions	3						
P10.4	program	(s): MPR-II(3 pin AC		lectromagnetic field	ds of the following volu	untary			
P12		mics for computing							
P12.1*	-		omic requirements of ISO 9241-	•	•		$\boxtimes$		
P12.2*	' '		eets the requirements of ISO 999	95 and ISO 9241-4	10.		$\boxtimes$		
P13	Packaging and documentation								
P13.1	Product Product Product	packaging material t packaging material t packaging material t	ype(s): double wall corrugated ype(s): Single layer corrugated ype(s): PIC Black EPE ype(s): LDPE ype(s): Tracing paper		weight (kg): 0.275 weight (kg): 0.033 weight (kg): 0.078 weight (kg): 0.014 weight (kg): 0.004				
P13.2*	Product plastic primary packaging is free from PVC.					$\boxtimes$			
P13.3*		duct primary corruga er recovered fiber co	ated fiberboard packaging, spentent: 84 %	cify the contained	percentage of minim	um post-			
P13.4*		media for user and p ronic, ⊠Paper, ☐	roduct documentation (tick box) Other	:					
P13.5	Ùser and		em if paper documentation used ation on paper media is chlorine-						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs						•	
P14.1	The prod	duct meets the requi	rements of the following voluntar	ry program(s):					
	Eco-labe		Criteria version: 8 Criteria version: 1680.1-2018 Criteria version:	Date: Date: Date:	Product category: Product category: Product category:	2			
P15		nal information (Se							
P9			ecific configuration may vary;						
	the info supplier informa	rmation contained r's knowledge avail tion. The information	representations, guarantees, a in this document. All informat lable at the time of completion on provided here is approxima r more information.	ion provided by su , and supplier sha	upplier in this docun Ill have no obligation	nent is pro n to updat	ovided i e such	based	on
P9			Notebooks & Tablet Computer /index.cfm?fuseaction=find_a			ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Pro 5 14ARP8	Logo
Model Number	83AN	Longue
Issue Date	2022/12/15	Lenovo.
Additional information		
P7.1.1 Product enviro	nmental attributes	

,					2023
е)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	32			
nents sting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
caps	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NO			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	3.241			
Testr	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
1)	Idle state power demand (Watts);				0.451
)	Sleep mode power demand (Watts);				0.451
	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA
	Off mode power demand (Watts);				0.316
)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 85.76%, 85.	27%, 84.09%, 83.45	%, 84.64%		
	*internal note: show values for all available external p				
))	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	otebook computers):	300 cycles
o-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) - i	nternal PSU efficiency	

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:			
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode			
		IEC 62623				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
	Power on -> Wait 5 minutes -> Stable condition					
(r)	Description of how sleep and/or off mode was selected or programmed:					
	Begin menu -> Power -> Select sleep or off mode					
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: <b>NA</b>					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):					
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):					
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  10min					
(w)	Information on the er	nergy-saving potential of power management functio	nality: <i>Refer to User Guid</i> e			
(x)	User information on I	now to enable the power management functionality:				
		Refer to User Guide				
(z)	the electricity supply	measurements: — test voltage in V and frequency in system, — information and documentation on the in sting:230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits			
Addition	al Notebook Batter	y Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	uilt-in Battery					
External/o	detachable Battery					
Bios Back	kup Battery					
Other:						
Additiona	l information					
\						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f dan iI-prodott ma tistax/jistgħux tiġ/ijġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.