



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo "
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	Legion Slim 7 16IRH8, Legion Y9000X IRH8			
Model number *	82Y3			
Issue date *	2023/03/31			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82Y3	Logo	Long)/O		
Issue date	e *	2023/03/31		Lend	JVO	пн	
Product	environ	mental attributes - Legal requirements		Require	ment i	met	
Item				Yes	No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)				
P1.2*	Commer	do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).					
P1.5*		on to contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀			
P1.6*	(see lega Commer	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.		ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):				
P2	Batterie	S					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes			
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*	The prod The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).				
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products,		\boxtimes			
		al reference).			_	_	
	Required	d information is; given in item P15 or added to this document,		\boxtimes		\sqcup	
		available at (add URL):					
		www.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging 0.04% lead a second	durations				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	, cadmium a	nd 🔀	Ш		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3*	The prod	It uses the state of the state	Montreal Protoc	col 🔀			
P6		nt information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).					
						_	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	mber *	82Y3	Logo				
Issue date	e *	2023/03/31		Lenc	-enovo		
	- Enviro	mental attributes - Market requirements (See General NOTE GN l onmental conscious design	pelow)	Requirem	nent m	net	
		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		Disassembly, recycling					
P7.1*		t have to be treated separately are easily separable			<u>Ц</u>	$\perp \!\!\! \perp \!\!\! \perp$	
P7.2*		naterials in covers/housing have no surface coating.			\boxtimes		
P7.3*		arts > 100 g consist of one material or of easily separable materials.				\boxtimes	
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				\boxtimes	
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product	lifetime					
P7.7*	Upgradin	ng can be done e.g. with processor, memory, cards or drives		\boxtimes			
P7.8*	Upgradin	ng can be done using commonly available tools		\boxtimes			
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
	Material	and substance requirements					
P7.11*	Material Material	type: PC+ABS Material type: SK7 Mate	rial type: MGAL rial type: AL 50 rial type:				
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes		
P7.13	Insulation	n materials of internal electrical cables are PVC free.					
P7.14	weight (*polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, ar	nd			
P7.15		circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌			
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: DOP	omponents): O, CAS #: 3594	8- 🖂			
	according	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(40)</i>	,				
P7.18	Alt. 1: Fl concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

and Hazard statements:

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a

Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been

Postconsumer recycled plastic material content is used in the product (See Note B6):

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

The source(s) for these classifications is/are found at (add URL(s)):

If YES; at least one of the two alternatives below shall be answered;

percentage of total plastic by weight) is 1.3%.

The weight of recycled material is 4.5g.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

assigned the following Risk phrases;

P7.19

P7.20*

or

(See note B5)

Model number *	82Y3	Logo	Lenovo		
Issue date *	2023/03/31		Len) _{TM}
Product environr	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

	Material and sub	stance requirements	(continued)			
P7.21*		material content is used		NOTE B7):		
	Of total plast total plastic beginning.				ated as a percentage of	
	or	of the highest plactic	matarial is			
P7.22*		of the biobased plastic free from mercury, i.e.		2		$\overline{}$
1.22	0	specify: Number of la		ր. mum mercury content pe	er lamp: mg	
P8	Batteries				, ,	
P8.1*	Battery chemical	composition: Lithium-i	ion			
P9		otion (See NOTE B8)				
P9.1		e following power leve				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	·max)	230 W	230 W	230 W	Full load	
Catego	<u>y 2</u>					
Short Idle Enabled	State - WOL	14.88 W	15.31 W	15.45 W	ENERGY STAR Computers V8 (P _{idle})	
Long Idle Enabled	State - WOL	6.53 W	6.62 W	6.63 W	ENERGY STAR Computers V8 (P _{idle})	
Sleep (S3) - WOL Enabled	0.92 W	0.94 W	0.96 W	ENERGY STAR Computers V8 (Pidle)	
Off (S5) -	WOL Enabled	0.28 W	0.28 W	0.30 W	ENERGY STAR Computers V8 (Pidle)	
EPS No-Io	oad supply / charger plugged in the sconnected from the product.)	0.076 W	0.079 W	0.127 W		
PTEC *	ergy Consumption	W	W	W		
ETEC *	ergy Consumption	48.25 kWh/year	49.53 kWh/year	50.01 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enable	ed; P _{idle} : Idle State - WOL Enabled	
External P	ower Supply Efficie	ncy Level (Internationa	l Efficiency Marking P	rotocol) * : VI		
Display re	solution * : 3200*20	00 megapixels				T
Default tim	ne to enter energy s	ave mode: 15 minutes				Ħ
P9.2*	Information about	the energy save functi	ion is provided with the	e product.		∺
P9.3		class (monitors only):	•			X
P10	Emissions	<u> </u>				
	Noise emission -	 Declared according to 	o ISO 9296 (See NOT	E B9)		
P10.1		Mode description		Statistical upper lim * 2.7	it A-weighted sound power level, $L_{WA,c}$	(B)
	Idle	* Idle	dle			
	Operation	* CPU operatng		* 3.4		
		e Declared A-weighted sound pressure level (dB) L_{pAm}		21.4 (operator position desktop – idle)		
	0	Declared A-weighted sound $L_{p{\sf Am}}$	nd pressure level (dB)	27.0 (operator posi	ition desktop – operating)	
	Measured accord	ing to: ISO 7779 Dother	ECMA-74 (only if not covered b			
	1	Ouici	(orny if flot covered b	y Lowin-14)		

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic



Model number *	82Y3	Logo	Lonovo
Issue date *	2023/03/31		Lenovo
Product environr	mental attributes - Market requirements (continued)		Requirement
Item			Yes No n.
Electron	nagnetic emissions		
program	er display meets the requirement for low frequency electromagnetic field (s): EMC Directive 2014/30/EU	s of the following volunta	ry 🔲 🗌
	mics for computing products		
·	play meets the ergonomic requirements of ISO 9241-307 for visual displa	, ,	
P12.2* The physical P12.2	sical input device meets the requirements of ISO 9995 and ISO 9241-41	0.	
	ing and documentation		
Product Product Product Product Product		weight (kg): 0.106 weight (kg): 0.418 weight (kg): 0.543 weight (kg): 0.15 weight (kg): 0.0062 weight (kg): 0.005 weight (kg): 0.015	
P13.2* Product	plastic primary packaging is free from PVC.		
consume P13.4* Specify Elect P13.5 (Please User and	duct primary corrugated fiberboard packaging, specify the contained per recovered fiber content: 90 % media for user and product documentation (tick box): ronic, Paper, Other only complete this item if paper documentation used) d product documentation on paper media is chlorine-free:	percentage of minimum	post-
Totally c Element Process	lease specify: hlorine-free al chlorine-free ed chlorine-free		
	ry programs		
Eco-labe Eco-labe Eco-labe Criteria v	el: Criteria version: Date: el: Criteria version: Date: version: Date:	Product category: Product category: Product category: Product category:	
	nal information (See NOTE B10)		
NOTE: S the info supplied informa	consumption of specific configuration may vary; description of the Supplier makes no representations, guarantees, assurances or wan rmation contained in this document. All information provided by sur's knowledge available at the time of completion, and supplier shation. The information provided here is approximate and provided for the Representative for more information.	ranties whether express upplier in this document Il have no obligation to	s or implied, regarding t is provided based on update such

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Legion Slim 7 16IRH8, Legion Y9000X IRH8	Logo	
Model Number	82Y3	_	Lonovo
Issue Date	2023/03/31		Lenovo.
Additional information			

d)	Year of manufacture:				2023	
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.					
·)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]			32		
ents	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)	
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	YES #: 1 (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)			G5		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			24.60		
1)	Idle state power demand (Watts);		1		8.25	
1)	Sleep mode power demand (Watts);				1.07	
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		NA	
)	Off mode power demand (Watts);				0.38	
()	Off mode with WOL enabled power den	nand (Watts) (where en	abled);		NA	
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	age			
n)	External power supply efficiency (if appl Average active efficiency: <i>Liteon:</i> 92.3		;Delta: 92.33%			
o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to r	otebook computers):	300	
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	nternal PSU efficiency	:	
)-2)	Measurement methodology used to dete		ntioned in points (m) -	external PSU efficience	cy:	
	EN 505	63:2011 measuremen	t methodology			

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:						
		EN 50563:2011 measurement methodo	ology				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
	EN 61960 measurement methodology						
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		EN 61960 measurement methodolog	gy				
(r)	Description of how sl	eep and/or off mode was selected or programmed:					
		Begin menu -> Power -> Select sleep or o	ff mode				
(s)	Sequence of events off mode:	required to reach the mode where the equipment aut	tomatically changes to sleep and/or				
40		base on User Guide					
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		15 min			
(u)		r a period of user inactivity in which the compute		N/A			
` '		ver power demand requirement than sleep mode (in		NA			
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 5 min						
(w)	Information on the er	nergy-saving potential of power management function	nality:				
		Refer to User Guide					
(x)	User information on I	how to enable the power management functionality:					
		Refer to User Guide					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the instance.					
	used for electrical tes	230V, 50Hz, Total Haemonic Distortion	<2%				
Addition	al Notebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	uilt-in Battery						
External/o	detachable Battery						
Bios Back	Bios Backup Battery						
Other:	Other:						
Additiona	l information						
)							

The batterylies in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tigi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.